29.10.2021	Kit Components
Product code	Description
0743-200407	ergo 0743
Components:	
0741-200407	ergo 0741 - Component A ergo 0743
0742-200407	ergo 0742 - Component B ergo 0743





Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: ergo 0741 Component A ergo 0743
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Epoxy resin adhesive

Resin

- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: Product safety department
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

 $+1\ 872\ 5888271$ 

### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS07

GHS09

- Signal word Warning
- Hazard-determining components of labelling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 1)

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

- Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms





GHS07 GHS09

- Signal word Warning
- Hazard-determining components of labelling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.- vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- **Description:** Adhesive

- Dangerous components:		
CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	> 50 - ≤ 100%
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2,	
Index number: 603-073-00-2	H319; Skin Sens. 1, H317	
Reg.nr.: 01-2119456619-26-xxxx		

- Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

(Contd. on page 3)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 2)

If skin irritation continues, consult a doctor.

#### - After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### - After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

### - 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### - 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

### - 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### - 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

### - 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

#### - 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

CH-EN

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 3)

### **SECTION 8: Exposure controls/personal protection**

- -8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- DNE	- DNELs		
1675	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane		
Oral	Acute, System	0.5 mg/kg (General population)	
Derm	nal Longterm System	0.0893 mg/kg bw/day (General population)	
		0.75 mg/kg bw/day (Worker)	
Inhala	ative Longterm System	0.89 mg/m³ (General population)	
		4.93 mg/m³ (Worker)	
- PNE	- PNECs		
1675	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane		
Oral	PNEC oral	11 mg/kg Food	
	PNEC Freshwater	0.006 mg/l	
	PNEC Freshwater sed	0.341 mg/kg	

- Additional information: The lists valid during the making were used as basis.

0.001 mg/l

10 mg/l

0.065 mg/kg

- 8.2 Exposure controls

PNEC Soil

PNEC STP

- Personal protective equipment:

**PNEC Marinewater** 

- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

PNEC Marinewater sed 0.034 mg/kg

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Clean skin thoroughly immediately after handling the product.

### - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

### - Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### - Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

**SECTION 9: Physical and chemical properties** 

- Eye protection: Safety glasses

(Contd. of page 4)

<ul> <li>9.1 Information on basic physical and</li> <li>General Information</li> </ul>	chemical properties
- Appearance:	
Form:	Pasty ADR 2.3.4: solid
Colour:	Blue
- Odour:	Characteristic
- Odour threshold:	Not determined.
- pH-value:	Not determined.
	Not applicable.
- Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling rang	ge: Undetermined.
- Flash point:	>100 °C
- Flammability (solid, gas):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Oxidising properties	Not determined.

1.46 g/cm<sup>3</sup>

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Not miscible or difficult to mix.

No further relevant information available.

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

- 9.2 Other information

- Density at 20 °C:

- Relative density

- Vapour density

water:

- Viscosity: Dynamic:

**Kinematic:** 

- Evaporation rate

- Solubility in / Miscibility with

- Partition coefficient: n-octanol/water:

- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions

Reacts with strong alkali.

Reacts with strong acids.

(Contd. on page 6)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 5)

Reacts with strong oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

	- LD/LC50 values relevant for classification:		
	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane		
Γ	Oral	LD50	15,000 mg/kg (Rat, male/female)
İ	Dermal	LD50	23,000 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- Toxicity to fish:

### 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

LC50/96 h 2 mg/l (Fish)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

- 12.6 Other adverse effects No further relevant information available.

(Contd. of page 6)

### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:

1.4.1 TINI NI..................

- **Recommendation:** Disposal must be made according to official regulations.

<b>SECTION 14:</b>	<b>Transport</b>	information
--------------------	------------------	-------------

- 14.1 UN-Number - ADR, IMDG, IATA	UN3077
- 14.2 UN proper shipping name	
- ADR	3077 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)
	phenyl]propane)
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]
	propane), MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]
	propane)

- 14.3 Transport hazard class(es)
- ADR



- **Class** 9 (M7) Miscellaneous dangerous substances and articles.

- Label

- IMDG, IATA



- Class 9 Miscellaneous dangerous substances and articles.

- Label 9

- 14.4 Packing group

- ADR, IMDG, IATA

- 14.5 Environmental hazards:

- Marine pollutant: Symbol (fish and tree)
 - Special marking (ADR): Symbol (fish and tree)
 - Special marking (IATA): Symbol (fish and tree)

- 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and

articles.

nber (Kemler code): 90

- Hazard identification number (Kemler code): 90 - EMS Number: F-A,S-F

- Stowage Category A

(Contd. on page 8)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

- Stowage Code	SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9.
- 14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
- Transport/Additional information:	ADR: SV375 IMDG-Code: 2.10.2.7 IATA-DGR: A197 (375)
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Transport category - Tunnel restriction code - Remarks:	3 (-) SV375: These substances are not subject to the other provisions of ADR / RID if they are transported in individual of composite packaging with a net quantity of no more than 1 of liquid substances or a net mass of no more than 5 k of solids per individual or inner packaging, provided that the packaging is used correspond to the general provision of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
<ul><li>- IMDG</li><li>- Limited quantities (LQ)</li><li>- Excepted quantities (EQ)</li></ul>	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Remarks:	2.10.2.7:  Marine pollutants in individual packaging or composit packaging with a net quantity per individual or inner packaging of no more than 5 L for liquids or a net mas per individual or inner packaging of no more than 5 kg for solids are not subject to any other provisions of this Cod applicable to marine pollutants, provided that the packaging complies with the general Meet the requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. If the case of marine pollutants that also meet the criteria for inclusion in another class, all provisions of this Code that apply to any further hazards continue to apply.
- IATA - Remarks:	A 197 (375): These substances when transported in single of combination packagings containing a net quantity personal single or inner packaging of 5 L or less for liquids of the having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1 5.0.2.6.1.1 and 5.0.2.8.
- UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (BIS[4-(2,3 EPOXYPROPOXY)PHENYL]PROPANE), 9, III

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 8)

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### - Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### - Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### - Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

### - Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

- \* Data compared to the previous version altered.





Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### - 1.1 Product identifier

- Trade name: ergo 0742 Component B ergo 0743
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Epoxy resin adhesive

Hardening agent / Curing agent

- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: Product safety department
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

+1 872 5888271

### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms







GHS05 GHS07

GHS09

- Signal word Danger

- Hazard-determining components of labelling:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine

Butadiene-acrylonitrile copolymer

Fatty acids, C18 unsaturated dimers, polymers with tall oil fatty acids and triethylenetetramine

3,6-diazaoctanethylenediamin

(Contd. on page 2)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

(Contd. of page 1)

#### - Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

### - Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.- vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- **Description:** Adhesive

- Dangerous components:		
CAS: 68683-29-4	Butadiene-acrylonitrile copolymer Skin Irrit. 2, H315; Skin Sens. 1, H317	> 30 - ≤ 50%
CAS: 68082-29-1 NLP: 500-191-5	Fatty acids, C18 unsaturated dimers, polymers with tall oil fatty acids and triethylenetetramine Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 25 - ≤ 30%
CAS: 10563-29-8 EINECS: 234-148-4	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	> 15 - ≤ 30%
CAS: 112-24-3 EINECS: 203-950-6 Index number: 612-059-00-5	3,6-diazaoctanethylenediamin Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	> 1 - < 2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide Carc. 2, H351	≥ 0.1 - ≤ 1%

<sup>-</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

(Contd. on page 3)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

(Contd. of page 2)

Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

### - 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Use neutralising agent.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- -7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 8 A
- -7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

		(Contd. of page 3)
0		ues that require monitoring at the workplace:
	7 titanium diox	
MAK (Sw		term value: 3 a mg/m <sup>3</sup>
	SSc;	
DNELs		
	3,6-diazaoctane	
Oral	Acute, System	20 mg/kg (General population)
	Longterm Syste	m 0.41 mg/kg bw/day (General population)
Dermal	Acute, Local	1 mg/kg (General population)
	Acute, System	8 mg/kg bw (General population)
	Longterm Local	0.028 mg/kg bw/day (Worker)
	Longterm Syste	m 0.57 mg/kg bw/day (Worker)
Inhalative	Acute, System	1,600 mg/m³ (General population)
		5,380 mg/m³ (Worker)
	Longterm Syste	m 0.29 mg/m³ (General population)
		1 mg/m³ (Worker)
PNECs	•	
112-24-3	3,6-diazaoctane	thylenediamin
PNEC Fre	shwater 0.	19 mg/l
PNEC Freshwater sed 95.9		5.9 mg/kg
PNEC Marinewater 0.03		038 mg/l
PNEC Soi	1 19	9.1 mg/kg
PNEC STI	P 4.	25 mg/l
PNEC Ma	rinewater sed 19	9.2 mg/kg
		<b>,</b>

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

### - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Combination filter ABEK-ST-P3

### - Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### - Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

(Contd. of page 4)

### - Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed goggles- Body protection: Use protective suit.

### **SECTION 9: Physical and chemical properties**

SECTION 9: Physical and chemi-	cai properties	
- 9.1 Information on basic physical and chemical properties		
- General Information		
- Appearance: Form:	Doctry	
rorm:	Pasty ADR 2.3.4: solid	
Colour:	White	
- Odour:	Characteristic	
- Odour threshold:	Not determined.	
- pH-value:	Not determined.	
- pri-value:	Not applicable.	
	Tvot applicable.	
- Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
- Flash point:	Not applicable.	
- Flammability (solid, gas):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Auto-ignition temperature:	Product is not self-igniting.	
- Explosive properties:	Product does not present an explosion hazard.	
- Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
- Oxidising properties	Not determined.	
- Vapour pressure:	Not determined.	
- Density at 20 °C:	1.13 g/cm <sup>3</sup>	
- Relative density	Not determined.	
- Vapour density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
- Partition coefficient: n-octanol/water:	Not determined.	
Visoositze		
- Viscosity: Dynamic:	Not determined.	
Dynamic: Kinematic:	Not determined.	
- 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

(Contd. of page 5)

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids.

Reacts with metals forming hydrogen.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:			
10563-29-	10563-29-8 N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine		
Oral	LD50	1,670 mg/kg (Rat, male/female)	
Dermal	LD50	1,310 mg/kg (Rabbit)	
112-24-3 3	112-24-3 3,6-diazaoctanethylenediamin		
Oral	LD50	1,716 mg/kg (Rabbit)	
Dermal	LD50	1,465 mg/kg (Rabbit)	
13463-67-7 titanium dioxide			
Oral	LD50	> 20,000 mg/kg (Rat, male/female)	
Inhalative	LC50/4 h	> 6.82 mg/l (Rat, male/female)	

- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish

(Contd. on page 7)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

(Contd. of page 6)

### - Additional ecological information:

#### - General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- **Recommendation** Disposal must be made according to official regulations.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

- 14.1 UN-Number - ADR, IMDG, IATA	UN3259
- 14.2 UN proper shipping name - ADR	3259 AMINES, SOLID, CORROSIVE, N.O.S. (N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine, Fatty
	acids, C18 unsaturated dimers, polymers with tall oil fatty acids and triethylenetetramine), ENVIRONMENTALLY HAZARDOUS
- IMDG	AMINES, SOLID, CORROSIVE, N.O.S. (N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine, Fatty acids, C18 unsaturated dimers, polymers with tall oil fatty acids and triethylenetetramine), MARINE POLLUTANT
- IATA	AMINES, SOLID, CORROSIVE, N.O.S. (N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine, Fatty acids, C18 unsaturated dimers, polymers with tall oil fatty acids and triethylenetetramine)

#### - 14.3 Transport hazard class(es)

- ADR





- Class 8 (C8) Corrosive substances.

- Label

- IMDG





- Class 8 Corrosive substances.

(Contd. on page 8)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

	(Contd. of page
- Label 	8
- IATA	
- Class	8 Corrosive substances.
- Label	8
- 14.4 Packing group - ADR, IMDG, IATA	П
- 14.5 Environmental hazards:  - Marine pollutant: - Special marking (ADR):	Product contains environmentally hazardous substances Fatty acids, C18 unsaturated dimers, polymers with tall o fatty acids and triethylenetetramine Symbol (fish and tree) Symbol (fish and tree)
<ul> <li>- 14.6 Special precautions for user</li> <li>- Hazard identification number (Kemler code):</li> <li>- EMS Number:</li> <li>- Segregation groups</li> <li>- Stowage Category</li> <li>- Segregation Code</li> </ul>	Warning: Corrosive substances.  80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
- 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
- Transport/Additional information:	
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
- Transport category - Tunnel restriction code	2 E
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
- UN "Model Regulation":	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (N (3-AMINOPROPYL)-N,N-DIMETHYLPROPANE-1,3 DIAMINE, FATTY ACIDS, C18 UNSATURATED DIMERS, POLYMERS WITH TALL OIL FATTY ACIDS AND TRIETHYLENETETRAMINE), 8, IN ENVIRONMENTALLY HAZARDOUS

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 9)

Printing date 29.10.2021 Version number 3 Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

- REGULATION (EU) 2019/1148

(Contd. of page 8)

### - Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### - Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### - Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### - Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

### - Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- \* Data compared to the previous version altered.