29.10.2021	Kit Components
Product code	Description
0743-200407	ergo 0743
Components:	
0741-200407	ergo 0741 - Component A ergo 0743
0742-200407	ergo 0742 - Component B ergo 0743



Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31 Printing date 29.10.2021 Version number 3 Revision: 29.10.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking - 1.1 Product identifier - Trade name: ergo 0741 - Component A ergo 0743 - 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. - Application of the substance / the mixture Epoxy resin adhesive Resin - 1.3 Details of the supplier of the safety data sheet - Manufacturer/Supplier: Kisling AG Motorenstrasse 102 CH-8620 Wetzikon Tel: +41- 58-272 0 272 - Only representative (REACH) and importer (CLP): Kisling Deutschland GmbH Salzstraße 15 D-74676 Niedernhall Tel +49 8171 99982 30 - Further information obtainable from: Product safety department - Department issuing MSDS: ergo@kisling.com - 1.4 Emergency telephone number: +49-700-24 112 112 (KAR) +1 872 5888271 **SECTION 2: Hazards identification** - 2.1 Classification of the substance or mixture - Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation.

- Eye Irrit. 2 H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction. Skin Sens. 1
- Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- Signal word Warning
- Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane
- Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

EU-EN

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

- Precautionary	
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
- Additional info	
EUH205 Conta	ins epoxy constituents. May produce an allergic reaction.
- Labelling of pa	ackages where the contents do not exceed 125 ml
- Hazard pictog	
	72
GHS07 GH	S09
GHS07 GH	
- Signal word W	
- Signal word W - Hazard-detern	Varning
- Signal word W - Hazard-detern	arning nining components of labelling: ypropoxy)phenyl]propane
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem 	arning nining components of labelling: ypropoxy)phenyl]propane
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem 	Varning nining components of labelling: ypropoxy)phenyl]propane tents se an allergic skin reaction.
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus 	Varning nining components of labelling: ypropoxy)phenyl]propane tents se an allergic skin reaction.
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary 	<pre>'arning nining components of labelling: ypropoxy)phenyl]propane ents se an allergic skin reaction. statements</pre>
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 P280 	<pre>'arning nining components of labelling: ypropoxy)phenyl]propane eents se an allergic skin reaction. statements Avoid breathing mist/vapours/spray.</pre>
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 P280 	<pre>/arning mining components of labelling: ypropoxy)phenyl]propane eents see an allergic skin reaction. statements</pre>
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 P280 	Varning nining components of labelling: ypropoxy)phenyl]propane tents se an allergic skin reaction. statements Avoid breathing mist/vapours/spray. Wear protective gloves / eye protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i
 Signal word W Hazard-detern bis[4-(2,3-epox Hazard statem H317 May caus Precautionary P261 P280 P305+P351+P3 	 Varning nining components of labelling: ypropoxy)phenyl]propane eents se an allergic skin reaction. statements Avoid breathing mist/vapours/spray. Wear protective gloves / eye protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention.
 Signal word W Hazard-detern bis[4-(2,3-epox) Hazard statem H317 May cause Precautionary P261 P280 P305+P351+P3 P333+P313 2.3 Other haza 	 Varning nining components of labelling: ypropoxy)phenyl]propane eents se an allergic skin reaction. statements Avoid breathing mist/vapours/spray. Wear protective gloves / eye protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention.
 Signal word W Hazard-detern bis[4-(2,3-epox) Hazard statem H317 May cause Precautionary P261 P280 P305+P351+P3 P333+P313 2.3 Other haza 	 ⁷arning nining components of labelling: ypropoxy)phenyl]propane tents te an allergic skin reaction. statements Avoid breathing mist/vapours/spray. Wear protective gloves / eye protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. T and vPvB assessment

- 3.2 Mixtures

- Description: Adhesive

- Dangerous components:

Dunger ous componentist			
CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	> 50 - ≤ 100%	
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2,		
Index number: 603-073-00-2	H319; Skin Sens. 1, H317		
Reg.nr.: 01-2119456619-26-xxxx			
 Additional information: For the wording of the listed hazard phrases refer to section 16			

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

- After inhalation:

- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

Version number 3

Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

 After eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. After swallowing: Rinse out mouth and then drink plenty of water. If swallowed, do not induce vomiting: seek medical advice and show this container or label. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 	
 SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding con 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regul 	
 SECTION 6: Accidental release measures - 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. - 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow product to reach sewage system or any water course. - 6.3 Methods and material for containment and cleaning up: 	

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- 7.3 Specific end use(s) No further relevant information available.

- EU-EN

(Contd. on page 4)

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

-8.1 Control parameters

- Additional information about design of technical facilities: No further data; see item 7.

- Ingredients with limit values that require monitoring at the workplace: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

MAK (Germany) vgl. Abschn. IIb

- DNELs

1675-54-3	bis[4-(2,3-epoxyp	ropoxy)phenyl]propane

		0.5 mg/kg (General population)
Dermal	Longterm System	0.0893 mg/kg bw/day (General population)
		0.75 mg/kg bw/day (Worker)
Inhalative		0.89 mg/m ³ (General population)
		4.93 mg/m ³ (Worker)

- PNECs

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

Oral	PNEC oral	11 mg/kg Food
	PNEC Freshwater	0.006 mg/l
	PNEC Freshwater sed	0.341 mg/kg
	PNEC Marinewater	0.001 mg/l
	PNEC Soil	0.065 mg/kg
	PNEC STP	10 mg/l
	PNEC Marinewater sed	0.034 mg/kg

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Clean skin thoroughly immediately after handling the product.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Printing date 29.10.2021

*

Version number 3

Revision: 29.10.2021

(Contd. of page 4)

Trade name: ergo 0741 - Component A ergo 0743

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses

SECTION 9: Physical and chemical properties - 9.1 Information on basic physical and chemical properties - General Information - Appearance: Form: Pasty ADR 2.3.4: solid **Colour:** Blue - Odour: Characteristic - Odour threshold: Not determined. Not determined. - pH-value: Not applicable. - Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. >100 °C - Flash point: Not applicable. - Flammability (solid, gas): Not determined. - Decomposition temperature: Product is not self-igniting. - Auto-ignition temperature: - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Not determined. **Upper:** - Oxidising properties Not determined. - Vapour pressure: Not determined. 1.46 g/cm3 - Density at 20 °C: Not determined. - Relative density - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with Not miscible or difficult to mix. water: - Partition coefficient: n-octanol/water: Not determined. - Viscosity: **Dynamic:** Not determined. **Kinematic:** Not determined. -9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 6)

^{- 10.2} Chemical stability

⁻ EU-EN

Version number 3

Revision: 29.10.2021

(Contd. of page 5)

Trade name: ergo 0741 - Component A ergo 0743

- 10.3 Possibility of hazardous reactions

Reacts with strong alkali. Reacts with strong acids.

Reacts with strong oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

Oral LD50 15,000 mg/kg (Rat, male/female)

Dermal LD50 23,000 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:
- No experimentally found toxicological data are available for this preparation.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.

_	Toxicity	to	fich	
-	IUNICITY	w	man.	

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane LC50/96 h 2 mg/l (Fish) - 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

- Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

(Contd. on page 7)

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

- 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- **Recommendation** Disposal must be made according to official regulations.

- Uncleaned packaging:

*

- Recommendation: Disposal must be made according to official regulations.

 ADR, MDD, IATA ADR, MDD, IATA UN3077 - 14.2 UN proper shipping name - ADR, MDD, IATA - IMDG - IMDG - IMDG - IMDG - IATA - IATA - IATA - IATA - IATA - IATA - Class - Label - IMDG, IATA - IMDG, IATA - Class - ADR - MARINE POLIDIANT - IATA - MIDG, IATA - MAR, IMD, JATA - MAR, IMD, JATA - Marine pollutant: - Special marking (ADR): - Special marking (IATA): - Special marking (IATA): - Symbol (fish and tree) - Special marking (IATA): - Symbol (fish and tree) - Special marking (IATA): - Symbol (fish and tree) - Symbol (fish a	- 14.1 UN-Number	
- ADR 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLD, N.O.S. (bis[4-(2,3-epoxypropoxy phenyl]propane) - IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl propane). MARINE POLLUTANT - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl propane). MARINE POLLUTANT - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl propane). MARINE POLLUTANT - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl propane) - IAAB Image: Solid stance state stat		UN3077
- IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)pheny] propane), MARINE POLLUTANT - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)pheny] propane) - 14.3 Transport hazard class(es) - - ADR - - Class 9 (M7) Miscellaneous dangerous substances and articles. - Label 9 - IMDG, IATA - - Class 9 Miscellaneous dangerous substances and articles. - Label 9 - IA4 Packing group - - ADR, IMDG, IATA III - 14.5 Environmental hazards: - - Special marking (IATA): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - Special marking (IATA): Warrning: Miscellaneous dangerous substances and articles.		SUBSTANCE, SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)
- IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl propane) - 14.3 Transport hazard class(es) - ADR - ADR - Class - Class 9 (M7) Miscellaneous dangerous substances and articles. - Label 9 - IMDG, IATA 9 - Class 9 Miscellaneous dangerous substances and articles. - Label 9 - IA4.4 Packing group - ADR, IMDG, IATA - ADR, IMDG, IATA III - ADR, IMDG, IATA Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - Special marking (IATA): Warning: Miscellaneous dangerous substances and articles.	- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)pheny]
 ADR ADR ADR ADR ADR Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Varning: Miscellaneous dangerous substances and articles. 	- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl
 Class Class Jubel MDG, IATA ImDG, IATA ImDG, IATA Import Import I	- 14.3 Transport hazard class(es)	
- Label 9 - IMDG, IATA IMDG, IATA Image: Class 9 Miscellaneous dangerous substances and articles. - Class 9 Miscellaneous dangerous substances and articles. - Label 9 - 14.4 Packing group 9 - ADR, IMDG, IATA III - 14.5 Environmental hazards: - - Marine pollutant: Symbol (fish and tree) - Special marking (ADR): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.	- ADR	
- Label 9 - IMDG, IATA IMDG, IATA Image: Class 9 Miscellaneous dangerous substances and articles. - Class 9 Miscellaneous dangerous substances and articles. - Label 9 - 14.4 Packing group 9 - ADR, IMDG, IATA III - 14.5 Environmental hazards: - - Marine pollutant: Symbol (fish and tree) - Special marking (ADR): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.		
- IMDG, IATA Image: Special marking (ADR): - Special marking (IATA): - 14.6 Special precautions for user		9
- Label9- 14.4 Packing group - ADR, IMDG, IATAIII- 14.5 Environmental hazards: - Marine pollutant:Symbol (fish and tree)- Special marking (ADR): - Special marking (IATA):Symbol (fish and tree)- Special marking (IATA):Symbol (fish and tree)- 14.6 Special precautions for userWarning: Miscellaneous dangerous substances and articles.	- IMDG, IATA	
- Label9- 14.4 Packing group - ADR, IMDG, IATAIII- 14.5 Environmental hazards: - Marine pollutant:Symbol (fish and tree)- Special marking (ADR): - Special marking (IATA):Symbol (fish and tree)- Special marking (IATA):Symbol (fish and tree)- 14.6 Special precautions for userWarning: Miscellaneous dangerous substances and articles.		
- ADR, IMDG, IATA III - 14.5 Environmental hazards:		
- Marine pollutant: Symbol (fish and tree) - Special marking (ADR): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.		III
- Special marking (ADR): Symbol (fish and tree) - Special marking (IATA): Symbol (fish and tree) - 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.		
- Special marking (IATA): Symbol (fish and tree) - 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.		
- 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.		
articles.		• • •
- Hazard identification number (Kemler code): 90		articles.
	- Hazard identification number (Kemler code)	90

(Contd. of page 6)

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

	(Contd. of page
- EMS Number: - Stowage Category - Stowage Code	F-A,S-F A SW23 When transported in BK3 bulk container, se 7.6.2.12 and 7.7.3.9.
- 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
- Transport/Additional information:	ADR: SV375 IMDG-Code: 2.10.2.7 IATA-DGR: A197 (375)
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Transport category - Tunnel restriction code - Remarks:	3 (-) SV375: These substances are not subject to the other provisions of ADR / RID if they are transported in individual of composite packaging with a net quantity of no more than 1 of liquid substances or a net mass of no more than 5 k of solids per individual or inner packaging, provided the the packaging is used correspond to the general provision of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Remarks:	2.10.2.7: Marine pollutants in individual packaging or composit packaging with a net quantity per individual or inner packaging of no more than 5 L for liquids or a net mas per individual or inner packaging of no more than 5 kg for solids are not subject to any other provisions of this Coc applicable to marine pollutants, provided that the packaging complies with the general Meet the requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. If the case of marine pollutants that also meet the criteria for inclusion in another class, all provisions of this Code that apply to any further hazards continue to apply.
- IATA - Remarks:	A 197 (375): These substances when transported in single of combination packagings containing a net quantity pe single or inner packaging of 5 L or less for liquids of having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided th packagings meet the general provisions of 5.0.2.4.7 5.0.2.6.1.1 and 5.0.2.8.

раде - , — EU-EN –

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0741 - Component A ergo 0743

(Contd. of page 8) - UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BIS[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture - Chemical safety assessment

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148

- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

- * Data compared to the previous version altered.



Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31 Printing date 29.10.2021 Version number 3 Revision: 29.10.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking - 1.1 Product identifier - Trade name: ergo 0742 - Component B ergo 0743 - 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. - Application of the substance / the mixture Epoxy resin adhesive Hardening agent / Curing agent - 1.3 Details of the supplier of the safety data sheet - Manufacturer/Supplier: Kisling AG Motorenstrasse 102 CH-8620 Wetzikon Tel: +41- 58-272 0 272 - Only representative (REACH) and importer (CLP): Kisling Deutschland GmbH Salzstraße 15 D-74676 Niedernhall Tel +49 8171 99982 30 - Further information obtainable from: Product safety department - Department issuing MSDS: ergo@kisling.com - 1.4 Emergency telephone number: +49-700-24 112 112 (KAR)

+1 872 5888271

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- Signal word Danger
- Hazard-determining components of labelling:
 - N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine
- Butadiene-acrylonitrile copolymer

Fatty acids, C18 unsaturated dimers, polymers with tall oil fatty acids and triethylenetetramine 3,6-diazaoctanethylenediamin

- 5,0-ulazaoctalletilylelleula
- Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

	(Contd. of page 1)
H317 May c	cause an allergic skin reaction.
H411 Toxic	to aquatic life with long lasting effects.
Precautiona	ary statements
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330-	+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361-	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
2.3 Other h	azards
Results of P	PBT and vPvB assessment
PBT: Not ap	pplicable.
vPvB: Not a	

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Adhesive

- Dangerous components:				
CAS: 68683-29-4	Butadiene-acrylonitrile copolymer	$> 30 - \le 50\%$		
	Skin Irrit. 2, H315; Skin Sens. 1, H317			
CAS: 68082-29-1	Fatty acids, C18 unsaturated dimers, polymers with tall oil	≥ 25 - ≤ 30%		
NLP: 500-191-5	fatty acids and triethylenetetramine			
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317			
CAS: 10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	> 15 - ≤ 30%		
EINECS: 234-148-4	Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317			
CAS: 112-24-3	3,6-diazaoctanethylenediamin	> 1 - < 2.5%		
EINECS: 203-950-6	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4,			
Index number: 612-059-00-5	H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412			
CAS: 13463-67-7	titanium dioxide	≥ 0.1 - ≤ 1%		
EINECS: 236-675-5	Carc. 2, H351	= 0.1 = 170		
Index number: 022-006-00-2				
Reg.nr.: 01-2119489379-17-xxxx				
- Additional information: For the wording of the listed hazard phrases refer to section 16.				

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- After contact with skin, wash immediately with plenty of soap and water.
- If skin irritation continues, consult a doctor.
- After eye contact:
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 3)

⁻ EU-EN

Version number 3

Revision: 29.10.2021

(Contd. of page 2)

Trade name: ergo 0742 - Component B ergo 0743

- After swallowing:

Rinse out mouth and then drink plenty of water.

- If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Use neutralising agent.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 10 for information on "stability and reactivity".
- See Section 13 for disposal information.

SECTION 7: Handling and storage

-7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 8 A
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

⁻ EU-EN -

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

Ingredien	ts with limit va	(Contd. of page lues that require monitoring at the workplace:	
-	3,6-diazaoctane		
MAK (Ger	rmany) als Dan	pf und Aerosol;vgl.Abschn.IV	
13463-67-	7 titanium diox	ide	
AGW (Ge	rmany) Long-te	rm value: 1.25* 10** mg/m ³	
	2(II);*a	lveolengängig**einatembar; AGS, DFG	
DNELs	·		
112-24-3 3	3,6-diazaoctane	thylenediamin	
Oral	Acute, System	20 mg/kg (General population)	
	Longterm Syste	em 0.41 mg/kg bw/day (General population)	
Dermal	Acute, Local	1 mg/kg (General population)	
	Acute, System	8 mg/kg bw (General population)	
	Longterm Loca		
	-	em 0.57 mg/kg bw/day (Worker)	
Inhalative	Acute, System	1,600 mg/m ³ (General population)	
	- reace, system	5,380 mg/m ³ (Worker)	
	Longterm Syste	em 0.29 mg/m ³ (General population)	
	Longterin Syste	1 mg/m ³ (Worker)	
DNEC			
PNECs		21 1 1 1 I	
	3,6-diazaoctane	•	
PNEC Fre		19 mg/l	
		5.9 mg/kg	
PNEC Ma		038 mg/l	
PNEC Soi		.1 mg/kg	
PNEC STI	P 4	25 mg/l	
PNEC Marinewater sed 19.2 mg/kg			
Personal j General p The usual Keep away Immediate Wash hand Avoid con Respirato	precautionary m / from foodstuff ly remove all so ls before breaks tact with the eye ry protection:	ygienic measures: easures are to be adhered to when handling chemicals. s, beverages and feed. iled and contaminated clothing and at the end of work. ss and skin.	
Combinati Protection	on filter ABEK- • of hands:		
Check prov The glove Due to mis	material has to) for to each use for their proper condition. be impermeable and resistant to the product/ the substance/ the preparation. commendation to the glove material can be given for the product/ the preparation	
Selection of Material of	of the glove mate of gloves	erial on consideration of the penetration times, rates of diffusion and the degradation	
and varies resistance	from manufac of the glove ma	le gloves does not only depend on the material, but also on further marks of qual turer to manufacturer. As the product is a preparation of several substances, t terial can not be calculated in advance and has therefore to be checked prior to t	
application	1.		

Printing date 29.10.2021

*

Version number 3

Revision: 29.10.2021

(Contd. of page 4)

Trade name: ergo 0742 - Component B ergo 0743

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed goggles

- Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and c	
- General Information	inclinear proper nes
- Appearance:	
Form:	Pasty
	ADR 2.3.4: solid
Colour:	White
- Odour:	Characteristic
- Odour threshold:	Not determined.
- pH-value:	Not determined.
-	Not applicable.
- Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: Undetermined.
- Flash point:	Not applicable.
- Flammability (solid, gas):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Oxidising properties	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C:	1.13 g/cm ³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

(Contd. on page 6)

⁻ EU-EN -

Version number 3

Revision: 29.10.2021

(Contd. of page 5)

Trade name: ergo 0742 - Component B ergo 0743

-	10.2	Chemical	stability
---	------	----------	-----------

- Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions

Strong exothermic reaction with acids.

Reacts with metals forming hydrogen.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

Γ	10563-29-8 N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine		
Γ	Oral	LD50	1,670 mg/kg (Rat, male/female)
	Dermal	LD50	1,310 mg/kg (Rabbit)
Γ	112-24-3 3,6-diazaoctanethylenediamin		
Γ	Oral	LD50	1,716 mg/kg (Rabbit)
	Dermal	LD50	1,465 mg/kg (Rabbit)
	13463-67-7 titanium dioxide		
Γ	Oral	LD50	> 20,000 mg/kg (Rat, male/female)
	Inhalative	LC50/4 h	> 6.82 mg/l (Rat, male/female)

- Primary irritant effect:

- Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish

(Contd. on page 7)

- EU-EN -

Version number 3

Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

- General notes:	
Must not reach sewage water or drainage ditch undiluted or unneutralised.	
Also poisonous for fish and plankton in water bodies.	
Toxic for aquatic organisms	
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
Danger to drinking water if even small quantities leak into the ground.	
Do not allow product to reach ground water, water course or undiluted sewage system.	
- 12.5 Results of PBT and vPvB assessment	
- PBT: Not applicable.	
- vPvB: Not applicable.	
- 12.6 Other adverse effects No further relevant information available.	

- **Recommendation** Disposal must be made according to official regulations.

- Uncleaned packaging:

*

- Recommendation: Disposal must be made according to official regulations.

- 14.1 UN-Number - ADR, IMDG, IATA	UN3259
- 14.2 UN proper shipping name - ADR	3259 AMINES, SOLID, CORROSIVE, N.O.S. (N'-(3 aminopropyl)-N,N-dimethylpropane-1,3-diamine, Fatt acids, C18 unsaturated dimers, polymers with tall oil fatt acids and triethylenetetramine), ENVIRONMENTALLY HAZARDOUS
- IMDG - IATA	AMINES, SOLID, CORROSIVE, N.O.S. (N'-(3 aminopropyl)-N,N-dimethylpropane-1,3-diamine, Fatt acids, C18 unsaturated dimers, polymers with tall oil fatt acids and triethylenetetramine), MARINE POLLUTANT AMINES, SOLID, CORROSIVE, N.O.S. (N'-(3
	aminopropyl)-N,N-dimethylpropane-1,3-diamine, Fatt acids, C18 unsaturated dimers, polymers with tall oil fatt acids and triethylenetetramine)
- 14.3 Transport hazard class(es)	
- ADR	
- Class	8 (C8) Corrosive substances.
- Label	8
- IMDG	
- Class	8 Corrosive substances.

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

Trade name: ergo 0742 - Component B ergo 0743

	(Contd. of page 2
- Label	8
- IATA	
- Class - Label	8 Corrosive substances. 8
- 14.4 Packing group - ADR, IMDG, IATA	П
 - 14.5 Environmental hazards: - Marine pollutant: - Special marking (ADR): 	Product contains environmentally hazardous substances Fatty acids, C18 unsaturated dimers, polymers with tall of fatty acids and triethylenetetramine Symbol (fish and tree) Symbol (fish and tree)
 - 14.6 Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Segregation groups - Stowage Category - Segregation Code 	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG35 Stow "separated from" SGG1-acids
- 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
- Transport/Additional information:	
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
- Transport category - Tunnel restriction code	2 E
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
- UN ''Model Regulation'':	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (N (3-AMINOPROPYL)-N,N-DIMETHYLPROPANE-1,3 DIAMINE, FATTY ACIDS, C18 UNSATURATEI DIMERS, POLYMERS WITH TALL OIL FATTY ACIDS AND TRIETHYLENETETRAMINE), 8, II ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture - Chemical safety assessment

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)

⁻ EU-EN -

Printing date 29.10.2021

Version number 3

Revision: 29.10.2021

(Contd. of page 8)

Trade name: ergo 0742 - Component B ergo 0743

- REGULATION (EU) 2019/1148

- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- * Data compared to the previous version altered.

EU-EN