



according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 1 of 21

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Kisling - 1314 - Component B 1315

UFI: 7S30-M01Y-A00Q-59UG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Kisling AG

Street: Motorenstrasse 102
Place: CH-8620 Wetzikon
Telephone: +41 58 272 0 272

E-mail: customerservice@kisling.com

Internet: www.kisling.com

Supplier

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15
Place: D-74676 Niedernhall
Telephone: +49 7940 50961 61

E-mail: customerservice@kisling.com

Contact person: Dr. Hans Götz Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Repr. 2; H361d

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

## Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 2 of 21

#### Hazard components for labelling

2-phenoxyethyl methacrylate

2-hydroxyethyl methacrylate

Methacrylic acid, monoester with propane-1,2-diol

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl]

(4-methylphenyl)amino]-

hydroquinone monomethyl ether

Phenothiazine

Signal word: Danger

Pictograms:









#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:

P310









#### **Hazard statements**

H317-H318-H361d

### **Precautionary statements**

P280-P305+P351+P338-P310

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances listed below with nonhazardous components.



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 3 of 21

### **Hazardous components**

CAS No	Chemical name		Quantity
	EC No Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)		
10595-06-9	2-phenoxyethyl methacrylate		15 - < 30 %
	234-201-1	01-2120752383-55	
	Repr. 2, Skin Sens. 1, Aquatic Chronic 2; H361d H3	7 H411	
868-77-9	2-hydroxyethyl methacrylate		15 - < 30 %
	212-782-2 607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H3	17	
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol		5 - < 15 %
	248-666-3		
	Eye Irrit. 2, Skin Sens. 1; H319 H317	•	
40220-08-4	Tris (2-Hydroxyethyl) isocyanurate triacrylate		5 - < 15 %
	254-843-6		
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	•	
1187441-10-6	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, re	action products with phosphorus oxide	1 - < 5 %
	810-703-1	01-2120140608-57	
	Eye Dam. 1, Skin Sens. 1; H318 H317	•	
79-41-4	methacrylic acid; 2-methylpropenoic acid	0.1 - < 1 %	
	201-204-4 607-088-00-5	01-2119463884-26	
	Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. H302 H314 H318 H335		
	Reaction mass of 2,2'-[(4-methylphenyl)imino]bisetha (2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	anol and Ethanol 2-[[2-	0.1 - < 1 %
	911-490-9	01-2119979579-10	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, H412	Aquatic Chronic 3; H302 H315 H318 H317	
150-76-5	hydroquinone monomethyl ether		0.1 - < 1 %
	205-769-8 604-044-00-7		
	Acute Tox. 4, Eye Irrit. 2, Skin Sens. 1, Aquatic Chro	nic 3; H302 H319 H317 H412	
92-84-2	Phenothiazine	0.1 - < 1 %	
	202-196-5	01-2119488529-19	
	Acute Tox. 4, Skin Sens. 1, STOT RE 2, Aquatic Chr	onic 1; H302 H317 H373 H410	
130-15-4	1,4-naphthoquinone		< 0.1 %
	204-977-6		
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H30	•	

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 4 of 21

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc	Limits, M-factors and ATE	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	15 - < 30 %
	dermal: LD50	= >3000 mg/kg; oral: LD50 = 5050 mg/kg	
27813-02-1	248-666-3	Methacrylic acid, monoester with propane-1,2-diol	5 - < 15 %
	dermal: LD50		
1187441-10-6	810-703-1	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
79-41-4	201-204-4	methacrylic acid; 2-methylpropenoic acid	0.1 - < 1 %
	= 500 mg/kg;	250 = 7,1 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); dermal: LD50 oral: LD50 = 1320 mg/kg	
	911-490-9	Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	0.1 - < 1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 619 mg/kg	
150-76-5	205-769-8	hydroquinone monomethyl ether	0.1 - < 1 %
	dermal: LD50	= > 2000 mg/kg; oral: ATE = 500 mg/kg	
92-84-2	202-196-5	Phenothiazine	0.1 - < 1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 1370 mg/kg	
130-15-4	204-977-6	1,4-naphthoquinone	< 0.1 %
	= 202 mg/kg;	E = 0.5 mg/l (vapours); inhalation: ATE = 0.05 mg/l (dusts or mists); dermal: LD50 oral: LD50 = 124 mg/kg Aquatic Acute 1; H400: M=10 nic 1; H410: M=1	

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## General information

Take off immediately all contaminated clothing.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 5 of 21

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

No information available.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

No special handling advices are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.





according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 6 of 21

### Hints on joint storage

none

### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

### 7.3. Specific end use(s)

No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 7 of 21

### **DNEL/DMEL values**

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
10595-06-9	2-phenoxyethyl methacrylate				
Worker DNEL,	long-term	inhalation	systemic	12 mg/m³	
Worker DNEL,	long-term	inhalation	local	84 mg/m³	
Worker DNEL,		dermal	systemic	3,5 mg/kg bw/day	
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
Worker DNEL,	long-term	inhalation	systemic	14,7 mg/m³	
Worker DNEL,	long-term	dermal	systemic	4,2 mg/kg bw/day	
Consumer DNI	EL, long-term	inhalation	systemic	4,35 mg/m³	
Consumer DNI	EL, long-term	dermal	systemic	2,5 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	2,5 mg/kg bw/day	
40220-08-4	Tris (2-Hydroxyethyl) isocyanurate triacrylate				
Worker DNEL,	long-term	inhalation	systemic	1,65 mg/m³	
Worker DNEL,	long-term	dermal	systemic	2,3 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	0,29 mg/m³	
Consumer DNI	EL, long-term	dermal	systemic	0,83 mg/kg bw/day	
Consumer DNEL, long-term		oral	systemic	0,083 mg/kg bw/day	
1187441-10- 6	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide				
Worker DNEL,	long-term	inhalation	systemic	7,05 mg/m³	
Worker DNEL,	long-term	dermal	systemic	1 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	3,53 mg/m³	
Consumer DN	EL, long-term	dermal	systemic	0,5 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	0,5 mg/kg bw/day	
79-41-4	methacrylic acid; 2-methylpropenoic acid				
Worker DNEL,	long-term	inhalation	systemic	39,3 mg/m³	
Worker DNEL,	long-term	inhalation	local	44 mg/m³	
Worker DNEL,	long-term	dermal	systemic	4,25 mg/kg bw/day	
Worker DNEL,	long-term	dermal	local	0,38 mg/cm <sup>2</sup>	
Consumer DN	EL, long-term	inhalation	systemic	11,7 mg/m³	
Consumer DN	EL, long-term	inhalation	local	8,8 mg/m³	
Consumer DNEL, long-term		dermal	systemic	5,35 mg/kg bw/day	
Consumer DN	EL, long-term	dermal	local	0,23 mg/cm <sup>2</sup>	
Consumer DNI	EL, long-term	oral	systemic	5,35 mg/kg bw/day	
	Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethal (4-methylphenyl)amino]-	nol and Ethanol 2-[[2-(2-h	nydroxyethoxy)ethyl]		
Worker DNEL,		inhalation	systemic	9,8 mg/m³	
Worker DNEL,	long-term	dermal	systemic	1,4 mg/kg bw/day	
Consumer DNI	EL, long-term	inhalation	systemic	1,74 mg/m³	



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 8 of 21

Consumer DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,5 mg/kg bw/day		
150-76-5	hydroquinone monomethyl ether					
Worker DNEL	, long-term	inhalation	systemic	3 mg/m³		
92-84-2	Phenothiazine					
Worker DNEL	, long-term	inhalation	systemic	0,53 mg/m³		
Worker DNEL	, acute	inhalation	systemic	1,59 mg/m³		
Worker DNEL	, long-term	dermal	systemic	0,15 mg/kg bw/day		
Consumer DN	Consumer DNEL, long-term		systemic	0,13 mg/m³		
Consumer DN	EL, acute	inhalation	systemic	0,39 mg/m³		
Consumer DN	IEL, long-term	dermal	systemic	0,08 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,08 mg/kg bw/day		
Consumer DNEL, acute		oral	systemic	0,24 mg/kg bw/day		
130-15-4	1,4-naphthoquinone					
Worker DNEL	, long-term	inhalation	systemic	0.033 mg/m³		



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 9 of 21

### **PNEC values**

CAS No	Name of agent	
Environmenta	Il compartment	Value
10595-06-9	2-phenoxyethyl methacrylate	
Freshwater		0,0142 mg/l
Freshwater (i	ntermittent releases)	0,012 mg/l
Marine water		0,00142 mg/l
Freshwater se	ediment	0,665 mg/kg
Marine sedim	ent	0,067 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	1,77 mg/l
Soil		0,125 mg/kg
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	
Freshwater		0,904 mg/l
Freshwater (in	ntermittent releases)	0,972 mg/l
Marine water		0,09 mg/l
Freshwater se	ediment	6,28 mg/kg
Marine sedim	ent	6,28 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	10 mg/l
Soil		0,727 mg/kg
40220-08-4	Tris (2-Hydroxyethyl) isocyanurate triacrylate	·
Freshwater		0,00943 mg/l
Freshwater (i	0,0943 mg/l	
Marine water	0,000943 mg/l	
Freshwater se	ediment	0,62 mg/kg
Marine sedim	ent	0,062 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	10 mg/l
Soil		0,118 mg/kg
1187441-10- 6	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide	
Freshwater		0,165 mg/l
Freshwater (i	ntermittent releases)	1,65 mg/l
Marine water		0,017 mg/l
Freshwater se	ediment	2,8 mg/kg
Marine sedim	ent	0,28 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,4 mg/l
Soil		0,46 mg/kg
79-41-4	methacrylic acid; 2-methylpropenoic acid	
Freshwater		0,82 mg/l
Freshwater (i	ntermittent releases)	0,45 mg/l
Marine water		0,082 mg/l
Freshwater se	ediment	3,09 mg/kg
Marine sedim	ent	0,309 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		0,137 mg/kg



according to Regulation (EC) No 1907/2006

## Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 10 of 21

Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl] (4-methylphenyl)amino]-	
Freshwater	0,048 mg/l
Freshwater (intermittent releases)	0,48 mg/l
Marine water	0,005 mg/l
Freshwater sediment	1,2 mg/kg
Marine sediment	0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,21 mg/kg
150-76-5 hydroquinone monomethyl ether	
Freshwater	0,014 mg/l
Marine water	0,001 mg/l
Freshwater sediment	0,125 mg/kg
Marine sediment	0,013 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,017 mg/kg
92-84-2 Phenothiazine	
Freshwater	0 mg/l
Freshwater (intermittent releases)	0,002 mg/l
Marine water	0 mg/l
Freshwater sediment	0,019 mg/kg
Marine sediment	0,002 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,054 mg/l
Soil	0,023 mg/kg
130-15-4 1,4-naphthoquinone	
Micro-organisms in sewage treatment plants (STP)	0.172 mg/l

#### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### **Hand protection**

Hand protection EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 11 of 21

#### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: green
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

>150 °C

boiling range:

Flammability: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: >100 °C Auto-ignition temperature: not determined Decomposition temperature: not determined not determined pH-Value: not determined Viscosity / kinematic: Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

not determined

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties not determined

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: not determined

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No further relevant information available.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions





according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 12 of 21

No known hazardous reactions.

#### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No further relevant information available.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) 50251 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 13 of 21

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
368-77-9	2-hydroxyethyl methacrylate									
	oral	LD50 mg/kg	5050	Rat	Pre-supplier/manufact urer					
	dermal	LD50 mg/kg	>3000	Rabbit	Pre-supplier/manufact urer					
27813-02-1	Methacrylic acid, monoes	ster with pro	opane-1,2-dio							
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	The test substance, as received, was hel				
187441-10- S	2-Propenoic acid, 2-meth	nyl-, 2-hydro	oxyethyl ester	, reaction products	s with phosphorus oxide					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2004)	OECD Guideline 423				
	dermal	LD50 mg/kg	> 2000	Rat	REACh Registration Dossier	OECD Guideline 423				
79-41-4	methacrylic acid; 2-methy	ylpropenoic	acid							
	oral	LD50 mg/kg	1320	Rat	Study report (1977)	OECD Guideline 401				
	dermal	LD50 mg/kg	500	Rabbit	Pre-supplier/manufact urer					
	inhalation (4 h) vapour	LC50	7,1 mg/l	Rat	Pre-supplier/manufact urer	OECD 403				
	inhalation dust/mist	ATE	1.5 mg/l							
	Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl] (4-methylphenyl)amino]-									
	oral	LD50 mg/kg	619	Rat	Study report (1996)	OECD Guideline 401				
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2013)	OECD Guideline 402				
50-76-5	hydroquinone monometh	yl ether								
	oral	ATE mg/kg	500							
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2008)	EU Method B.3				
2-84-2	Phenothiazine									
	oral	LD50 mg/kg	1370	Rat	Study report (1977)	other: As outlined in "Appraisal of the				
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 402				
30-15-4	1,4-naphthoquinone									
	oral	LD50 mg/kg	124	Rat	Study report (1982)	OECD Guideline 401				
	dermal	LD50 mg/kg	202	Rat	Pre-supplier/manufact urer					
	inhalation vapour	ATE	0.5 mg/l							
	inhalation dust/mist	ATE	0.05 mg/l							

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.



Kisling AG

according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 14 of 21

#### Sensitising effects

May cause an allergic skin reaction. (2-phenoxyethyl methacrylate; 2-hydroxyethyl methacrylate; Methacrylic acid, monoester with propane-1,2-diol; 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide; Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-; hydroquinone monomethyl ether; Phenothiazine; 1,4-naphthoquinone)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging the unborn child. (2-phenoxyethyl methacrylate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No data available

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 15 of 21

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
10595-06-9	2-phenoxyethyl methacryl	ate							
	Acute algae toxicity	ErC50	4,4 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	ISO 8692		
	Acute bacteria toxicity	(EC50 mg/l)	177	3 h	Activated sludge	REACh Registration Dossier	ISO 8192		
868-77-9	2-hydroxyethyl methacryla	ate							
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas	Pre-supplier/manu facturer			
	Acute crustacea toxicity	EC50 mg/l	>380	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer			
27813-02-1	Methacrylic acid, monoes	ter with prop	oane-1,2-diol						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oryzias latipes	Study report (1997)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 97,2	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 143	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202		
	Crustacea toxicity	NOEC mg/l	45,2	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211		
10220-08-4	Tris (2-Hydroxyethyl) isocyanurate triacrylate								
	Acute fish toxicity	LC50 mg/l	9,43	96 h	Danio rerio	Study report (2019)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	25,7	72 h	Raphidocelis subcapitata	Study report (2017)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	158,3	48 h	Daphnia magna	Study report (2017)	OECD Guideline 202		
1187441-10- S	2-Propenoic acid, 2-methy	/l-, 2-hydrox	yethyl ester,	reaction	products with phosphoru	us oxide			
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Cyprinus carpio	REACh Registration Dossier	EU Method C.1		
	Acute algae toxicity	ErC50	90 mg/l	72 h	Selenastrum capricornutum, strain: NIVA CHL 1.	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202		
79-41-4	methacrylic acid; 2-methy	propenoic a	acid						
	Acute fish toxicity	LC50	85 mg/l	96 h	Oncorhynchus mykiss	REACh Registration Dossier	EPA OTS 797.1400		
	Acute algae toxicity	ErC50	45 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 130	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300		



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 16 of 21

	Fish toxicity	NOEC	10 mg/l	35 d	Danio rerio	REACh Registration Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC	53 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	13500	3 h	Activated sludge	Publication (2008)	ISO 8192
	Reaction mass of 2,2'-[(4-(4-methylphenyl)amino]-	methylphen	yl)imino]biset	thanol ar	nd Ethanol 2-[[2-(2-hydrox	xyethoxy)ethyl]	
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Cyprinus carpio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	48 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209
150-76-5	hydroquinone monomethy	/l ether					
	Acute bacteria toxicity	(EC50	4,6 mg/l)	0.5 h	Photobacterium phosphoreum	Chemosphere, 12(11/12), 1421-1442. (1983	other: microtox test
92-84-2	Phenothiazine						
	Acute fish toxicity	LC50 mg/l	70,7	96 h	Oncorhynchus mykiss	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
130-15-4	1,4-naphthoquinone						
	Acute fish toxicity	LC50 mg/l	0.045	96 h	Oryzias latipes	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0.42	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0.026	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	5.94	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209

# 12.2. Persistence and degradability

No data available

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
130-15-4	1,4-naphthoquinone				
	OECD 301F	0%	28		
	Not readily biodegradable (according to OECD criteria)	_			

# 12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 17 of 21

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
10595-06-9	2-phenoxyethyl methacrylate	3,137
868-77-9	2-hydroxyethyl methacrylate	0,47
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	0,97
40220-08-4	Tris (2-Hydroxyethyl) isocyanurate triacrylate	1,09
1187441-10-6	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide	>= 0,3
79-41-4	methacrylic acid; 2-methylpropenoic acid	0,93
	Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and Ethanol 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]-	2
150-76-5	hydroquinone monomethyl ether	1,62
92-84-2	Phenothiazine	ca. 3,78
130-15-4	1,4-naphthoquinone	1.71

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
92-84-2	Phenothiazine	>= 310	Cyprinus carpio	Study report (1983)

### 12.4. Mobility in soil

No further relevant information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

#### List of Wastes Code - contaminated packaging



according to Regulation (EC) No 1907/2006

# Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 18 of 21

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

**14.2. UN** proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-phenoxyethyl methacryl)

14.3. Transport hazard class(es):

Ш

14.4. Packing group:
Hazard label:

9

Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-phenoxyethyl methacryl)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



9 III

Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-phenoxyethyl methacryl)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



9 III



according to Regulation (EC) No 1907/2006

Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 19 of 21

Special Provisions: 274 335 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-phenoxyethyl methacryl)

14.4. Packing group:

14.4. Packing group:IIIHazard label:9



Special Provisions: A97 A158 A197 A215

Limited quantity Passenger: 30 kg G Passenger LQ: Y964 Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: (2-phenoxyethyl methacryl)

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): 31.147 % (330.158 g/l)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**





according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 20 of 21

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules
MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard



according to Regulation (EC) No 1907/2006

### Kisling - 1314 - Component B 1315

Revision date: 13.03.2024 Product code: 1314 Page 21 of 21

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure				
Skin Irrit. 2; H315	Calculation method				
Eye Dam. 1; H318	Calculation method				
Skin Sens. 1; H317	Calculation method				
Repr. 2; H361d	Calculation method				
Aquatic Chronic 2; H411	Calculation method				

### Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.				
H302	Harmful if swallowed.				
H311	Toxic in contact with skin.				
11044	Causas savere akin hurne				

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Adhesives and sealants	PW, C	6a, 6b, 12, 18, 19	1	11, 19	4, 8a, 8c, 8d	4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13	110	K+D

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

SU: Sectors of use PROC: Process categories AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)