

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: 1673 Component A 1675
- -1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Adhesives
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Further information obtainable from: Product safety department
- Department issuing MSDS: info@kisling.com
- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

+1 872 5888271

SECTION 2: Hazards identification

- -2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 May cause an allergic skin reaction. H317

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS09

GHS07 GHS05

GHS08

- Signal word Danger

- Hazard-determining components of labelling:

Glycerin formal methacrylate

methacrylic acid

Propylidynetrimethanol, ethoxylated, esters with acrylic acid

2-Propenoic acid, 2-methyl-, 2-hydroxyethylester, phosphate

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

(Contd. of page 1)

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing vapours.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

-2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

-3.2 Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
EC number: 945-527-5	Glycerin formal methacrylate	> 30 - ≤ 50%
	Repr. 2, H361; Aquatic Chronic 3, H412	
CAS: 79-41-4	methacrylic acid	≥ 3 - < 5%
EINECS: 201-204-4	Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1,	
Index number: 607-088-00-5	H318; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335	
	Specific concentration limit: STOT SE 3; H335: C ≥ 1 %	
CAS: 28961-43-5	Propylidynetrimethanol, ethoxylated, esters with acrylic	> 1 - ≤ 5%
NLP: 500-066-5	acid	
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 52628-03-2	2-Propenoic acid, 2-methyl-, 2-hydroxyethylester,	> 1 - < 3%
EINECS: 258-053-2	phosphate	
	Eye Dam. 1, H318; Skin Irrit. 2, H315	
EC number: 911-490-9	N,N-Bis-(2-hydroxyethyl)-para-toluidine, ethoxylated	≥ 0.1 - < 1%
	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 80-62-6	methyl methacrylate	≥ 0.1 - < 1%
EINECS: 201-297-1	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1,	
Index number: 607-035-00-6	H317; STOT SE 3, H335	
CAS: 91-66-7	N,N-diethylaniline	≥ 0.25 - ≤ 1%
EINECS: 202-088-8 Index number: 612-054-00-8	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Chronic 2, H411	
CAS: 112-55-0	dodecane-1-thiol	≥ 0.1 - < 0.25%
EINECS: 203-984-1	Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10); Skin Sens. 1A, H317	
CAS: 102-82-9	tributylamine	≤ 1%
EINECS: 203-058-7	Acute Tox. 3, H311; Acute Tox. 1, H330; Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 26741-53-7	3,9-Bis(2,4-di-tertbutyl phenoxy)-2,4,8,10.tetroxa-3,9-	≥ 0.025 - < 0.25%
	diphosphaspiro[5.5]undecane	
	Aquatic Chronic 1, H410	
Additional information. For	the wording of the listed hazard phrases refer to section 16	

- Additional information: For the wording of the listed hazard phrases refer to section 16.

- CH-EN

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

(Contd. of page 2)

SECTION 4: First aid measures

-4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

-4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

-4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

-5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

-5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

-5.3 Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

-6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

-7.1 Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 4)

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

(Contd. of page 3)

- Information about fire and explosion protection: No special measures required.
- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

-8.1 Control parameters

- 8.1 Contr	- 8.1 Control parameters		
- Ingredien	- Ingredients with limit values that require monitoring at the workplace:		
79-41-4 m	ethacrylic a	acid	
MAK (Switzerland) Short-term value: 360 mg/m³, 100 ppm		C + 11	
	I	Long-term value: 180 mg/m³, 50 ppm	
		SSc;	
80-62-6 m	ethyl metha	acrylate	
MAK (Sw	MAK (Switzerland) Short-term value: 420 mg/m³, 100 ppm		
	I	Long-term value: 210 mg/m³, 50 ppm	
	S	S SSc;	
- DNELs			
80-62-6 m	ethyl metha	acrylate	
Dermal	Longterm S	System 13.67 mg/kg bw/day (Worker)	
Inhalative Longterm System 208 mg/m³ (System 208 mg/m³ (Worker)	
- PNECs			
80-62-6 m	ethyl metha	acrylate	
PNEC Fre	shwater	0.94 mg/l	
PNEC Fre	shwater sed	5.74 mg/kg	
PNEC Ma	rinewater	0.94 mg/l	
PNEC Soi	1	1.47 mg/kg	

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter ABEK

- Hand protection

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

- Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection Tightly sealed goggles

SECTION 9: Physical and chemical properties

-9.1 Information on basic physical and chemical properties

- General Information

Colour: White
 Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

- Boiling point or initial boiling point and boiling

range Undetermined.
- Flammability Not applicable.

- Lower and upper explosion limit

- Lower: Not determined.
- Upper: Not determined.
- Flash point: > 60 °C
- Decomposition temperature: Not determined.

- pH Not determined.

Not applicable.

- Viscosity:

- **Kinematic viscosity**Not determined.
Not applicable.

- Kinematic viscosity

- **Dynamic:**Not determined.
Not applicable.

- Solubility

- water: Not miscible or difficult to mix.

- Partition coefficient n-octanol/water (log value)
 - Vapour pressure:
 Not determined.
 Not applicable.

- Vapour pressure:

- Density and/or relative density

- Density: Not determined.
 - Relative density Not determined.
 - Vapour density Not determined.

-9.2 Other information

- Appearance:

- Form: Pasty

ADR 2.3.4: solid

- Important information on protection of health and

environment, and on safety.

- **Ignition temperature:** Product is not self-igniting.

- **Explosive properties:** Product does not present an explosion hazard.

- Solvent separation test:

- Solids content: 100.0 %

(Contd. on page 6)

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

		(Contd. of page
- Change in condition		
- Softening point/range		
- Oxidising properties	Not determined.	
- Evaporation rate	Not determined.	
- Information with regard to physical hazard	classes	
- Explosives	Void	
- Flammable gases	Void	
- Aerosols	Void	
- Oxidising gases	Void	
- Gases under pressure	Void	
- Flammable liquids	Void	
- Flammable solids	Void	
- Self-reactive substances and mixtures	Void	
- Pyrophoric liquids	Void	
- Pyrophoric solids	Void	
- Self-heating substances and mixtures	Void	
- Substances and mixtures, which emit flamms	able	
gases in contact with water	Void	
- Oxidising liquids	Void	
- Oxidising solids	Void	
- Organic peroxides	Void	
- Corrosive to metals	Void	
- Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- -10.1 Reactivity No further relevant information available.
- -10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions
- No dangerous reactions if used and stored according to specifications.
- -10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- -11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50	- LD/LC50 values relevant for classification:		
79-41-4 m	ethacrylic acid		
Oral	LD50	1,320 - 2,260 mg/kg (Rat, male/female)	
Dermal	LD50	500 - 1,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	7,100 mg/l (Rat, male/female)	
N,N-Bis-(2	N,N-Bis-(2-hydroxyethyl)-para-toluidine, ethoxylated		
Oral	LD50	619 mg/kg	
Dermal	LD50	> 2,000 mg/kg	
80-62-6 m	80-62-6 methyl methacrylate		
Oral	LD50	7,872 mg/kg (Rat, male/female)	
Dermal	LD50	> 5,000 mg/kg (Rabbit)	

(Contd. on page 7)

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

		(Contd. of page 6)
Inhalative	LC50/4 h	78,000 mg/l (Rat, male/female)
91-66-7 N	N-diethylaniline	
Oral		606 mg/kg (Rat, male/female)
Dermal	LD50	> 5,000 mg/kg (Rat, male/female)
Inhalative	LC50/4 h => LC50/4	1.92 mg/l (Rat, male/female)
102-82-9 t	ributylamine	
Inhalative	LC50/4 h	0.5 mg/l (Rat, male/female)

- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

- STOT-single exposure

May cause respiratory irritation.

- -STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Repr. 2

- -11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- -12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- -12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects No further relevant information available.
- Remark: Harmful to fish
- Additional ecological information:
- General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

CH-FN

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

(Contd. of page 7)

SECTION 13: Disposal considerations

- -13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	
- 14.1 UN number or ID number - ADR, IMDG, IATA	UN3077
- 14.2 UN proper shipping name - ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N,N-
- IMDG	DIETHYLANILINE, dodecane-1-thiol) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N,N- DIETHYLANILINE, dodecane-1-thiol), MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N,N.DIETHYLANILINE, dodecane-1-thiol)
- 14.3 Transport hazard class(es)	
- ADR	
- Class - Label	9 (M7) Miscellaneous dangerous substances and articles.9
- IMDG, IATA	
- Class - Label	9 Miscellaneous dangerous substances and articles.
- 14.4 Packing group - ADR, IMDG, IATA	III
- 14.5 Environmental hazards:	
- Marine pollutant:	Symbol (fish and tree)
- Special marking (ADR): - Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
- 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
- Hazard identification number (Kemler code):	90
- EMS Number:	F-A,S-F
- Stowage Category	A

(Contd. on page 9)

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

	(Contd. of page 8
- Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
- 14.7 Maritime transport in bulk according to instruments	Not applicable.
- Transport/Additional information:	ADR: SV375 IMDG-Code: 2.10.2.7 IATA-DGR: A197 (375)
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Transport category - Tunnel restriction code - Remarks:	3 (-) SV375: These substances are not subject to the other provisions of ADR / RID if they are transported in individual or composite packaging with a net quantity of no more than 5 l of liquid substances or a net mass of no more than 5 kg of solids per individual or inner packaging provided that the packaging is used correspond to the general provisions of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
- Remarks:	2.10.2.7: Marine pollutants in individual packaging or composite packaging with a net quantity per individual or inner packaging of no more than 5 L for liquids or a net mass per individual or inner packaging of no more than 5 kg for solids are not subject to any other provisions of this Code applicable to marine pollutants, provided that the packaging complies with the general Meet the requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 In the case of marine pollutants that also meet the criteria for inclusion in another class, all provisions of this Code that apply to any further hazards continue to apply.
- IATA - Remarks:	A 197 (375): These substances when transported in single o combination packagings containing a net quantity pe single or inner packaging of 5 L or less for liquids o having a net mass of 5 kg or less for solids, are no subject to any other provisions of these Regulations provided the packagings meet the general provisions o 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

(Contd. of page 9)

- UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N,N-DIETHYLANILINE, DODECANE-1-THIOL), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 11)

(Contd. of page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.04.2023 Version number 7 (replaces version 6) Revision: 10.04.2023

Trade name: 1673 - Component A 1675

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity – Category 2

Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- * Data compared to the previous version altered.

CH-EN