

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Kisling - 4203

UFI: GVMC-F0SR-700E-2044

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

|                 |                             |                              |
|-----------------|-----------------------------|------------------------------|
| Company name:   | Kisling AG                  |                              |
| Street:         | Motorenstrasse 102          |                              |
| Place:          | CH-8620 Wetzikon            |                              |
| Telephone:      | +41 58 272 0 272            |                              |
| E-mail:         | customerservice@kisling.com |                              |
| Contact person: | Product Compliance          | Telephone: +49 7940 5096 143 |
| E-mail:         | compliance@kisling.com      |                              |
| Internet:       | www.kisling.com             |                              |

#### Supplier

|                 |                             |                              |
|-----------------|-----------------------------|------------------------------|
| Company name:   | Kisling (Deutschland) GmbH  |                              |
| Street:         | Salzstraße 15               |                              |
| Place:          | D-74676 Niedernhall         |                              |
| Telephone:      | +49 7940 50961 61           |                              |
| E-mail:         | customerservice@kisling.com |                              |
| Contact person: | Product Compliance          | Telephone: +49 7940 5096 143 |
| E-mail:         | compliance@kisling.com      |                              |
| Internet:       | www.kisling.com             |                              |

**1.4. Emergency telephone number:** 24 hr. emergency phone number +1 872 5888271 (KAR)  
Medicines & Poisons Info Office +356 2545 6508

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

##### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P273 Avoid release to the environment.

#### Labelling of packages where the contents do not exceed 125 ml

##### Hazard statements

H412

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 2 of 12

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances listed below with nonhazardous components.

#### Relevant ingredients

| CAS No     | Chemical name  |              |          | Quantity    |
|------------|--|--------------|----------|-------------|
|            | EC No  | Index No     | REACH No |             |
|            | Classification (Regulation (EC) No 1272/2008)  |              |          |             |
| 25852-47-5 | Polyethylene glycol dimethacrylate   |              |          | 30 - < 50 % |
|            | Aquatic Chronic 3; H412  |              |          |             |
| 128-37-0   | 2,6-di-tert-butyl-p-cresol   |              |          | 0.1 - < 1 % |
|            | 204-881-4  |              |          |             |
|            | Aquatic Chronic 1; H410  |              |          |             |
| 80-15-9    | alpha,alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide   |              |          | 0.1 - < 1 % |
|            | 201-254-7  | 617-002-00-8 |          |             |
|            | Org. Perox. E, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H242 H331 H312 H302 H314 H373 H411 |              |          |             |
| 114-83-0   | 2-phenylacetohydrazide   |              |          | 0.1 - < 1 % |
|            | 204-055-3  |              |          |             |
|            | Acute Tox. 3; H301   |              |          |             |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No   | EC No     | Chemical name  | Quantity    |
|----------|-----------|--|-------------|
|          |           | Specific Conc. Limits, M-factors and ATE   |             |
| 128-37-0 | 204-881-4 | 2,6-di-tert-butyl-p-cresol   | 0.1 - < 1 % |
|          |           | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 6000 mg/kg Aquatic Chronic 1; H410: M=1  |             |
| 80-15-9  | 201-254-7 | alpha,alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide   | 0.1 - < 1 % |
|          |           | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0.5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: LD50 = 382 mg/kg Skin Corr. 1B; H314: >= 10 - 100 Skin Irrit. 2; H315: >= 3 - < 10 Eye Dam. 1; H318: >= 3 - < 10 Eye Irrit. 2; H319: >= 1 - < 3 STOT SE 3; H335: >= 1 - 100 |             |
| 114-83-0 | 204-055-3 | 2-phenylacetohydrazide   | 0.1 - < 1 % |
|          |           | oral: LD50 = 270 mg/kg   |             |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Take off immediately all contaminated clothing.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Kisling - 4203**

Revision date: 02.07.2024

Product code: 4203

Page 3 of 12

### **After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

### **After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Get immediate medical advice/attention.

### **4.2. Most important symptoms and effects, both acute and delayed**

No further relevant information available.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. No further relevant information available.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

#### **Unsuitable extinguishing media**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

In case of fire and/or explosion do not breathe fumes.

### **5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3. Methods and material for containment and cleaning up**

#### **For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 4 of 12

#### Advice on safe handling

No special handling advices are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

##### Hints on joint storage

none

##### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

#### 7.3. Specific end use(s)

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL/DMEL values

| CAS No                   | Name of agent              | Exposure route | Effect   | Value                   |
|--------------------------|----------------------------|----------------|----------|-------------------------|
| 128-37-0                 | 2,6-di-tert-butyl-p-cresol |                |          |                         |
| Worker DNEL, long-term   |                            | inhalation     | systemic | 1,76 mg/m <sup>3</sup>  |
| Worker DNEL, long-term   |                            | dermal         | systemic | 0,5 mg/kg bw/day        |
| Consumer DNEL, long-term |                            | inhalation     | systemic | 0,435 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |                            | dermal         | systemic | 0,25 mg/kg bw/day       |
| Consumer DNEL, long-term |                            | oral           | systemic | 0,25 mg/kg bw/day       |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 5 of 12

#### PNEC values

| CAS No   | Name of agent              |               |
|--|----------------------------|---------------|
| Environmental compartment                        |                            | Value         |
| 128-37-0   | 2,6-di-tert-butyl-p-cresol |               |
| Freshwater                                       |                            | 0,000199 mg/l |
| Freshwater (intermittent releases)               |                            | 0,00199 mg/l  |
| Marine water                                     |                            | 0,00002 mg/l  |
| Freshwater sediment                              |                            | 0,458 mg/kg   |
| Marine sediment                                  |                            | 0,046 mg/kg   |
| Secondary poisoning                              |                            | 16,67 mg/kg   |
| Micro-organisms in sewage treatment plants (STP) |                            | 0,017 mg/l    |
| Soil   |                            | 0,054 mg/kg   |

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                  |                |
|------------------|----------------|
| Physical state:  | Liquid         |
| Colour:          | violet         |
| Odour:           | characteristic |
| Odour threshold: | not determined |

Melting point/freezing point:

Test method  
not determined

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 6 of 12

|   |                       |
|---|-----------------------|
| Boiling point or initial boiling point and boiling range: | not determined        |
| Flammability:   | not applicable        |
| Lower explosion limits:                                   | not determined        |
| Upper explosion limits:                                   | not determined        |
| Flash point:  | >100 °C               |
| Auto-ignition temperature:                                | not determined        |
| Decomposition temperature:                                | not determined        |
| pH-Value:   | 7 (10%)               |
| Viscosity / kinematic:                                    | not determined        |
| Water solubility:   | practically insoluble |
| Solubility in other solvents<br>not determined            |                       |
| Partition coefficient n-octanol/water:                    | not determined        |
| Vapour pressure:  | not determined        |
| Density (at 20 °C):                                       | 1,2 g/cm <sup>3</sup> |
| Relative density:   | not determined        |
| Relative vapour density:                                  | not determined        |

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive.

##### Oxidizing properties

The product is not: Spontaneously flammable.

#### Other safety characteristics

##### Evaporation rate:

not determined

##### Viscosity / dynamic:

14.000 - 20.000 mPa·s Brookfield (5/2,5)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No further relevant information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicokinetics, metabolism and distribution

No data available

#### Acute toxicity

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 7 of 12

#### ATEmix calculated

ATE (oral) 135000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 378.4 mg/l; ATE (inhalation dust/mist) 63.07 mg/l

| CAS No   | Chemical name  |                   |         |                           |                    |
|----------|--|-------------------|---------|---------------------------|--------------------|
|          | Exposure route   | Dose              | Species | Source                    | Method             |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol                                     |                   |         |                           |                    |
|          | oral   | LD50 > 6000 mg/kg | Rat     | Study report (1989)       | OECD Guideline 401 |
|          | dermal   | LD50 > 2000 mg/kg | Rat     | Study report (1988)       | OECD Guideline 402 |
| 80-15-9  | alpha,alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide |                   |         |                           |                    |
|          | oral   | LD50 382 mg/kg    | Rat     | IUCLID                    |                    |
|          | dermal   | ATE 1100 mg/kg    |         |                           |                    |
|          | inhalation vapour  | ATE 3 mg/l        |         |                           |                    |
|          | inhalation dust/mist   | ATE 0.5 mg/l      |         |                           |                    |
| 114-83-0 | 2-phenylacetohydrazide   |                   |         |                           |                    |
|          | oral   | LD50 270 mg/kg    | Mouse   | Pre-supplier/manufacturer |                    |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

May be harmful if swallowed, in contact with skin or if inhaled.

### 11.2. Information on other hazards

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 8 of 12

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

| CAS No   | Chemical name              |                  |           |         |                             |                                  |
|----------|----------------------------|------------------|-----------|---------|-----------------------------|----------------------------------|
|          | Aquatic toxicity           | Dose             | [h]   [d] | Species | Source                      | Method                           |
| 128-37-0 | 2,6-di-tert-butyl-p-cresol |                  |           |         |                             |                                  |
|          | Acute fish toxicity        | LC50<br>mg/l     | 0,199     | 96 h    | Oryzias latipes             | REACH<br>Registration<br>Dossier |
|          | Acute algae toxicity       | ErC50<br>mg/l    | 0,758     | 96 h    | Raphidocelis<br>subcapitata | REACH<br>Registration<br>Dossier |
|          | Acute crustacea toxicity   | EC50<br>mg/l     | 0,48      | 48 h    | Daphnia magna               | REACH<br>Registration<br>Dossier |
|          | Fish toxicity              | NOEC<br>mg/l     | 0,053     | 30 d    | Oryzias latipes             | REACH<br>Registration<br>Dossier |
|          | Crustacea toxicity         | NOEC<br>mg/l     | 0,069     | 21 d    | Daphnia magna               | REACH<br>Registration<br>Dossier |
|          | Acute bacteria toxicity    | EC50<br>mg/l ( ) | > 10000   | 3 h     | Activated sludge            | Study report<br>(2000)           |
|          |                            |                  |           |         |                             | OECD Guideline<br>203            |
|          |                            |                  |           |         |                             | OECD Guideline<br>201            |
|          |                            |                  |           |         |                             | OECD Guideline<br>202            |
|          |                            |                  |           |         |                             | OECD Guideline<br>210            |
|          |                            |                  |           |         |                             | OECD Guideline<br>211            |
|          |                            |                  |           |         |                             | OECD Guideline<br>209            |

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name              | Log Pow |
|----------|----------------------------|---------|
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | 5,03    |

#### BCF

| CAS No   | Chemical name              | BCF | Species | Source               |
|----------|----------------------------|-----|---------|----------------------|
| 128-37-0 | 2,6-di-tert-butyl-p-cresol | 465 | fish    | REACH Registration D |

#### 12.4. Mobility in soil

No further relevant information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 9 of 12

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

#### List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

#### List of Wastes Code - contaminated packaging

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 10 of 12

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 0.348 % (4.181 g/l)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Kisling - 4203**

Revision date: 02.07.2024

Product code: 4203

Page 11 of 12

### Abbreviations and acronyms

Org. Perox  
 Acute Tox: Acute toxicity  
 Skin Corr: Skin corrosion  
 STOT RE: Specific target organ toxicity - repeated exposure  
 Aquatic Chronic: Chronic aquatic hazard  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Aquatic Chronic 3; H412 | Calculation method       |

### Relevant H and EUH statements (number and full text)

|      |  |
|------|--|
| H242 | Heating may cause a fire.                |
| H301 | Toxic if swallowed.                      |
| H302 | Harmful if swallowed.                    |
| H312 | Harmful in contact with skin.            |
| H314 | Causes severe skin burns and eye damage. |
| H331 | Toxic if inhaled.                        |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 4203

Revision date: 02.07.2024

Product code: 4203

Page 12 of 12

|      |  |
|------|--|
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H410 | Very toxic to aquatic life with long lasting effects.              |
| H411 | Toxic to aquatic life with long lasting effects.                   |
| H412 | Harmful to aquatic life with long lasting effects.                 |

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

| No | Short title            | LCS   | SU                 | PC | PROC   | ERC           | AC                                    | TF  | Specification |
|----|------------------------|-------|--------------------|----|--------|---------------|---------------------------------------|-----|---------------|
| 1  | Adhesives and sealants | PW, C | 6a, 6b, 12, 18, 19 | 1  | 11, 19 | 4, 8a, 8c, 8d | 4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13 | 110 | K+D           |

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*