

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**5102 CA-Activator spray DMPT-free**

Revision: 18.12.2025

Product code: 5102

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

5102 CA-Activator spray DMPT-free

Product group:

UFI: A14F-G09M-K009-RW04

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Adhesives and sealants Activator

##### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Company name: Kisling AG  
Street: Motorenstrasse 102  
Place: CH-8620 Wetzikon  
Telephone: +41 58 272 0 272  
E-mail: customerservice@kisling.com  
Contact person: Product Compliance Telephone: +49 7940 5096 143  
E-mail (Contact person): compliance@kisling.com  
Internet: www.kisling.com

##### Supplier

Company name: Kisling (Deutschland) GmbH  
Street: Salzstraße 15  
Place: D-74676 Niedernhall  
Telephone: +49 7940 50961 61  
E-mail: customerservice@kisling.com  
Contact person: Product Compliance Telephone: +49 7940 5096 143  
E-mail Contact person: compliance@kisling.com  
Internet: www.kisling.com

**1.4. Emergency telephone number:** 24 hr. emergency phone number +1 872 5888271 (KAR)  
Medicines & Poisons Info Office +356 2545 6508

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Eye Irrit. 2; H319

STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

butanone

**Signal word:** Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 2 of 12

#### Pictograms:



#### Hazard statements

- H222 Extremely flammable aerosol.  
 H229 Pressurised container: May burst if heated.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

#### Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P280 Wear protective gloves and eye protection/face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Labelling of packages where the contents do not exceed 125 ml

**Signal word:** Danger

#### Pictograms:



#### Hazard statements

H222-H229

#### Precautionary statements

P210-P211-P251-P410+P412

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixtures

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
78-93-3	butanone			50 - < 100 %
	201-159-0	606-002-00-3	01-2119457290-43	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide			0.1 - < 1 %
	407-430-1	613-180-00-6		
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 3 of 12

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
78-93-3	201-159-0	butanone	50 - < 100 %
		oral: LD50 = 2193 mg/kg	
3741-80-8	407-430-1	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide	0.1 - < 1 %
		inhalation: Data lacking (gases); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=1	

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

Never give anything by mouth to an unconscious person or a person with cramps.  
If unconscious but breathing normally, place in recovery position and seek medical advice.

###### After inhalation

Remove casualty to fresh air and keep warm and at rest.

###### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. In case of skin irritation, consult a physician.

###### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

###### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Get immediate medical advice/attention.

##### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Powder.

##### 5.2. Special hazards arising from the substance or mixture

Reignition possible over considerable distance. Vapours can form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

##### 5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Wear a self-contained breathing apparatus and chemical protective clothing. Move undamaged containers from immediate hazard area if it can be done safely. Evacuate area.

###### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**5102 CA-Activator spray DMPT-free**

Revision: 18.12.2025

Product code: 5102

Page 4 of 12

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Keep away from sources of ignition - No smoking. Ventilate affected area. Avoid breathing spray. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Avoid release to the environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Use non-sparking tools. Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it.

##### For cleaning up

Soak up inert absorbent and dispose as waste requiring special attention.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Only use the material in places where open light, fire and other flammable sources can be kept away. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

##### Advice on general occupational hygiene

Draw up and observe skin protection programme. Avoid contact with skin, eyes and clothes. Avoid breathing spray. When using do not eat, drink or smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Protect from sunlight.

##### Hints on joint storage

Do not store together with:

Pyrophoric or self-heating substances, Organic peroxides and self-reactive substances, Flammable solids, gas, Blasting agent

##### Further information on storage conditions

5 - 30°C

#### 7.3. Specific end use(s)

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
78-93-3	Butanone	200	600		TWA (8 h)	
		300	900		STEL (15 min)	

##### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
DNEL type				

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 5 of 12

#### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
78-93-3	butanone			
	Consumer DNEL, long-term	inhalation	systemic	106 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	450 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	412 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	31 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	600 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	systemic	900 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	1161 mg/kg bw/day
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide			
	Worker DNEL, long-term	inhalation	systemic	38.5 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	10.9 mg/kg bw/day
	Worker DNEL, long-term	dermal	local	1.06 mg/cm <sup>2</sup>
	Consumer DNEL, long-term	inhalation	systemic	9.5 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	5.47 mg/kg bw/day
	Consumer DNEL, long-term	dermal	local	0.53 mg/cm <sup>2</sup>
	Consumer DNEL, long-term	oral	systemic	5.46 mg/kg bw/day

#### PNEC values

CAS No	Name of agent	Value
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide	
	Environmental compartment	
	Freshwater	0.004 mg/l
	Freshwater (intermittent releases)	0.004 mg/l
	Marine water	0 mg/l
	Freshwater sediment	16.66 mg/kg
	Marine sediment	1.67 mg/kg
	Secondary poisoning	243 mg/kg
	Micro-organisms in sewage treatment plants (STP)	0.19 mg/l
	Soil	3.32 mg/kg

#### 8.2. Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation. If handled uncovered, arrangements with local exhaust ventilation should be used if possible. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

##### Individual protection measures, such as personal protective equipment

###### Eye/face protection

Wear eye/face protection.

###### Hand protection

Suitable material:

Thickness of the glove material 0,45 mm  
> 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

###### Respiratory protection

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 6 of 12

In case of inadequate ventilation wear respiratory protection. Self-contained respirator (breathing apparatus)

#### Thermal hazards

Heating causes rise in pressure with risk of bursting.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow - red
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	-1 °C
Flammability:	not applicable
Lower explosion limits:	1 vol. %
Upper explosion limits:	11 vol. %
Flash point:	< 0 °C
Auto-ignition temperature:	287 °C
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	practically insoluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Vapour pressure (at 50 °C):	< 3000 hPa
Density:	0.74 g/cm <sup>3</sup>
Relative density:	not determined
Relative vapour density:	not determined

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive.

##### Oxidizing properties

not determined

#### Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined
Viscosity / dynamic:	not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 7 of 12

#### 10.3. Possibility of hazardous reactions

Materials to avoid:

#### 10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

#### 10.5. Incompatible materials

No further relevant information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicocinetics, metabolism and distribution

No data available

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
78-93-3	butanone				
	oral	LD50 2193 mg/kg	Rat	REACH Registration Dossier	OECD Guideline 423
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1990)	other: US EPA-TSCA 40 CFR Part 798 secti
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1990)	other: US EPA-TSCA 40 CFR Part 798 secti
	inhalation	Data lacking			

##### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

##### STOT-single exposure

May cause drowsiness or dizziness. (butanone)

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Information on likely routes of exposure

No data available

##### Specific effects in experiment on an animal

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 8 of 12

#### Additional information on tests

No data available

#### Practical experience

No data available

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
78-93-3	butanone					
	Acute fish toxicity	LC50 2973 mg/l	96 h	Pimephales promelas	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 1220 mg/l	72 h	Raphidocelis subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 308 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide					
	Acute crustacea toxicity	EC50 ca. 0.005 mg/l	48 h	Daphnia magna	Study report (1990)	EPA OPP 72-2
	Fish toxicity	NOEC ca. 0.041 mg/l	89 d	Oncorhynchus mykiss	Study report (1989)	Method: Federal Register 50:TSCA Test St

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-93-3	butanone	0.3
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide	6.7

#### BCF

CAS No	Chemical name	BCF	Species	Source
3741-80-8	N-(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide	< 0.8	Cyprinus carpio	Electronic release:

### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

#### Further information

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 18.12.2025

5102 CA-Activator spray DMPT-free

Product code: 5102

Page 9 of 12

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains.

##### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

##### List of Wastes Code - contaminated packaging

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste


##### Contaminated packaging

Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

### SECTION 14: Transport information

#### Land transport (ADR/RID)


**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0  
Transport category: 2  
Tunnel restriction code: D

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0

## Safety Data Sheet

according to Regulation (EC) No 1907/2006


### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025


Product code: 5102

Page 10 of 12

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
	
Special Provisions:	63 190 277 327 344 381 959
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS, FLAMMABLE
<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
	
Special Provisions:	A145 A167 A802
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y203
Excepted quantity:	E0
IATA-packing instructions - Passenger:	203
IATA-max. quantity - Passenger:	75 kg
IATA-packing instructions - Cargo:	203
IATA-max. quantity - Cargo:	150 kg

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 29, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 99.54 %

Information according to Directive 2012/18/EU (SEVESO III): P3a FLAMMABLE AEROSOLS

##### Additional information

Aerosol Directive (75/324/EEC)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 11 of 12

#### National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water
(EU) EINECS/ELINCS/NLP:	yes
(RC) TCSI:	yes
(NZ) NZIoC:	yes
(USA) TSCA:	yes
(CDN) DSL:	yes
(ROK) KECI/ECL:	yes
(RP) PICCS:	no
(JP) MITI:	yes
(CHN) IECSC:	yes
(AUS) AIIC:	yes
(CDN) NDSL:	no

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1.

#### Abbreviations and acronyms

Aerosol 1: Aerosols, hazard category 1  
Flam. Liq. 2: Flammable liquids, hazard category 2  
Eye Irrit. 2: Eye irritation, hazard category 2  
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3  
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
IMDG: International Maritime Code for Dangerous Goods  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 5102 CA-Activator spray DMPT-free

Revision: 18.12.2025

Product code: 5102

Page 12 of 12

IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Eye Irrit. 2; H319	Bridging principle "Aerosols"
STOT SE 3; H336	Bridging principle "Aerosols"

#### Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*