

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Kisling - 5150 liquid

UFI:

KXC0-P0MP-E00Q-0R6M

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

#### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Company name: Kisling AG  
Street: Motorenstrasse 102  
Place: CH-8620 Wetzikon  
Telephone: +41 58 272 0 272  
E-mail: customerservice@kisling.com  
Internet: www.kisling.com

#### Supplier

Company name: Kisling (Deutschland) GmbH  
Street: Salzstraße 15  
Place: D-74676 Niedernhall  
Telephone: +49 7940 50961 61  
E-mail: customerservice@kisling.com  
Contact person: Dr. Hans Götz Telephone: +49 7940 5096 143  
E-mail: compliance@kisling.com  
Internet: www.kisling.com

### 1.4. Emergency telephone number:

24 hr. emergency phone number +1 872 5888271 (KAR)  
Medicines & Poisons Info Office +356 2545 6508

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225  
Asp. Tox. 1; H304  
Skin Irrit. 2; H315  
STOT SE 3; H336  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics

Signal word: Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 2 of 13

#### Pictograms:



#### Hazard statements

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.              |
| H304 | May be fatal if swallowed and enters airways.    |
| H315 | Causes skin irritation.                          |
| H336 | May cause drowsiness or dizziness.               |
| H411 | Toxic to aquatic life with long lasting effects. |

#### Precautionary statements

|           |  |
|-----------|--|
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P273      | Avoid release to the environment.  |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor.   |
| P331      | Do NOT induce vomiting.  |
| P391      | Collect spillage.  |
| P403+P235 | Store in a well-ventilated place. Keep cool.   |

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

#### Pictograms:



#### Hazard statements

H304

#### Precautionary statements

P301+P310-P331

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixture of substances listed below with nonhazardous components.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 3 of 13

#### Hazardous components

| CAS No     | Chemical name  |          |          | Quantity     |
|------------|--|----------|----------|--------------|
|            | EC No  | Index No | REACH No |              |
|            | Classification (Regulation (EC) No 1272/2008)  |          |          |              |
| 64742-49-0 | Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics   |          |          | 50 - < 100 % |
|            | 927-510-4  |          |          |              |
|            | Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411                       |          |          |              |
| 111-84-2   | Nonane   |          |          | 0.1 - < 1 %  |
|            | 203-913-4  |          |          |              |
|            | Flam. Liq. 3, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H336 H304 H400 H410 |          |          |              |
| 61788-93-0 | Amines, coco alkyltrimethyl  |          |          | 0.1 - < 1 %  |
|            | 263-020-0  |          |          |              |
|            | Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H400 H410                  |          |          |              |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No     | Chemical name  | Quantity     |
|------------|-----------|--|--------------|
|            |           | Specific Conc. Limits, M-factors and ATE   |              |
| 64742-49-0 | 927-510-4 | Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics   | 50 - < 100 % |
|            |           | inhalation: LC50 = > 23,3 mg/l (vapours); dermal: LD50 = > 2800 - 3100 mg/kg; oral: LD50 = >5840 mg/kg |              |
| 111-84-2   | 203-913-4 | Nonane   | 0.1 - < 1 %  |
|            |           | inhalation: LC50 = 17 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg           |              |
| 61788-93-0 | 263-020-0 | Amines, coco alkyltrimethyl  | 0.1 - < 1 %  |
|            |           | oral: ATE = 500 mg/kg  |              |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Take off immediately all contaminated clothing.

##### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

##### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 4 of 13

Treat symptomatically. No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

No information available.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special handling advices are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

### 7.2. Conditions for safe storage, including any incompatibilities

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 5 of 13

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

none

#### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

#### 7.3. Specific end use(s)

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL/DMEL values

| CAS No                   | Name of agent                                      | Exposure route | Effect   | Value                  |
|--------------------------|--|----------------|----------|------------------------|
| 64742-49-0               | Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics |                |          |                        |
| Worker DNEL, long-term   |  | inhalation     | systemic | 2085 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |  | dermal         | systemic | 300 mg/kg bw/day       |
| Consumer DNEL, long-term |  | inhalation     | systemic | 447 mg/m <sup>3</sup>  |
| Consumer DNEL, long-term |  | dermal         | systemic | 149 mg/kg bw/day       |
| Consumer DNEL, long-term |  | oral           | systemic | 149 mg/kg bw/day       |
| 111-84-2                 | Nonane   |                |          |                        |
| Worker DNEL, long-term   |  | inhalation     | systemic | 2035 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |  | dermal         | systemic | 773 mg/kg bw/day       |
| Consumer DNEL, long-term |  | inhalation     | systemic | 608 mg/m <sup>3</sup>  |
| Consumer DNEL, long-term |  | dermal         | systemic | 699 mg/kg bw/day       |
| Consumer DNEL, long-term |  | oral           | systemic | 699 mg/kg bw/day       |

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

Hand protection EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 6 of 13

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                |                |
|---|----------------|----------------|
| Physical state:   | Liquid         |                |
| Colour:   | colourless     |                |
| Odour:  | characteristic |                |
| Odour threshold:  | not determined |                |
| Melting point/freezing point:                             |                | not determined |
| Boiling point or initial boiling point and boiling range: |                | not determined |
| Flammability:   |                | not applicable |
| Lower explosion limits:                                   |                | not determined |
| Upper explosion limits:                                   |                | not determined |
| Flash point:  |                | -10 °C         |
| Auto-ignition temperature:                                |                | not determined |
| Decomposition temperature:                                |                | not determined |
| pH-Value:   |                | not determined |
| Viscosity / kinematic:                                    |                | not determined |
| Water solubility:   |                | not determined |
| Solubility in other solvents                              |                | not determined |
| Partition coefficient n-octanol/water:                    |                | not determined |
| Vapour pressure:  |                | not determined |
| Density:  |                | 0,68 g/cm³     |
| Relative density:   |                | not determined |
| Relative vapour density:                                  |                | not determined |

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

not determined

#### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:  
(at 20 °C)

< 20 mPa·s

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 7 of 13

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.5. Incompatible materials

No further relevant information available.

#### 10.6. Hazardous decomposition products

No further relevant information available.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicokinetics, metabolism and distribution

No data available

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name                                      |                          |         |   |  |
|------------|--|--------------------------|---------|---|--|
|            | Exposure route                                     | Dose                     | Species | Source                                  | Method                                   |
| 64742-49-0 | Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics |                          |         |   |  |
|            | oral   | LD50 >5840 mg/kg         | Rat     |   |  |
|            | dermal   | LD50 > 2800 - 3100 mg/kg | Rat     | Study report (1977)                     | The acute toxicity of SBP 100/140 was de |
|            | inhalation (4 h) vapour                            | LC50 > 23,3 mg/l         | Rat     | Study report (1988)                     | OECD Guideline 403                       |
| 111-84-2   | Nonane   |                          |         |   |  |
|            | oral   | LD50 > 5000 mg/kg        | Rat     | Study report (1982)                     | OECD Guideline 401                       |
|            | dermal   | LD50 > 2000 mg/kg        | Rabbit  | Study report (1982)                     | OECD Guideline 402                       |
|            | inhalation (4 h) vapour                            | LC50 17 mg/l             | Rat     | Toxicology and Applied Pharmacology 44: | OECD Guideline 403                       |
| 61788-93-0 | Amines, coco alkylidimethyl                        |                          |         |   |  |
|            | oral   | ATE 500 mg/kg            |         |   |  |

##### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 8 of 13

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

May be harmful if swallowed, in contact with skin or if inhaled.

#### 11.2. Information on other hazards

##### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

| CAS No     | Chemical name                                      |                   |           |                                 |   |  |
|------------|--|-------------------|-----------|---------------------------------|---|--|
|            | Aquatic toxicity                                   | Dose              | [h]   [d] | Species                         | Source                                  | Method                                   |
| 64742-49-0 | Hydrocarbons C7 - n-alkanes - isoalkanes - cyclics |                   |           |                                 |   |  |
|            | Acute fish toxicity                                | LL50 > 13,4 mg/l  | 96 h      | Oncorhynchus mykiss             | Study report (2004)                     | OECD Guideline 203                       |
|            | Acute algae toxicity                               | ErC50 12 mg/l     | 72 h      | Pseudokirchneriella subcapitata | SIDS Initial Assessment Report For SIAM | OECD Guideline 201                       |
|            | Fish toxicity                                      | NOEC 1,534 mg/l   | 28 d      | Oncorhynchus mykiss             | CONCAWE, Brussels, Belgium (2010)       | The aquatic toxicity was estimated by a  |
|            | Crustacea toxicity                                 | NOEC 1 mg/l       | 21 d      | Daphnia magna                   | SIDS Initial Assessment Report For SIAM | OECD Guideline 211                       |
| 111-84-2   | Nonane   |                   |           |                                 |   |  |
|            | Acute fish toxicity                                | LL50 > 13.4 mg/l  | 96 h      | Oncorhynchus mykiss             | REACH Registration Dossier              | OECD Guideline 203                       |
|            | Acute algae toxicity                               | ErC50 12 mg/l     | 72 h      | Raphidocelis subcapitata        | REACH Registration Dossier              | OECD Guideline 201                       |
|            | Acute crustacea toxicity                           | EL50 ca. 2.4 mg/l | 48 h      | Daphnia magna                   | Publication (1986)                      | other: As described in: The evaluation o |
|            | Crustacea toxicity                                 | NOEC 1 mg/l       | 21 d      | Daphnia magna                   | REACH Registration Dossier              | OECD Guideline 211                       |

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 9 of 13

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name | Log Pow |
|----------|---------------|---------|
| 111-84-2 | Nonane        | 5.65    |

#### BCF

| CAS No   | Chemical name | BCF   | Species        | Source               |
|----------|---------------|-------|----------------|----------------------|
| 111-84-2 | Nonane        | 198.7 | Mytilus edulis | REACH Registration D |

#### 12.4. Mobility in soil

No further relevant information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### List of Wastes Code - contaminated packaging

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

|  |          |
|--|----------|
| <b>14.1. UN number or ID number:</b>     | UN 1206  |
| <b>14.2. UN proper shipping name:</b>    | HEPTANES |
| <b>14.3. Transport hazard class(es):</b> | 3        |
| <b>14.4. Packing group:</b>              | II       |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 10 of 13

Hazard label:

3



Classification code:

F1

Limited quantity:

1 L

Excepted quantity:

E2

Transport category:

2

Hazard No:

33

Tunnel restriction code:

D/E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:**

UN 1206

**14.2. UN proper shipping name:**

HEPTANES

**14.3. Transport hazard class(es):**

3

**14.4. Packing group:**

II

Hazard label:

3



Classification code:

F1

Limited quantity:

1 L

Excepted quantity:

E2

#### Marine transport (IMDG)

**14.1. UN number or ID number:**

UN 1206

**14.2. UN proper shipping name:**

HEPTANES

**14.3. Transport hazard class(es):**

3

**14.4. Packing group:**

II

Hazard label:

3



Marine pollutant:

P

Special Provisions:

-

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-E, S-D

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:**

UN 1206

**14.2. UN proper shipping name:**

HEPTANES

**14.3. Transport hazard class(es):**

3

**14.4. Packing group:**

II

Hazard label:

3



Limited quantity Passenger:

1 L

Passenger LQ:

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger:

353

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

364

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 11 of 13

IATA-max. quantity - Cargo:

60 L

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

No information available.

#### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

### SECTION 15: Regulatory information

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

##### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 29, Entry 40

##### **National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

2 - obviously hazardous to water

#### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 12 of 13

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).  
 Flam. Liq: Flammable liquid  
 Acute Tox: Acute toxicity  
 Asp. Tox: Aspiration hazard  
 Skin Corr: Skin corrosion  
 Skin Irrit: Skin irritation  
 Eye Dam: Eye damage  
 STOT SE: Specific target organ toxicity - single exposure  
 Aquatic Acute: Acute aquatic hazard  
 Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225      | On basis of test data    |
| Asp. Tox. 1; H304       | Calculation method       |
| Skin Irrit. 2; H315     | Calculation method       |
| STOT SE 3; H336         | Calculation method       |
| Aquatic Chronic 2; H411 | Calculation method       |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Kisling - 5150 liquid

Revision date: 06.12.2023

Product code: 5150F

Page 13 of 13

#### Relevant H and EUH statements (number and full text)

|      |   |
|------|---|
| H225 | Highly flammable liquid and vapour.                   |
| H226 | Flammable liquid and vapour.                          |
| H302 | Harmful if swallowed.                                 |
| H304 | May be fatal if swallowed and enters airways.         |
| H314 | Causes severe skin burns and eye damage.              |
| H315 | Causes skin irritation.                               |
| H318 | Causes serious eye damage.                            |
| H336 | May cause drowsiness or dizziness.                    |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

| No | Short title            | LCS   | SU                 | PC | PROC   | ERC           | AC                                    | TF  | Specification |
|----|------------------------|-------|--------------------|----|--------|---------------|---------------------------------------|-----|---------------|
| 1  | Adhesives and sealants | PW, C | 6a, 6b, 12, 18, 19 | 1  | 11, 19 | 4, 8a, 8c, 8d | 4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13 | 110 | K+D           |

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*