



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 1 of 15

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Kisling - 7349 - Component B 7350

UFI: HM10-X0T1-P00A-MS8V

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

#### Uses advised against

No information available.

# 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Kisling AG

Street: Motorenstrasse 102
Place: CH-8620 Wetzikon
Telephone: +41 58 272 0 272

E-mail: customerservice@kisling.com

Internet: www.kisling.com

Supplier

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15
Place: D-74676 Niedernhall
Telephone: +49 7940 50961 61

E-mail: customerservice@kisling.com

Contact person: Dr. Hans Götz Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine Amines, polyethylenepoly-, triethylenetetramine fraction

Anniles, polyetrylenepoly-, thethylenetetramine i

Signal word: Danger



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 2 of 15

## Pictograms:





#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

## 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Chemical characterization**

Mixture of substances listed below with nonhazardous components.

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No				
9046-10-0	Reaction products of di-, tri- and te	tra-propoxylated propane-1,2-diol wit	th ammonia	50 - < 100 %	
	618-561-0	18-561-0 01-2119557899-12			
	Skin Corr. 1C, Eye Dam. 1, Aquatic Chronic 3; H314 H318 H412				
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine				
	500-191-5				
	Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Chronic 2; H315 H318 H317 H411				
90640-67-8	Amines, polyethylenepoly-, triethyl	enetetramine fraction		1 - < 5 %	
	292-588-2		01-2119487919-13		
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 3; H312 H302 H314 H318 H317 H412				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 3 of 15

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
9046-10-0	618-561-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	50 - < 100 %			
	dermal: LD50 = 2979,7 mg/kg; oral: LD50 = 2885,3 mg/kg					
68082-29-1	500-191-5	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine				
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg					
90640-67-8	292-588-2	292-588-2 Amines, polyethylenepoly-, triethylenetetramine fraction				
	dermal: LD50 = 1465.4 mg/kg; oral: LD50 = 1861.9 mg/kg					

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

No information available.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



Kisling AG

according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 4 of 15

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

No special handling advices are necessary.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## Further information on handling

Keep only in the original container in a cool, well-ventilated place.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

# Hints on joint storage

none

#### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

### 7.3. Specific end use(s)

No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 5 of 15

# **DNEL/DMEL values**

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propan	e-1,2-diol with ammonia	a .		
Worker DNEL,	long-term	inhalation	systemic	5,29 mg/m³	
Worker DNEL,	long-term	dermal	systemic	2,5 mg/kg bw/day	
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction produ	ıcts with tall-oil fatty aci	ds and triethylenetetra	mine	
Worker DNEL,	long-term	inhalation	systemic	0,952 mg/m³	
Worker DNEL,	long-term	dermal	systemic	0,272 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	0,169 mg/m³	
Consumer DNE	EL, long-term	oral	systemic	0,0972 mg/kg bw/day	
Consumer DN	EL, long-term	dermal	systemic	0,0972 mg/kg bw/day	
90640-67-8	Amines, polyethylenepoly-, triethylenetetramine fraction				
Worker DNEL, long-term		inhalation	systemic	0.54 mg/m³	
Consumer DNE	EL, long-term	inhalation	systemic	0.096 mg/m³	
Consumer DNE	EL, long-term	oral	systemic	0.14 mg/kg bw/day	



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 6 of 15

#### **PNEC values**

CAS No	Name of agent					
Environmenta	compartment	Value				
9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia						
Freshwater	•	0,015 mg/l				
Freshwater (in	termittent releases)	0,15 mg/l				
Marine water		0,014 mg/l				
Freshwater se	diment	0,132 mg/kg				
Marine sedime	ent	0,125 mg/kg				
Secondary po	isoning	6,93 mg/kg				
Micro-organisi	ms in sewage treatment plants (STP)	7,5 mg/l				
Soil		0,018 mg/kg				
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fat	ty acids and triethylenetetramine				
Freshwater		0,004 mg/l				
Freshwater (in	termittent releases)	0,043 mg/l				
Marine water		0 mg/l				
Freshwater se	diment	434,02 mg/kg				
Marine sedime	ent	43,4 mg/kg				
Micro-organisi	ms in sewage treatment plants (STP)	3,84 mg/l				
Soil		86,78 mg/kg				
90640-67-8	Amines, polyethylenepoly-, triethylenetetramine fraction					
Freshwater		0.027 mg/l				
Freshwater (in	termittent releases)	0.2 mg/l				
Marine water		0.003 mg/l				
Freshwater sediment 8.572 mg/						
Marine sediment 0.857 mg/kg						
Micro-organisi	ms in sewage treatment plants (STP)	0.13 mg/l				
Soil		1.25 mg/kg				

### 8.2. Exposure controls





# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: goggles.

# **Hand protection**

Hand protection EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 7 of 15

supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light yellow
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

>200 °C

>200 °C

boiling range:

Flammability: not applicable Lower explosion limits: not determined Upper explosion limits: not determined >65 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

Relative vapour density:

Particle characteristics:

not determined
not determined
not determined
not determined

# 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties not determined

# Other safety characteristics

Evaporation rate:

Solid content:

Viscosity / dynamic:

(at 25 °C)

not determined

not determined

80-120 mPa·s

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No further relevant information available.



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 8 of 15

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No further relevant information available.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) 67706 mg/kg; ATE (dermal) 53287 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia							
	oral	LD50 2889 mg/kg	5,3	Rat	Study report (1993)	OECD Guideline 401		
	dermal	LD50 2979 mg/kg	9,7	Rabbit	Study report (1993)	OECD Guideline 402		
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine							
	oral	LD50 > 20 mg/kg	000	Rat	Study report (2012)	OECD Guideline 423		
	dermal	LD50 > 20 mg/kg	000	Rat	Study report (2013)	OECD Guideline 402		
90640-67-8	Amines, polyethylenepoly	-, triethylenetetrar	mine fra	action				
	oral	LD50 186 <sup>-</sup> mg/kg	1.9	Rat	' ' '	other: EPA FR Vol.50, No. 188, September		
	dermal	LD50 1469 mg/kg	5.4	Rabbit	Study report (1993)	OECD Guideline 402		

# Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

#### Sensitising effects

May cause an allergic skin reaction. (Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine; Amines, polyethylenepoly-, triethylenetetramine fraction)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.





according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 9 of 15

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

# **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

No data available

#### Other information

No data available

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 10 of 15

CAS No	Chemical name										
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method				
9046-10-0	Reaction products of di-, t	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia									
	Acute fish toxicity	LC50 mg/l	772,14	96 h	Cyprinodon variegatus	REACh Registration Dossier	OECD Guideline 203				
	Acute algae toxicity	ErC50	15 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	EU Method C.3				
	Acute crustacea toxicity	EC50	80 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202				
	Acute bacteria toxicity	(EC50 mg/l)	750	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209				
68082-29-1	Fatty acids, C18-unsatd.,	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine									
	Acute fish toxicity	LC50 mg/l	7,07	96 h	Danio rerio	Study report (2013)	OECD Guideline 203				
	Acute algae toxicity	ErC50 mg/l	4,34	72 h	Raphidocelis subcapitata	Study report (2013)	OECD Guideline 201				
	Acute crustacea toxicity	EC50 mg/l	7,07	48 h		Pre-supplier/manu facturer					
	Acute bacteria toxicity	(EC50 mg/l)	384	3 h	activated sludge of a predominantly domestic sewag	Study report (2012)	OECD Guideline 209				
90640-67-8	Amines, polyethylenepoly	-, triethylene	etetramine fra	action							
	Acute fish toxicity	LC50	330 mg/l	96 h	Pimephales promelas	REACh Registration Dossier	other: U.S EPA- TSCA, 40 CFR Part 797 14				
	Acute algae toxicity	ErC50	20 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201				
	Acute crustacea toxicity	EC50 mg/l	31.1	48 h	Daphnia magna	REACh Registration Dossier	EU Method C.2				
	Acute bacteria toxicity	(EC50 mg/l)	800		activated sludge, domestic	REACh Registration Dossier	other: EEC L133 1988 p 118-122				

# 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	1,34
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	10,34
90640-67-8	Amines, polyethylenepoly-, triethylenetetramine fraction	-2.9



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 11 of 15

#### BCF

CAS No	Chemical name	BCF	Species	Source
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	3,16		REACh Registration D
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	77,4	no data	(2013)

### 12.4. Mobility in soil

No further relevant information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

# List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

### List of Wastes Code - contaminated packaging

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: UN 2735

14.2. UN proper shipping name:

AMINES, LIQUID, CORROSIVE, N.O.S. ((POLYOXYPROPYLENEDIAMINE))

14.3. Transport hazard class(es): 8



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 12 of 15

Ш 14.4. Packing group:

Hazard label:



Classification code: C7 Special Provisions: 274 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Ε Tunnel restriction code:

Inland waterways transport (ADN)

UN 2735 14.1. UN number or ID number:

14.2. UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. ((POLYOXYPROPYLENEDIAMINE))

14.3. Transport hazard class(es): Ш

14.4. Packing group:

Hazard label: 8



Classification code: C7 Special Provisions: 274 Limited quantity: 5 L Excepted quantity: E1

Marine transport (IMDG)

UN 2735 14.1. UN number or ID number:

AMINES, LIQUID, CORROSIVE, N.O.S. 14.2. UN proper shipping name:

8

((POLYOXYPROPYLENEDIAMINE))

14.3. Transport hazard class(es):

Ш 14.4. Packing group:

Hazard label: 8



Special Provisions: 223 274 Limited quantity: 5 I E1 Excepted quantity: EmS: F-A, S-B 18 - alkalis Segregation group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2735

14.2. UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S.

8

((POLYOXYPROPYLENEDIAMINE))

14.3. Transport hazard class(es):

Ш 14.4. Packing group:

Hazard label:





according to Regulation (EC) No 1907/2006

Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 13 of 15

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 75 % (787.5 g/l)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 14 of 15

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules
MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure				
Skin Corr. 1C; H314	Calculation method				
Eye Dam. 1; H318	Calculation method				
Skin Sens. 1; H317	Calculation method				
Aquatic Chronic 3; H412	Calculation method				

# Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.





according to Regulation (EC) No 1907/2006

# Kisling - 7349 - Component B 7350

Revision date: 08.03.2024 Product code: 7349 Page 15 of 15

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Adhesives and sealants	PW, C	6a, 6b, 12, 18, 19	1	11, 19	4, 8a, 8c, 8d	4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13	110	K+D

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)