



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kisling - 7428 - Component A 7430

UFI: C842-20HY-900Y-RU2F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives and sealants

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Kisling AG

Street: Motorenstrasse 102
Place: CH-8620 Wetzikon
Telephone: +41 58 272 0 272

E-mail: customerservice@kisling.com

Internet: www.kisling.com

Supplier

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15
Place: D-74676 Niedernhall
Telephone: +49 7940 50961 61

E-mail: customerservice@kisling.com

Contact person: Dr. Hans Götz Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

bis-[4-(2,3-epoxipropoxi)phenyl]propane

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Signal word: Warning



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 2 of 12

Pictograms:





Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:





Hazard statements

H317

Precautionary statements

P261-P280-P333+P313-P362+P364

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with nonhazardous components.

Hazardous components

| CAS No | Chemical name | Chemical name | | | | | | |
|-----------|--|---|------------------|--|--|--|--|--|
| | EC No | Index No | REACH No | | | | | |
| | Classification (Regulation (EC) No | Classification (Regulation (EC) No 1272/2008) | | | | | | |
| 1675-54-3 | 54-3 bis-[4-(2,3-epoxipropoxi)phenyl]propane | | | | | | | |
| | 216-823-5 | 603-073-00-2 | | | | | | |
| | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H319 H317 H411 | | | | | | |
| 9003-36-5 | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | | | | | | |
| | 500-006-8 | | 01-2119454392-40 | | | | | |
| | Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H317 H411 | | | | | | | |

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 3 of 12

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | | | | |
|-----------|---|-----------------------------------|-----------|--|--|--|--|--|
| | Specific Conc. | c Conc. Limits, M-factors and ATE | | | | | | |
| 1675-54-3 | 5-54-3 216-823-5 bis-[4-(2,3-epoxipropoxi)phenyl]propane | | | | | | | |
| | dermal: LD50 = 23000 mg/kg; oral: LD50 = 19800 mg/kg Skin Irrit. 2; H315: >= 5 - 100 Eye Irrit. 2; H319: >= 5 - 100 | | | | | | | |
| 9003-36-5 | 03-36-5 500-006-8 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | | 1 - < 5 % | | | | | |
| | dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg | | | | | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

No information available.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Kisling AG

according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 4 of 12

General advice

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special handling advices are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

Keep only in the original container in a cool, well-ventilated place.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

none

Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 5 of 12

DNEL/DMEL values

| CAS No | Name of agent | | | | | | |
|--------------------------|---|----------------|----------|------------------------|--|--|--|
| DNEL type | | Exposure route | Effect | Value | | | |
| 1675-54-3 | bis-[4-(2,3-epoxipropoxi)phenyl]propane | | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 4,93 mg/m³ | | | |
| Worker DNEL, long-term | | dermal | systemic | 0,75 mg/kg bw/day | | | |
| Consumer DNEL, long-term | | inhalation | systemic | 0,87 mg/m³ | | | |
| Consumer DNEL, long-term | | dermal | systemic | 0,0893 mg/kg bw/day | | | |
| Consumer DNEL, long-term | | oral | systemic | 0,5 mg/kg bw/day | | | |
| Consumer DN | Consumer DNEL, acute | | systemic | 0,5 mg/kg bw/day | | | |

PNEC values

| CAS No | Name of agent | | | | |
|--------------|---|-------------|--|--|--|
| Environment | nvironmental compartment | | | | |
| 1675-54-3 | bis-[4-(2,3-epoxipropoxi)phenyl]propane | | | | |
| Freshwater | | 0,006 mg/l | | | |
| Freshwater (| Freshwater (intermittent releases) 0,0 | | | | |
| Marine wate | 0,001 mg/l | | | | |
| Freshwater | 0,341 mg/kg | | | | |
| Marine sedir | Marine sediment (| | | | |
| Secondary p | Secondary poisoning | | | | |
| Micro-organi | /licro-organisms in sewage treatment plants (STP) | | | | |
| Soil | | 0,065 mg/kg | | | |

8.2. Exposure controls





Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing. Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.





according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 6 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste, solid
Colour: white
Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

>200 °C

boiling range:

Flammability: not determined not applicable

Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 93 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not explosive.

Oxidizing properties not determined

Other safety characteristics

Evaporation rate: not determined Solid content: not determined Viscosity / dynamic: 60000 mPa·s

(at 25 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 7 of 12

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No further relevant information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | | |
|-----------|---|---------------------|--------------|---------------------------|--|--------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 1675-54-3 | bis-[4-(2,3-epoxipropoxi)phenyl]propane | | | | | | |
| | oral | LD50 19800 mg/kg | | | Publication (1958) Rabbits were of gavaged with to | | |
| | dermal | LD50 mg/kg | 23000 | Rabbit | Pre-supplier/manufact urer | | |
| 9003-36-5 | Formaldehyde, oligomeric | c reaction pro | ducts with 1 | I-chloro-2,3-epoxypropane | and phenol | | |
| | oral | LD50 mg/kg | >5000 | Rat | Pre-supplier/manufact urer | | |
| | dermal | LD50 mg/kg | >2000 | Rat | Pre-supplier/manufact urer | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (bis-[4-(2,3-epoxipropoxi)phenyl]propane; Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

May be harmful if swallowed, in contact with skin or if inhaled.

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 8 of 12

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

| CAS No | Chemical name | | | | | | | | |
|-----------|---|---------------------|----------------------------------|---------------------|-----------------------|--|--|--|--|
| | Aquatic toxicity Dose [h] [d] Species Source Method | | | | | | | | |
| 1675-54-3 | bis-[4-(2,3-epoxipropoxi)phenyl]propane | | | | | | | | |
| | Acute algae toxicity | ErC50 > 100 mg/l | 72 h Raphidocelis subcapitata | Study report (2007) | OECD Guideline 201 | | | | |

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|--|---------|
| 1675-54-3 | bis-[4-(2,3-epoxipropoxi)phenyl]propane | >= 2,64 |
| 9003-36-5 | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | 3,6 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|--------|---|-----|---------|---------------------|
| | bis-[4- (2,3-epoxipropoxi)phenyl]propane | 31 | | Study report (2010) |

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 9 of 12

List of Wastes Code - used product

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF 080409

> COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances:

hazardous waste

List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

> COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 14.2. UN proper shipping name:

(4,4'-Isopropylidenediphen)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard lahel



9

Ш

Classification code: M7

Special Provisions: 274 335 375 601

Limited quantity: 5 kg Excepted quantity: E1 Transport category: 3 Hazard No: 90 Tunnel restriction code:

Inland waterways transport (ADN)

UN 3077 14.1. UN number or ID number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 14.2. UN proper shipping name:

(4,4'-Isopropylidenediphen)

14.3. Transport hazard class(es):

14.4. Packing group: Hazard label:



9

Ш

Classification code:

274 335 375 601 Special Provisions:

5 kg Limited quantity: Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: **UN 3077**



according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 10 of 12

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(4,4'-Isopropylidenediphen)

14.3. Transport hazard class(es): 9
14.4. Packing group: ||||

Hazard label:

Special Provisions: 274 335 966 967 969

Limited quantity: 5 kg
Excepted quantity: E1
EmS: F-A. S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(4,4'-Isopropylidenediphen)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



9 III

Special Provisions: A97 A158 A179 A197 A215

Limited quantity Passenger: 30 kg G
Passenger LQ: Y956
Excepted quantity: E1

IATA-packing instructions - Passenger:956IATA-max. quantity - Passenger:400 kgIATA-packing instructions - Cargo:956IATA-max. quantity - Cargo:400 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: 4,4'-Isopropylidenediphen

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

(SEVESO III):

E2 Hazardous to the Aquatic Environment

National regulatory information





according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 11 of 12

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard





according to Regulation (EC) No 1907/2006

Kisling - 7428 - Component A 7430

Revision date: 28.02.2024 Product code: 7428 Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|------------------------|-------|-----------------------|----|--------|------------------|--|-----|---------------|
| 1 | Adhesives and sealants | PW, C | 6a, 6b, 12, 18, 19 | 1 | 11, 19 | 4, 8a, 8c, 8d | 4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13 | 110 | K+D |

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)