

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kisling - 7439 - Component B 7440

UFI: UHJ0-K0GG-A00V-0X2T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives and sealants

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Kisling AG
Street: Motorenstrasse 102
Place: CH-8620 Wetzikon
Telephone: +41 58 272 0 272
E-mail: customerservice@kisling.com
Internet: www.kisling.com

Supplier

Company name: Kisling (Deutschland) GmbH
Street: Salzstraße 15
Place: D-74676 Niedernhall
Telephone: +49 7940 50961 61
E-mail: customerservice@kisling.com
Contact person: Dr. Hans Götz Telephone: +49 7940 5096 143
E-mail: compliance@kisling.com
Internet: www.kisling.com

1.4. Emergency telephone number:

24 hr. emergency phone number +1 872 5888271 (KAR)
Medicines & Poisons Info Office +356 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Corr. 1B; H314
Eye Dam. 1; H318
Skin Sens. 1; H317
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

1,3-Cyclohexanedimethanamine
2-Propenenitrile, polymer with 1,3-butadiene, 1-cyano-1-methyl-4-oxo-4-[[2-(1-piperazinyl)ethyl]amino]butyl-terminated
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia
N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 2 of 17

Pictograms:



Hazard statements

- | | |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

- | | |
|----------------|--|
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P264 | Wash hands thoroughly after handling. |
| P280 | Wear protective gloves and eye/face protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with nonhazardous components.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 3 of 17

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
2579-20-6	1,3-Cyclohexanedimethanamine			15 - < 30 %
	219-941-5		01-2119543741-41	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, Aquatic Chronic 3; H312 H302 H314 H318 H412			
68683-29-4	2-Propenenitrile, polymer with 1,3-butadiene, 1-cyano-1-methyl-4-oxo-4-[[2-(1-piperazinyl)ethyl]amino]butyl-terminated			15 - < 30 %
	614-706-7			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317			
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia			5 - < 15 %
	618-561-0		01-2119557899-12	
	Skin Corr. 1C, Eye Dam. 1, Aquatic Chronic 3; H314 H318 H412			
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine			1 - < 5 %
	234-148-4		01-2119970376-29	
	Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, Skin Sens. 1B; H302 H314 H318 H317			
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine			1 - < 5 %
	500-191-5			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317			
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol			1 - < 5 %
	202-013-9	603-069-00-0	01-2119560597-27	
	Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1; H302 H314 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
2579-20-6	219-941-5	1,3-Cyclohexanedimethanamine	15 - < 30 %
		dermal: ATE = 1100 mg/kg; oral: LD50 = > 300 - ca. 2000 mg/kg	
9046-10-0	618-561-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	5 - < 15 %
		dermal: LD50 = 2979,7 mg/kg; oral: LD50 = 2885,3 mg/kg	
10563-29-8	234-148-4	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	1 - < 5 %
		oral: LD50 = 1669 mg/kg	
68082-29-1	500-191-5	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	1 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
90-72-2	202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	1 - < 5 %
		oral: ATE = 500 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. When in doubt or if symptoms are observed, get medical advice.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 4 of 17

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

No information available.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 5 of 17

7.1. Precautions for safe handling

Advice on safe handling

No special handling advices are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

Keep only in the original container in a cool, well-ventilated place.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

Hints on joint storage

none

Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

7.3. Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 6 of 17

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
2579-20-6	1,3-Cyclohexanedimethanamine			
Worker DNEL, long-term		dermal	systemic	0,1 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	25,2 mg/kg bw/day
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia			
Worker DNEL, long-term		inhalation	systemic	5,29 mg/m³
Worker DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine			
Consumer DNEL, long-term		inhalation	local	0,65 mg/m³
Worker DNEL, long-term		dermal	systemic	0,67 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,65 mg/m³
Consumer DNEL, long-term		oral	systemic	0,2 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	3,7 mg/m³
Worker DNEL, acute		inhalation	systemic	7,5 mg/m³
Worker DNEL, long-term		inhalation	local	3,7 mg/m³
Worker DNEL, acute		inhalation	local	7,5 mg/m³
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine			
Worker DNEL, long-term		inhalation	systemic	0,952 mg/m³
Worker DNEL, long-term		dermal	systemic	0,272 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,169 mg/m³
Consumer DNEL, long-term		oral	systemic	0,0972 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,0972 mg/kg bw/day
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol			
Worker DNEL, long-term		inhalation	systemic	0,53 mg/m³
Worker DNEL, acute		inhalation	systemic	2,1 mg/m³
Worker DNEL, long-term		dermal	systemic	0,15 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	0,6 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,13 mg/m³
Consumer DNEL, acute		inhalation	systemic	0,13 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,075 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	0,075 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,075 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 7 of 17

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
2579-20-6	1,3-Cyclohexanedimethanamine	
Freshwater		0,033 mg/l
Freshwater (intermittent releases)		0,331 mg/l
Marine water		0,003 mg/l
Freshwater sediment		0,218 mg/kg
Marine sediment		0,022 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,024 mg/kg
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
Freshwater		0,015 mg/l
Freshwater (intermittent releases)		0,15 mg/l
Marine water		0,014 mg/l
Freshwater sediment		0,132 mg/kg
Marine sediment		0,125 mg/kg
Secondary poisoning		6,93 mg/kg
Micro-organisms in sewage treatment plants (STP)		7,5 mg/l
Soil		0,018 mg/kg
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	
Freshwater		0,0092 mg/l
Freshwater (intermittent releases)		0,092 mg/l
Marine water		0,00092 mg/l
Freshwater sediment		0,034 mg/kg
Marine sediment		0,00336 mg/kg
Micro-organisms in sewage treatment plants (STP)		18,1 mg/l
Soil		0,00132 mg/kg
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	
Freshwater		0,004 mg/l
Freshwater (intermittent releases)		0,043 mg/l
Marine water		0 mg/l
Freshwater sediment		434,02 mg/kg
Marine sediment		43,4 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,84 mg/l
Soil		86,78 mg/kg
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	
Freshwater		0,046 mg/l
Freshwater (intermittent releases)		0,46 mg/l
Marine water		0,005 mg/l
Freshwater sediment		0,262 mg/kg
Marine sediment		0,026 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,2 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 8 of 17

Soil	0,025 mg/kg
------	-------------

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Hand protection EN ISO 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste / solid
Colour:	black
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	practically insoluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 9 of 17

Density (at 20 °C):	1,18 g/cm ³
Relative density:	not determined
Relative vapour density:	not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

not determined

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No further relevant information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 2009 mg/kg; ATE (dermal) 5122 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 10 of 17

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2579-20-6	1,3-Cyclohexanedimethanamine				
	oral	LD50 > 300 - ca. 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 423
	dermal	ATE 1100 mg/kg			
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia				
	oral	LD50 2885,3 mg/kg	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 2979,7 mg/kg	Rabbit	Study report (1993)	OECD Guideline 402
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine				
	oral	LD50 1669 mg/kg	Rat	Study report (1991)	OECD Guideline 401
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2012)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2013)	OECD Guideline 402
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage.

Sensitising effects

May cause an allergic skin reaction. (2-Propenenitrile, polymer with 1,3-butadiene, 1-cyano-1-methyl-4-oxo-4-[[2-(1-piperazinyl)ethyl]amino]butyl-terminated; N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine; Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

May be harmful if swallowed, in contact with skin or if inhaled.

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 11 of 17

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 12 of 17

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
2579-20-6	1,3-Cyclohexanedimethanamine					
	Acute fish toxicity	LC50 130 mg/l	96 h	Leuciscus idus	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 56,7 mg/l	72 h	Raphidocelis subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 33,1 mg/l	48 h	Daphnia magna	REACH Registration Dossier	EU Method C.2
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	3 h	activated sludge, domestic	REACH Registration Dossier	OECD Guideline 209
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia					
	Acute fish toxicity	LC50 772,14 mg/l	96 h	Cyprinodon variegatus	REACH Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 15 mg/l	72 h	Raphidocelis subcapitata	REACH Registration Dossier	EU Method C.3
	Acute crustacea toxicity	EC50 80 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 750 mg/l)	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Danio rerio	Study report (2009)	OECD Guideline 203
	Acute algae toxicity	ErC50 21 mg/l	72 h	Raphidocelis subcapitata	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EC50 9,22 mg/l	48 h	Daphnia magna	Study report (1992)	ISO 6341
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine					
	Acute fish toxicity	LC50 7,07 mg/l	96 h	Danio rerio	Study report (2013)	OECD Guideline 203
	Acute algae toxicity	ErC50 4,34 mg/l	72 h	Raphidocelis subcapitata	Study report (2013)	OECD Guideline 201
	Acute crustacea toxicity	EC50 7,07 mg/l	48 h		Pre-supplier/manu facturer	
	Acute bacteria toxicity	(EC50 384 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2012)	OECD Guideline 209
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Cyprinus carpio	REACH Registration Dossier	OECD Guideline 203
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202

12.2. Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 13 of 17

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2579-20-6	1,3-Cyclohexanedimethanamine	0,69
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	1,34
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	-0,56
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	10,34
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	>= 0,219

BCF

CAS No	Chemical name	BCF	Species	Source
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	3,16		REACH Registration D
68082-29-1	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	77,4	no data	(2013)

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - contaminated packaging

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 14 of 17

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3259

14.2. UN proper shipping name:

AMINES, SOLID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine; Kaolin, calcined)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Classification code:

C8

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

80

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 3259

14.2. UN proper shipping name:

AMINES, SOLID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine; Kaolin, calcined)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Classification code:

C8

Special Provisions:

274

Limited quantity:

1 kg

Excepted quantity:

E2

Marine transport (IMDG)

14.1. UN number or ID number:

UN 3259

14.2. UN proper shipping name:

AMINES, SOLID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine; Kaolin, calcined)

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Special Provisions:

274

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 15 of 17

Limited quantity: 1 kg
 Excepted quantity: E2
 EmS: F-A, S-B
 Segregation group: 18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3259
14.2. UN proper shipping name: AMINES, SOLID, CORROSIVE, N.O.S.
 (1,3-Cyclohexanedimethanamine; Kaolin, calcined)
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: A3 A803
 Limited quantity Passenger: 5 kg
 Passenger LQ: Y844
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 859
 IATA-max. quantity - Passenger: 15 kg
 IATA-packing instructions - Cargo: 863
 IATA-max. quantity - Cargo: 50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 26,907 % (317,503 g/l)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
 Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440

Revision date: 28.02.2024

Product code: 7439

Page 16 of 17

Abbreviations and acronyms

CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
 Acute Tox: Acute toxicity
 Skin Corr: Skin corrosion
 Skin Irrit: Skin irritation
 Eye Dam: Eye damage
 Eye Irrit: Eye irritation
 Skin Sens: Skin sensitisation
 Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1B; H314	On basis of test data
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Kisling - 7439 - Component B 7440		
Revision date: 28.02.2024	Product code: 7439	Page 17 of 17

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Adhesives and sealants	PW, C	6a, 6b, 12, 18, 19	1	11, 19	4, 8a, 8c, 8d	4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13	110	K+D

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories
TF: Technical functions

SU: Sectors of use
PROC: Process categories
AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)