

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.08.2022

Version number 1

Revision: 04.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking - 1.1 Product identifier - Trade name: 7920 - 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. - Application of the substance / the mixture Epoxy resin adhesive - 1.3 Details of the supplier of the safety data sheet - Manufacturer/Supplier: Kisling AG Motorenstrasse 102 CH-8620 Wetzikon Tel: +41- 58-272 0 272 - Further information obtainable from: Product safety department - Department issuing MSDS: info@kisling.com - 1.4 Emergency telephone number: Tox Info Suisse: 145 / +41-44-2 51 51 51 +49-700-24 112 112 (KAR) +1 872 5888271 **SECTION 2: Hazards identification** - 2.1 Classification of the substance or mixture - Classification according to Regulation (EC) No 1272/2008 H314 Causes severe skin burns and eye damage. Skin Corr. 1A Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. - 2.2 Label elements - Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. - Hazard pictograms GHS05 GHS07 - Signal word Danger - Hazard-determining components of labelling: O,O'-Bis(2-aminopropyl)polypropylene glycol 3-aminomethyl-3,5,5-trimethylcyclohexylamine 1,3-Cyclohexanedimethanamine - Hazard statements H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P260 Do not breathe mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

Printing date 04.08.2022

Version number 1

Revision: 04.08.2022

Trade name: 7920

P304+P340	(Contd. of page 1) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
- 2.3 Other hazar	ds
- Results of PBT a	and vPvB assessment
- PBT: Not applica	
- vPvB: Not applie	cable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:		
CAS: 9046-10-0	O,O'-Bis(2-aminopropyl)polypropylene glycol Skin Corr. 1B, H314; Aquatic Chronic 3, H412	> 50 - ≤ 100%
CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9	3-aminomethyl-3,5,5-trimethylcyclohexylamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Sens. 1A, H317	> 5 - ≤ 15%
CAS: 2579-20-6 EINECS: 219-941-5	1,3-Cyclohexanedimethanamine Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Aquatic Chronic 3, H412	> 5 - ≤ 15%

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters

- Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 3)

- CH-EN -

CH-EN

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 04.08.2022

Trade name: 7920

Printing date 04.08.2022

Do not inhale explosion gases or combustion gases.	(Contd. of page 2)
 - Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official re 	gulations.
SECTION 6: Accidental release measures	
 - 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation - 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow product to reach sewage system or any water course. - 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, say Dispose of the material collected according to regulations. Use neutralising agent. - 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 10 for information on "stability and reactivity". See Section 13 for disposal information. 	wdust).
 SECTION 7: Handling and storage -7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). - Information about fire - and explosion protection: No special measures required. 	
 - 7.2 Conditions for safe storage, including any incompatibilities - Storage: - Requirements to be met by storerooms and receptacles: No special requirements. - Information about storage in one common storage facility: Store away from foodstuf - Further information about storage conditions: Keep receptacle tightly sealed. Store under lock and key and out of the reach of children. - Storage class (TRGS 510, Storage of hazardous substances in non-stationary conta - 7.3 Specific end use(s) No further relevant information available. 	

- Additional information about design of technical facilities: No further data; see item 7.
 Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

	- PNECs	
Ī	2855-13-2 3-aminomet	hyl-3,5,5-trimethylcyclohexylamine
Ī	PNEC Freshwater	0.06 mg/l
	PNEC Freshwater sed	5.784 mg/kg
	PNEC Marinewater	0.006 mg/l
	PNEC Soil	1.121 mg/kg
		(Contd. on page 4)

Printing date 04.08.2022

Version number 1

Revision: 04.08.2022

Trade name: 7920

	(Contd. of page 3)
PNEC STP	3.18 mg/l
PNEC Marinewater sed	0.578 mg/kg
- Additional information	n: The lists valid during the making were used as basis.
- 8.2 Exposure controls	
- Personal protective eq	uipment:
- General protective and	l hygienic measures:
	measures are to be adhered to when handling chemicals.
	uffs, beverages and feed.
	soiled and contaminated clothing
	ks and at the end of work.
Do not inhale gases / fur	
Do not inhale dust / smo	
Avoid contact with the e	
Do not eat, drink, smoke - Respiratory protection	
	e or low pollution use respiratory filter device. In case of intensive or longer exposure
use self-contained respin	
- Protection of hands:	and y protective device.
Protective gloves (EN 3	74)
	prior to each use for their proper condition.
	o be impermeable and resistant to the product/ the substance/ the preparation.
	recommendation to the glove material can be given for the product/ the preparation/
the chemical mixture.	
	aterial on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves	
	table gloves does not only depend on the material, but also on further marks of quality
	acturer to manufacturer. As the product is a preparation of several substances, the
	material can not be calculated in advance and has therefore to be checked prior to the
application.	
- Penetration time of glo	time has to be found out by the manufacturer of the protective gloves and has to be
observed.	time has to be found out by the manufacturer of the protective gloves and has to be
- Eye protection: Tightly	v sealed googles
- Body protection: Use p	
SECTION 9. Physi	ical and chemical properties
•	
	sic physical and chemical properties
- General Information	
- Appearance: Form:	Fluid
Colour:	Colourless
- Odour:	Amine-like
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
Melting point/freezin	g point: Undetermined.
	and boiling range: Undetermined.

Not applicable.

 - Flammability (solid, gas):
 Not applicable.

 - Decomposition temperature:
 Not determined.

- Flash point:

(Contd. on page 5)

CH-EN -

Printing date 04.08.2022

Version number 1

Revision: 04.08.2022

Trade name: 7920

		(Contd. of page 4)
- Auto-ignition temperature:	Product is not self-igniting.	
- Explosive properties:	Product does not present an explosion hazard.	
- Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
- Oxidising properties	Not determined.	
- Vapour pressure:	Not determined.	
- Density at 20 °C:	0.95 g/cm ³	
- Relative density	Not determined.	
- Vapour density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
water:	Partly miscible.	
- Partition coefficient: n-octanol/water:	Not determined.	
- Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
- 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- No dangerous reactions if used and stored according to specifications.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1,030 mg/kg (ATE)

LD50 1,030 mg/kg (Rat, male/female)

2579-20-6 1,3-Cyclohexanedimethanamine

- Oral LD50 700 mg/kg (Rat, male/female)
- Dermal LD50 1,700 mg/kg (Rat, male/female)

- Primary irritant effect:

- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- Serious eye damage/irritation
- Causes serious eye damage.

(Contd. on page 6)

⁻ CH-EN

Printing date 04.08.2022

Version number 1

Revision: 04.08.2022

(Contd. of page 5)

Trade name: 7920

- Respiratory or skin sensitisation

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Sensitisation Sensibilisierung durch Hautkontakt (Guinea pig) (OECD 406)

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.

- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:

- General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic life with long lasting effects.

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- **Recommendation** Disposal must be made according to official regulations.

- Recommendation: Disposal must be made according to official regulations.

- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- 14.1 UN-Number - ADR, IMDG, IATA	UN2735
- 14.2 UN proper shipping name	
- ADR	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-
	Cyclohexanedimethanamine)
- IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-
,	Cyclohexanedimethanamine)
	(Contd. on page 7)

- CH-EN

⁻ Uncleaned packaging:

Revision: 04.08.2022

Printing date 04.08.2022

Version number 1

Trade	name:	7920

8 (C7) Corrosive substances. 8 8 Corrosive substances. 8
8 8 Corrosive substances.
8 Corrosive substances.
II
Not applicable.
Warning: Corrosive substances.
80
F-A,S-B (SGG18) Alkalis
A
SG35 Stow "separated from" SGG1-acids
of
Not applicable.
1L Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
2 E
E
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- National regulations:

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 8)

Version number 1

Revision: 04.08.2022

Trade name: 7920

Printing date 04.08.2022

(Contd. of page 7)

Rel	cific product features and shall not establish a legally valid contractual relationship.
	evant phrases
H3()2 Harmful if swallowed.
	2 Harmful in contact with skin.
	4 Causes severe skin burns and eye damage.
	7 May cause an allergic skin reaction.
	8 Causes serious eye damage.
H41	2 Harmful to aquatic life with long lasting effects.
	previations and acronyms:
	R: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning t
Inter	national Carriage of Dangerous Goods by Road)
IMD	G: International Maritime Code for Dangerous Goods
	A: International Air Transport Association
	: Globally Harmonised System of Classification and Labelling of Chemicals
	ECS: European Inventory of Existing Commercial Chemical Substances
	VCS: European List of Notified Chemical Substances
	: Chemical Abstracts Service (division of the American Chemical Society) C: Predicted No-Effect Concentration (REACH)
	0: Lethal concentration, 50 percent
	0: Lethal dose, 50 percent
	: Persistent, Bioaccumulative and Toxic
	3: very Persistent and very Bioaccumulative
	e Tox. 4: Acute toxicity – Category 4
Skin	Corr. 1A: Skin corrosion/irritation - Category 1A
	Corr. 1B: Skin corrosion/irritation - Category 1B
Eye	Dam. 1: Serious eye damage/eye irritation – Category 1
	Sens. 1: Skin sensitisation – Category 1
	Sens. 1A: Skin sensitisation – Category 1A atic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3