

according to Regulation (EC) No 1907/2006					
	Kisling - 7921	l			
Revision date: 11.07.2023	Product code: 75	Page 1 of 1			
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
<b>1.1. Product identifier</b> Kisling - 7921					
UFI:	82XP-901Q-000D-G7Q0				
1.2. Relevant identified uses of	the substance or mixture and uses advis	sed against			
Use of the substance/mixtur	e				
Adhesives and sealants, I	Hardener (Crosslinker )				
<b>Uses advised against</b> No information available.					
1.3. Details of the supplier of th	<u>e safety data sheet</u>				
Manufacturer					
Company name:	Kisling AG				
Street:	Motorenstrasse 102				
Place:	CH-8620 Wetzikon				
Telephone:	+41 58 272 0 272				
E-mail:	info@kisling.com				
Internet:	www.kisling.com				
Supplier					
Company name:	Kisling Deutschland GmbH				
Street:	Salzstraße 15				
Place:	D-74676 Niedernhall				
Telephone:	+49 7940 5096161				
E-mail:	info@kisling.com				
Contact person:	Isabel Winter	Telephone: +49 7941 92054087			
E-mail:	info@kisling.com				
• · · ·					

24 hr. emergency phone number +1 872 5888271 (KAR) Medicines & Poisons Info Office +356 2545 6508

# 1.4. Emergency telephone

number:

Internet:

**SECTION 2: Hazards identification** 

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

## Hazard components for labelling

1,3-Cyclohexanedimethanamine 3-aminomethyl-3,5,5-trimethylcyclohexylamine Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine Danger

www.kisling.com

Signal word:



according to Regulation (EC) No 1907/2006					
	Kisling - 7921				
Revision date: 11.07.2023	Product code: 7921	Page 2 of 15			
Pictograms:					
Hazard statements	$\mathbf{V}$				
H302	Harmful if swallowed.				
H314	Causes severe skin burns and eye damage.				
H317	May cause an allergic skin reaction.				
H412	Harmful to aquatic life with long lasting effects.				
Precautionary statemer	nts				
P260	Do not breathe dust/fume/gas/mist/vapours/spray.				
P280	Wear protective gloves and eye/face protection.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse water or shower.	e skin with			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove cont present and easy to do. Continue rinsing.	act lenses, if			
P310	Immediately call a POISON CENTER/doctor.				
Labelling of packages v	where the contents do not exceed 125 ml				
Signal word:	Danger				
Pictograms:	$\wedge$ $\wedge$				
Hazard statements H314-H317-H412	<b>▼ ▼</b>				
Precautionary statemen P260-P280-P303+P3	n <b>ts</b> 361+P353-P305+P351+P338-P310				
<u>2.3. Other hazards</u> No data available					

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

Mixture of substances listed below with nonhazardous components.



according to Regulation (EC) No 1907/2006

### Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 3 of 15

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
2579-20-6	1,3-Cyclohexanedimethanamine			30 - < 50 %
	219-941-5		01-2119543741-41	
	Acute Tox. 4, Acute Tox. 4, Skin C	orr. 1, Aquatic Chronic 3; H312 H302	H314 H412	
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine			30 - < 50 %
	220-666-8	612-067-00-9	01-2119514687-32	
	Acute Tox. 4, Skin Corr. 1B, Eye D	am. 1, Skin Sens. 1A; H302 H314 H3	318 H317	
9046-10-0	Reaction products of di-, tri- and te	tra-propoxylated propane-1,2-diol wit	h ammonia	15 - < 30 %
	Skin Corr. 1, Aquatic Chronic 3; H314 H412			
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine			1 - < 5 %
	234-148-4		01-2119970376-29	
	Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, Skin Sens. 1B; H302 H314 H318 H317			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
2579-20-6	219-941-5	1,3-Cyclohexanedimethanamine	30 - < 50 %
	dermal: ATE =	1100 mg/kg; oral: LD50 = > 300 - ca. 2000 mg/kg	
2855-13-2	220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine	30 - < 50 %
	dermal: LD50 =	= > 2000 mg/kg; oral: ATE 1030 mg/kg Skin Sens. 1A; H317: >= 0.001 - 100	
9046-10-0		Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	15 - < 30 %
	dermal: LD50 =	= 2979,7 mg/kg; oral: LD50 = 2885,3 mg/kg	
10563-29-8	234-148-4	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	1 - < 5 %
	oral: LD50 = 10	669 mg/kg	

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing.

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.



### Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 4 of 15

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

No information available.

### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### **General advice**

Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special handling advices are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### Hints on joint storage

none



### Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 5 of 15

## Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.

# 7.3. Specific end use(s)

No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
2579-20-6	1,3-Cyclohexanedimethanamine			
Worker DNEL	long-term	dermal	systemic	0,1 mg/kg bw/day
Worker DNEL	acute	dermal	systemic	25,2 mg/kg bw/day
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine			
Worker DNEL	long-term	inhalation	local	0,073 mg/m³
Worker DNEL	acute	inhalation	local	0,073 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,3 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,3 mg/kg bw/day
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propar	ne-1,2-diol with ammo	nia	
Worker DNEL	long-term	inhalation	systemic	5,29 mg/m <sup>3</sup>
Worker DNEL	long-term	dermal	systemic	2,5 mg/kg bw/day
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine			
Consumer DN	EL, long-term	inhalation	local	0,65 mg/m³
Worker DNEL	long-term	dermal	systemic	0,67 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,65 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,2 mg/kg bw/day
Worker DNEL	long-term	inhalation	systemic	3,7 mg/m³
Worker DNEL, acute		inhalation	systemic	7,5 mg/m³
Worker DNEL	long-term	inhalation	local	3,7 mg/m³
Worker DNEL	acute	inhalation	local	7,5 mg/m³



according to Regulation (EC) No 1907/2006

Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 6 of 15

#### **PNEC** values

CAS No	Name of agent	
Environmenta	al compartment	Value
2579-20-6	1,3-Cyclohexanedimethanamine	
Freshwater		0,033 mg/l
Freshwater (i	ntermittent releases)	0,331 mg/l
Marine water		0,003 mg/l
Freshwater se	ediment	0,218 mg/kg
Marine sedim	ent	0,022 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l
Soil		0,024 mg/kg
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	
Freshwater		0,06 mg/l
Freshwater (i	ntermittent releases)	0,23 mg/l
Marine water		0,006 mg/l
Freshwater se	ediment	5,784 mg/kg
Marine sedim	ent	0,578 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	3,18 mg/l
Soil		1,121 mg/kg
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
Freshwater		0,015 mg/l
Freshwater (i	ntermittent releases)	0,15 mg/l
Marine water		0,014 mg/l
Freshwater s	ediment	0,132 mg/kg
Marine sedim	ent	0,125 mg/kg
Secondary po	bisoning	6,93 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	7,5 mg/l
Soil		0,018 mg/kg
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	
Freshwater		0,0092 mg/l
Freshwater (i	ntermittent releases)	0,092 mg/l
Marine water		0,00092 mg/l
Freshwater se	ediment	0,034 mg/kg
Marine sedim	ent	0,00336 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	18,1 mg/l
Soil		0,00132 mg/kg

### 8.2. Exposure controls



### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

according to Regulation (EC) No 1907/2006

### Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 7 of 15

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	characteristic	
	Odour threshold:	not determined	
	Melting point/freezing point:		not determined
	Boiling point or initial boiling point and		not determined
	boiling range:		
	Flammability:		not applicable
	Lower explosion limits:		not determined
	Upper explosion limits:		not determined
	Flash point:		112 °C
	Auto-ignition temperature:		not determined
	Decomposition temperature:		not determined
	pH-Value:		not determined
	Viscosity / kinematic:		not determined
	Water solubility:		completely miscible
	Solubility in other solvents		
	No data available		
	Partition coefficient n-octanol/water:		not determined
	Vapour pressure:		not determined
	Density (at 20 °C):		0,93 g/cm³
	Relative density:		not determined
	Relative vapour density:		not determined
	Particle characteristics:		not determined
<u>9</u> .	2. Other information		

### Information with regard to physical hazard classes Explosive properties not determined

Oxidizing properties not determined



## Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 8 of 15

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No further relevant information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

### Acute toxicity

Harmful if swallowed.

### ATEmix calculated

ATE (oral) 887.0 mg/kg; ATE (dermal) 2964 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
2579-20-6	1,3-Cyclohexanedimetha	namine			
	oral	LD50 > 300 - ca. 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 423
	dermal	ATE 1100 mg/kg			
2855-13-2	3-aminomethyl-3,5,5-trim	ethylcyclohexylamine			
	oral	ATE 1030 mg/kg			
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2010)	OECD Guideline 402
9046-10-0	Reaction products of di-,	tri- and tetra-propoxylate	ed propane-1,2-diol with an	nmonia	
	oral	LD50 2885,3 mg/kg	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 2979,7 mg/kg	Rabbit	Study report (1993)	OECD Guideline 402
10563-29-8	N'-(3-aminopropyl)-N,N-d	limethylpropane-1,3-diar	nine		
	oral	LD50 1669 mg/kg	Rat	Study report (1991)	OECD Guideline 401

### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.



## Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 9 of 15

### Sensitising effects

May cause an allergic skin reaction. (3-aminomethyl-3,5,5-trimethylcyclohexylamine; N'-(3-aminopropyl) -N,N-dimethylpropane-1,3-diamine)

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

### Additional information on tests

No data available

## **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

## 11.2. Information on other hazards

Endocrine disrupting properties No data available

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



## according to Regulation (EC) No 1907/2006

### Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 10 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
2579-20-6	1,3-Cyclohexanedimethar	namine					
	Acute fish toxicity	LC50	130 mg/l	96 h	Leuciscus idus	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	56,7	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	33,1	48 h	Daphnia magna	REACh Registration Dossier	EU Method C.2
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge, domestic	REACh Registration Dossier	OECD Guideline 209
2855-13-2	3-aminomethyl-3,5,5-trime	ethylcyclohe	xylamine				
	Acute fish toxicity	LC50	110 mg/l	96 h	Leuciscus idus	REACh Registration Dossier	EU Method C.1
	Acute algae toxicity	ErC50	37 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	EU Method C.3
	Acute crustacea toxicity	EC50	23 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC	3 mg/l	21 d	Daphnia magna	REACh Registration Dossier	other: OECD 202, part 2
9046-10-0	Reaction products of di-, t	ri- and tetra	-propoxylate	d propan	e-1,2-diol with ammonia		
	Acute fish toxicity	LC50 mg/l	772,14	96 h	Cyprinodon variegatus	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	15 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	EU Method C.3
	Acute crustacea toxicity	EC50	80 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	750	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209
10563-29-8	N'-(3-aminopropyl)-N,N-di	imethylprop	ane-1,3-diam	ine			
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (2009)	OECD Guideline 203
	Acute algae toxicity	ErC50	21 mg/l		Raphidocelis subcapitata	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	9,22	48 h	Daphnia magna	Study report (1992)	ISO 6341

# 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available



according to Regulation (EC) No 1907/2006

### Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 11 of 15

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2579-20-6	1,3-Cyclohexanedimethanamine	0,69
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	0,99
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	1,34
10563-29-8	N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	-0,56

#### BCF

CAS No	Chemical name	BCF	Species	Source
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexy lamine	2,63	fish	REACh Registration D
9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	3,16		REACh Registration D

### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



Revision date: 11.07.2023	Kisling - 7921 Product code: 7921	Page 12 of 15
SECTION 14: Transport information		
Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine; 3-aminomethyl-3,5,5-trime) 8 I 8	
Classification code: Special Provisions: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code:	C7 274 0 E0 1 88 E	
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine; 3-aminomethyl-3,5,5-trime) 8 I 8	
Classification code: Special Provisions: Limited quantity: Excepted quantity:	C7 274 0 E0	
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u>	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.	
<u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	(1,3-Cyclohexanedimethanamine; 3-aminomethyl-3,5,5-trime) 8 1 8	
Special Provisions: Limited quantity: Excepted quantity: EmS: Segregation group: Air transport (ICAO-TI/IATA-DGR)	274 0 E0 F-A, S-B 18 - alkalis	

14.1. UN number or ID number:

UN 2735



according to Regulation (EC) No 1907/2006

	Kisling - 7921				
Revision date: 11.07.2023	Product code: 7921	Page 13 of 15			
14.2. UN proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S.				
44.2 Transment beyond close (ac):	(1,3-Cyclohexanedimethanamine; 3-aminomethyl-3,5,5-trime)				
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	8				
Hazard label:	8				
Special Provisions:	A3 A803				
Limited quantity Passenger:	Forbidden				
Passenger LQ:	Forbidden				
Excepted quantity:	EO				
IATA-packing instructions - Passenger:	850				
IATA-max. quantity - Passenger:	0.5 L				
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	854 2.5 L				
	2.5 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				
14.6. Special precautions for user					
	No information available.				
	14.7. Maritime transport in bulk according to IMO instruments				
not applicable					
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to work protection guideline' (94/33/EC).	the 'juvenile			
Water hazard class (D):					
15.2. Chemical safety assessment					

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

according to Regulation (EC) No 1907/2006

## Kisling - 7921

Revision date: 11.07.2023

Product code: 7921

Page 14 of 15

Abbreviations and acronyms
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
assessment, chapter R.20 (Table of terms and abbreviations).
Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Eye Dam: Eye damage
Skin Sens: Skin sensitisation
Aquatic Chronic: Chronic aquatic hazard
Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]
Classification Classification procedure

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Corr. 1; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.



#### 006

	Kisling - 7921	
Revision date: 11.07.2023	Product code: 7921	Page 15 of 15
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H412	Harmful to aquatic life with long lasting effects.	

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Adhesives and sealants	PW, C	6a, 6b, 12, 18, 19	1	11, 19	4, 8a, 8c, 8d	4e, 4g, 5c, 6g, 7c, 7g, 8, 10, 11, 13	110	K+D
LCS: Life cycle stages SU: Sectors of use									
PC: Product categories			F	PROC: Process categories					
ERC: Environmental release categories			ŀ	AC: Article categories					

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)