

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 28.11.2025

**8605-30N PU Resin**

Product code: 8605-30N

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

8605-30N PU Resin

##### Further trade names

Product: 8605-30N resin + 8973 Hardener

Product group:

UFI: A8KF-R4AC-S00V-C34E

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Adhesives and sealants resin

##### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Company name: Kisling AG  
Street: Motorenstrasse 102  
Place: CH-8620 Wetzikon  
Telephone: +41 58 272 0 272  
E-mail: customerservice@kisling.com  
Contact person: Product Compliance Telephone: +49 7940 5096 143  
E-mail (Contact person): compliance@kisling.com  
Internet: www.kisling.com

##### Supplier

Company name: Kisling (Deutschland) GmbH  
Street: Salzstraße 15  
Place: D-74676 Niedernhall  
Telephone: +49 7940 50961 61  
E-mail: customerservice@kisling.com  
Contact person: Product Compliance Telephone: +49 7940 5096 143  
E-mail Contact person: compliance@kisling.com  
Internet: www.kisling.com

#### 1.4. Emergency telephone number:

24 hr. emergency phone number +1 872 5888271 (KAR)  
Medicines & Poisons Info Office +356 2545 6508

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Fatty acids, C18-unsaturated, trimers, combination with oleylamine

Fatty acids, tall oil, compounds with oleylamine

Signal word: Warning

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**8605-30N PU Resin**

Revision: 28.11.2025

Product code: 8605-30N

Page 2 of 11

**Pictograms:**

**Hazard statements**

H317 May cause an allergic skin reaction.

**Precautionary statements**

P261 Avoid breathing Vapour.  
 P280 Wear protective gloves and eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixtures

**Relevant ingredients**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
78-40-0	triethyl phosphate	1 - < 5 %
	201-114-5	
	015-013-00-7	
	Acute Tox. 4, Eye Irrit. 2; H302 H319	
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	0.1 - < 1 %
	604-612-4	
	01-2119971821-33	
	Acute Tox. 4, Skin Sens. 1, STOT RE 2, Aquatic Chronic 2; H302 H317 H373 H411	
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	0.1 - < 1 %
	288-315-1	
	01-2119974148-28	
	Eye Dam. 1, Skin Sens. 1A, STOT RE 2; H318 H317 H373	

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
78-40-0	201-114-5	triethyl phosphate	1 - < 5 %
		oral: LD50 = 1170 mg/kg	
147900-93-4	604-612-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	0.1 - < 1 %
		oral: LD50 = > 1570 mg/kg	
85711-55-3	288-315-1	Fatty acids, tall oil, compounds with oleylamine	0.1 - < 1 %
		oral: LD50 = > 2000 mg/kg	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 28.11.2025

**8605-30N PU Resin**

Product code: 8605-30N

Page 3 of 11

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

No special measures are necessary.

##### After inhalation

Provide fresh air.

##### After contact with skin

Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

##### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. IF SWALLOWED: Immediately call a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant — skin irritation and eye damage  
May cause respiratory irritation. Dyspnoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Dry extinguishing powder

##### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products, Flammable vapours can accumulate in steam space of closed systems.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

##### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. Evacuate area.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Use personal protection equipment. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

##### For cleaning up

Soak up inert absorbent and dispose as waste requiring special attention.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**8605-30N PU Resin**

Revision: 28.11.2025

Product code: 8605-30N

Page 4 of 11

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.  
Avoid contact with skin, eyes and clothes. People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture.

##### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

##### Further information on handling

Keep only in the original container in a cool, well-ventilated place.  
Never use pressure to empty container. Do not allow to enter into surface water or drains.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

##### Hints on joint storage

No special measures are necessary.

##### Further information on storage conditions

No special measures are necessary.

#### 7.3. Specific end use(s)

Resins (prepolymers)

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
78-40-0	triethyl phosphate			
Worker DNEL, long-term		inhalation	systemic	9.9 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	2 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1.74 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1 mg/kg bw/day
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			
Worker DNEL, long-term		dermal	systemic	0.024 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0.012 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0.012 mg/kg bw/day
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			
Consumer DNEL, long-term		oral	systemic	0,012 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	0,024 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,012 mg/kg bw/day

##### PNEC values

CAS No	Name of agent	Value
Environmental compartment		

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 8605-30N PU Resin

Revision: 28.11.2025

Product code: 8605-30N

Page 5 of 11

#### PNEC values

CAS No	Name of agent	Value
Environmental compartment		
78-40-0	triethyl phosphate	
Freshwater		0.632 mg/l
Freshwater (intermittent releases)		9 mg/l
Marine water		0.063 mg/l
Freshwater sediment		5 mg/kg
Marine sediment		0.5 mg/kg
Micro-organisms in sewage treatment plants (STP)		298.5 mg/l
Soil		0.64 mg/kg
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	
Freshwater		0.006 mg/l
Marine water		0.0006 mg/l
Freshwater sediment		2.46 mg/kg
Marine sediment		0.25 mg/kg
Secondary poisoning		0.47 mg/kg
Soil		0.28 mg/kg
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	
Secondary poisoning		0,47 mg/kg

#### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection.

##### Hand protection

Tested protective gloves must be worn (EN ISO 374)  
Breakthrough times and swelling properties of the material must be taken into consideration.  
NBR (Nitrile rubber) 0,4 mm, Breakthrough time: 480 min

##### Skin protection

Avoid contact with skin, eyes and clothes.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter type: A/P2

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	beige
Odour:	characteristic
Odour threshold:	not determined

#### Test method

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**8605-30N PU Resin**

Revision: 28.11.2025

Product code: 8605-30N

Page 6 of 11

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	>230 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	>100 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents  
not determined

Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 22 °C):	1.48 - 1.53 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	not determined

DIN EN ISO 2811

### **9.2. Other information**

#### **Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

#### **Other safety characteristics**

Evaporation rate: not determined

Solid content: not determined

Viscosity / dynamic (at 22 °C): 2.800 - 3.800 mPa·s DIN 53019

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No known hazardous reactions.

### **10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

### **10.3. Possibility of hazardous reactions**

Thermal decomposition can lead to the escape of irritating gases and vapours.

Vapours can form explosive mixtures with air.

### **10.4. Conditions to avoid**

No information available.

### **10.5. Incompatible materials**

No information available.

### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

### **Further information**

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**8605-30N PU Resin**

Revision: 28.11.2025

Product code: 8605-30N

Page 7 of 11

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicokinetics, metabolism and distribution

No data available

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
78-40-0	triethyl phosphate				
	oral	LD50 1170 mg/kg	Rat	GESTIS	
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine				
	oral	LD50 > 1570 mg/kg	Rat	Study report (1981)	Single oral gavage administration of a f
85711-55-3	Fatty acids, tall oil, compounds with oleylamine				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2011)	OECD Guideline 423

##### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

##### Sensitising effects

May cause an allergic skin reaction. (Fatty acids, C18-unsaturated, trimers, combination with oleylamine; Fatty acids, tall oil, compounds with oleylamine)

##### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Information on likely routes of exposure

No data available

##### Specific effects in experiment on an animal

No data available

##### Additional information on tests

No data available

##### Practical experience

May be harmful if swallowed, in contact with skin or if inhaled.

#### 11.2. Information on other hazards

##### Other information

No data available

##### Further information

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 8605-30N PU Resin

Revision: 28.11.2025

Product code: 8605-30N

Page 8 of 11

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Oncorhynchus mykiss	Study report (2011)	OECD Guideline 203
	Acute algae toxicity	ErC50 8 mg/l	72 h	Raphidocelis subcapitata	Study report (2011)	OECD Guideline 201
	Acute crustacea toxicity	EL50 > 100 mg/l	48 h	Daphnia magna	Study report (2011)	OECD Guideline 202
	Crustacea toxicity	NOEC >= 100 mg/l	21 d	Daphnia magna	Study report (2012)	OECD Guideline 211
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	activated sludge of a predominantly domestic sewage	Study report (2011)	EU Method C.11
85711-55-3	Fatty acids, tall oil, compounds with oleylamine					
	Acute fish toxicity	LL50 >100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/manufacturer	OECD 203
	Acute crustacea toxicity	EL50 15,2 mg/l	48 h	Daphnia magna (Big water flea)	Pre-supplier/manufacturer	OECD 202
	Acute bacteria toxicity	EC50 >1000 mg/l ( )	3 h	Activated sludge	Pre-supplier/manufacturer	OECD 209

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			
	OECD 301F, aerob	27%	28	Pre-supplier/manufacturer
	Moderately/partially biodegradable.			
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			
	OECD 301F, aerob	87%	28	Pre-supplier/manufacturer
	Readily biodegradable (according to OECD criteria).			

### 12.3. Bioaccumulative potential

No data available

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-40-0	triethyl phosphate	0,8
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	> 5.7
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	> 6,2

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 28.11.2025

**8605-30N PU Resin**

Product code: 8605-30N

Page 9 of 11

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **12.7. Other adverse effects**

No data available

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

#### **List of Wastes Code - residues/unused products**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### **List of Wastes Code - used product**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### **List of Wastes Code - contaminated packaging**

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### **Contaminated packaging**

Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

## **SECTION 14: Transport information**

### **Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

### **Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

### **Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.3. Transport hazard class(es):</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.4. Packing group:</u></b>	No dangerous good in sense of this transport regulation.

### **Air transport (ICAO-TI/IATA-DGR)**

<b><u>14.1. UN number or ID number:</u></b>	No dangerous good in sense of this transport regulation.
<b><u>14.2. UN proper shipping name:</u></b>	No dangerous good in sense of this transport regulation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**8605-30N PU Resin**

Revision: 28.11.2025

Product code: 8605-30N

Page 10 of 11

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**Other applicable information**

No information available.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 3.254 % (48.152 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

(EU) EINECS/ELINCS/NLP: yes

(RC) TCSI: yes

(NZ) NZIoC: yes

(USA) TSCA: yes

(CDN) DSL: no

(ROK) KECI/ECL: unknown

(RP) PICCS: no

(JP) MITI: no

(CHN) IECSC: yes

(AUS) AIIC: no

(CDN) NDSL: no

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,8,15.

**Abbreviations and acronyms**

Acute Tox. 4: Acute toxicity, hazard category 4

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

Skin Sens. 1: Skin sensitisation, hazard category 1

Skin Sens. 1A: Skin sensitisation, hazard category 1A

STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**8605-30N PU Resin**

Revision: 28.11.2025

Product code: 8605-30N

Page 11 of 11

CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*