

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PU Resin 8612/20N

UFI: 22GF-04SP-F00J-WFK1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Resins (prepolymers)

1.3. Details of the supplier of the safety data sheet

Company name:	Kisling Deutschland GmbH	
Street:	Salzstraße 15	
Place:	D-74676 Niedernhall	
Telephone:	+49 7940 5096161	
Contact person:	Isabel Winter	Telephone: +49 7941 92054087
E-mail:	info@kisling.com	
Internet:	www.kisling.com	

1.4. Emergency telephone number: 24 hr. emergency phone number +1 872 5888271 (KAR)
Medicines & Poisons Info Office +356 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Fatty acids, C18-unsaturated, trimers, combination with oleylamine

Fatty acids, tall oil, compounds with oleylamine

Signal word: Warning**Pictograms:**

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 2 of 12

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
78-40-0	triethyl phosphate			5 - < 15 %
	201-114-5	015-013-00-7		
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate			1 - < 5 %
	945-730-9		01-2119511174-52	
	Aquatic Acute 1, Aquatic Chronic 3; H400 H412			
	Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol			0.1 - < 1 %
			01-2119488034-38	
	Repr. 2, Eye Irrit. 2; H361fd H319			
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			0.1 - < 1 %
	604-612-4		01-2119971821-33	
	Acute Tox. 4, Skin Sens. 1, STOT RE 2, Aquatic Chronic 2; H302 H317 H373 H411			
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			0.1 - < 1 %
	288-315-1		01-2119974148-28	
	Eye Dam. 1, Skin Sens. 1A, STOT RE 2; H318 H317 H373			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
78-40-0	201-114-5	triethyl phosphate	5 - < 15 %
		oral: LD50 = 1170 mg/kg	
	945-730-9	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate	1 - < 5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg Aquatic Acute 1; H400: M=1	
		Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol	0.1 - < 1 %
		dermal: LD50 = >10000 mg/kg; oral: LD50 = >2000 mg/kg	
147900-93-4	604-612-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	0.1 - < 1 %
		oral: LD50 = >1570 mg/kg	
85711-55-3	288-315-1	Fatty acids, tall oil, compounds with oleylamine	0.1 - < 1 %
		oral: LD50 = > 2000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 3 of 12

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 4 of 12

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Resins (prepolymers)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate			
Worker DNEL, long-term		inhalation	systemic	3,5 mg/m³
Worker DNEL, acute		inhalation	systemic	28 mg/m³
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	4 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,875 mg/m³
Consumer DNEL, acute		inhalation	systemic	7 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	2 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	2 mg/kg bw/day
	Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol			
Worker DNEL, long-term		dermal	systemic	4,2 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	14,6 mg/m³
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,4 mg/m³
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			
Worker DNEL, long-term		dermal	systemic	0,024 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,012 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,012 mg/kg bw/day
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			
Consumer DNEL, long-term		oral	systemic	0,012 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	0,024 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,012 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 5 of 12

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate		
Freshwater		0,002 mg/l
Marine water		0,0002 mg/l
Freshwater sediment		3,43 mg/kg
Marine sediment		0,343 mg/kg
Secondary poisoning		267 mg/kg
Soil		0,68 mg/kg
Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol		
Freshwater		0,743 mg/l
Marine water		0,074 mg/l
Micro-organisms in sewage treatment plants (STP)		100 mg/l
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	
Freshwater		0,006 mg/l
Marine water		0,0006 mg/l
Freshwater sediment		2,46 mg/l
Marine sediment		0,25 mg/l
Secondary poisoning		0,47 mg/kg
Soil		0,28 mg/kg
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	
Secondary poisoning		0,47 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 6 of 12

Colour:	beige	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		not determined
Flammability:		not applicable
		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 22 °C):		1,60-1,65 g/cm³
Relative vapour density:		not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

Viscosity / dynamic:
(at 22 °C) 3.500-4.500 mPa·s

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 7 of 12

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 0.0000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
78-40-0	triethyl phosphate				
	oral	LD50 mg/kg 1170	Rat	GESTIS	
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate				
	oral	LD50 mg/kg >5000	Rat	Pre-supplier/manufact urer	
	dermal	LD50 mg/kg >2000	Rat	Pre-supplier/manufact urer	OECD 402
	Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol				
	oral	LD50 mg/kg >2000	Rat	Pre-supplier/manufact urer	OECD 423
	dermal	LD50 mg/kg >10000	Rabbit	Pre-supplier/manufact urer	OECD 402
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine				
	oral	LD50 mg/kg >1570	Rat	Pre-supplier/manufact urer	OECD 423
85711-55-3	Fatty acids, tall oil, compounds with oleylamine				
	oral	LD50 mg/kg > 2000	Rat	Study report (2011)	OECD Guideline 423

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Fatty acids, C18-unsaturated, trimers, combination with oleylamine; Fatty acids, tall oil, compounds with oleylamine)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 8 of 12

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate					
	Acute fish toxicity	LC50 1,3 mg/l	96 h	Oryzias latipes (Ricefish)	Pre-supplier/manu facturer	
	Acute algae toxicity	ErC50 0,55 mg/l	72 h	Desmodesmus subspicatus	Pre-supplier/manu facturer	Regulation (EC) No. 440/2008, Annex C.3
	Algae toxicity	NOEC 0,11 mg/l	3 d	Desmodesmus subspicatus	Pre-supplier/manu facturer	Regulation (EC) No. 440/2008, Annex C.3
	Crustacea toxicity	NOEC 0,21 mg/l	21 d	Daphnia magna (Big water flea)	Pre-supplier/manu facturer	
	Acute bacteria toxicity	(EC50 >10000 mg/l)	3 h	Activated sludge	Pre-supplier/manu facturer	OECD 209
	Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol					
	Acute fish toxicity	LC50 1250 mg/l	96 h	Danio rerio (zebrafish)	Pre-supplier/manu facturer	OECD 203
	Acute algae toxicity	ErC50 743 mg/l	72 h	Pseudokirchneriella subcapitata	Pre-supplier/manu facturer	OECD 201
	Acute crustacea toxicity	EC50 1090 mg/l	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer	OECD 202
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine					
	Acute fish toxicity	LL50 >100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/manu facturer	OECD 203
	Acute crustacea toxicity	EL50 >100 mg/l	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer	OECD 202
	Acute bacteria toxicity	(EC50 >1000 mg/l)	3 h	Activated sludge	Pre-supplier/manu facturer	OECD 209
85711-55-3	Fatty acids, tall oil, compounds with oleylamine					
	Acute fish toxicity	LL50 >100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Pre-supplier/manu facturer	OECD 203
	Acute crustacea toxicity	EL50 15,2 mg/l	48 h	Daphnia magna (Big water flea)	Pre-supplier/manu facturer	OECD 202
	Acute bacteria toxicity	(EC50 >1000 mg/l)	3 h	Activated sludge	Pre-supplier/manu facturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 9 of 12

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate			
	OECD 301C	75 %	28	
	Readily biodegradable (according to OECD criteria).			
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine			
	OECD 301F, aerob	27%	28	Pre-supplier/manufactur er
	Moderately/partially biodegradable.			
85711-55-3	Fatty acids, tall oil, compounds with oleylamine			
	OECD 301F , aerob	87%	28	Pre-supplier/manufactur er
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-40-0	triethyl phosphate	0,8
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate	4,5
	Reaction mass of 2-ethylpropane-1,3-diol and 5-ethyl-1,3-dioxane-5-methanol and propylidynetrimethanol	0,19
147900-93-4	Fatty acids, C18-unsaturated, trimers, combination with oleylamine	>5,7
85711-55-3	Fatty acids, tall oil, compounds with oleylamine	> 6,2

BCF

CAS No	Chemical name	BCF	Species	Source
	Reaction mass of 3-methylphenyl diphenyl phosphate, 4-methylphenyl diphenyl phosphate, bis(3-methylphenyl) phenyl phosphate, 3-methylphenyl 4-methylphenyl phenyl phosphate and triphenyl phosphate	220		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 10 of 12

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 11 of 12

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
Acute Tox: Acute toxicity
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
Repr: Reproductive toxicity
STOT RE: Specific target organ toxicity - repeated exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PU Resin 8612/20N

Revision date: 30.06.2023

Product code: 50004

Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)