



according to Regulation (EC) No 1907/2006

# PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

PU Resin 8804 (ex ST 44)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Resins (prepolymers): Production of polyurethanes

## 1.3. Details of the supplier of the safety data sheet

Company name: Kisling Deutschland GmbH Street: Otto-Lilienthal-Strasse 33 Place: D-71034 Böblingen
Telephone: +49 7031 98 625 0
e-mail (Contact person): info@kisling.com

1.4. Emergency telephone +49 7031 98 625 0

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



### **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

# 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 2 of 8

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
144-19-4	2,2,4-Trimethylpentane-1,3-diol			5 - < 10 %
	Eye Irrit. 2; H319			
115-84-4	2-Butyl-2-ethylpropanediol			5 - < 10 %
	204-111-7			
	Eye Irrit. 2; H319			
77-99-6	Trimethylolpropane			1 - < 5 %
	201-074-9		01-2119486799-10	
	Repr. 2; H361fd			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures





according to Regulation (EC) No 1907/2006

## PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 3 of 8

### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Resins (prepolymers): Production of polyurethanes

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls



## Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is



according to Regulation (EC) No 1907/2006

# PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 4 of 8

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

### Changes in the physical state

not determined Melting point/freezing point: Boiling point or initial boiling point and not determined

boiling range:

Flash point: not determined

**Flammability** 

not applicable Solid/liquid: Gas: not applicable

### **Explosive properties**

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: not determined Decomposition temperature: pH-Value: not determined 850-950 mPa·s Viscosity / dynamic:

(at 22 °C)

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

## Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Density (at 22 °C): 1.05-1.10 a/cm<sup>3</sup> Relative vapour density: not determined

# 9.2. Other information

# Information with regard to physical hazard classes

Oxidizing properties

The product is not: oxidising.

## Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 





according to Regulation (EC) No 1907/2006

## PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 5 of 8

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

### **12.1. Toxicity**

The product is not: Ecotoxic.

# 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.



according to Regulation (EC) No 1907/2006

## PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 6 of 8

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

### List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

Land transport	(ADR/RID)
----------------	-----------

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

## PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 7 of 8

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association



according to Regulation (EC) No 1907/2006

# PU Resin 8804 (ex ST 44)

Revision date: 10.03.2022 Product code: ST44 Page 8 of 8

ICAO: International Civil Aviation Organization

Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

### Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

# PU Hardener 8930 (ex H3000)

Revision date: 10.03.2022 Product code: Haerter3000 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

PU Hardener 8930 (ex H3000)

Substance name: hexamethylene-di-isocyanate REACH Registration Number: 01-2119970543-34-0001

CAS No: 28182-81-2 EC No: 500-060-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Hardener for coating materials or adhesives for industrial or professional applications

### 1.3. Details of the supplier of the safety data sheet

Company name: Kisling Deutschland GmbH Street: Otto-Lilienthal-Strasse 33 Place: D-71034 Böblingen
Telephone: +49 7031 98 625 0
e-mail (Contact person): info@kisling.com

1.4. Emergency telephone +49 7031 98 625 0

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

### **Regulation (EC) No 1272/2008**

Signal word: Warning

Pictograms:



## **Hazard statements**

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

## **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.



according to Regulation (EC) No 1907/2006

# PU Hardener 8930 (ex H3000)

Revision date: 10.03.2022 Product code: Haerter3000 Page 2 of 8

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to einer behördlich genehmigten Verbrennungsanlage oder

anderen Anlage zur thermischen Zerstörung.

### Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional

use.

### 2.3. Other hazards

In case of hypersensitivity of the respiratory tract (asthma, chronic bronchitis), handling of the product is not recommended. Respiratory symptoms may occur even several hours after overexposure. Dust, vapors and aerosols are the main respiratory hazards. No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
28182-81-2	Hexamethylene diisocyanate, oligo	omerization product (Biuret type)		95 - < 100 %
	500-060-2		01-2119970543-34-0001	
	Acute Tox. 4, Skin Sens. 1, STOT	SE 3; H332 H317 H335		
822-06-0	hexamethylene-di-isocyanate			< 1 %
	212-485-8	615-011-00-1	01-2119457571-37-0000	
	Acute Tox. 1, Acute Tox. 3, Acute STOT SE 3; H310 H331 H302 H3	Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. 15 H319 H334 H317 H335	Sens. 1, Skin Sens. 1,	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
28182-81-2	500-060-2	Hexamethylene diisocyanate, oligomerization product (Biuret type)	95 - < 100 %
	inhalation: ATE	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists)	
822-06-0	212-485-8	hexamethylene-di-isocyanate	< 1 %
		E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 5 E = 500 mg/kg Resp. Sens. 1; H334: >= 0,5 - 100 Skin Sens. 1; H317: >= 0,5 -	

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.





according to Regulation (EC) No 1907/2006

## **PU Hardener 8930 (ex H3000)**

Revision date: 10.03.2022 Product code: Haerter3000 Page 3 of 8

### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities





according to Regulation (EC) No 1907/2006

# PU Hardener 8930 (ex H3000)

Revision date: 10.03.2022 Product code: Haerter3000 Page 4 of 8

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

### Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Hardener for coating materials or adhesives for industrial or professional applications

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye/face protection.

# **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless

# Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Flash point: 203 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

# PU Hardener 8930 (ex H3000)

Revision date: 10.03.2022 Product code: Haerter3000 Page 5 of 8

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature:

Decomposition temperature:

pH-Value:

viscosity / dynamic:

not determined

440 °C

not determined

958 mPa·s

(at 20 °C)

Water solubility: Immiscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1,15 g/cm³

not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Harmful if inhaled.



according to Regulation (EC) No 1907/2006

## **PU Hardener 8930 (ex H3000)**

Revision date: 10.03.2022 Product code: Haerter3000 Page 6 of 8

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
28182-81-2	Hexamethylene diisocyar	nate, oligome	erization prod	duct (Biuret type)		
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			
822-06-0	hexamethylene-di-isocya	nate				
	oral	ATE mg/kg	500			
	dermal	ATE	5 mg/kg			
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Contains isocyanates. May produce an allergic reaction. May cause an allergic skin reaction. (Hexamethylene diisocyanate, oligomerization product (Biuret type); hexamethylene-di-isocyanate)

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (Hexamethylene diisocyanate, oligomerization product (Biuret type))

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

# **SECTION 12: Ecological information**

# **12.1. Toxicity**

The product is not: Ecotoxic.

## 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

## 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**



according to Regulation (EC) No 1907/2006

## **PU Hardener 8930 (ex H3000)**

Revision date: 10.03.2022 Product code: Haerter3000 Page 7 of 8

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/RID)
--------------------------

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 74, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

## **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# PU Hardener 8930 (ex H3000)

Revision date: 10.03.2022 Product code: Haerter3000 Page 8 of 8

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

# Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H310 Fatal in contact with skin.
 H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

EUH204 Contains isocyanates. May produce an allergic reaction.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.