Telephone: +49 7941 92054087



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

PU Resin 8804/30T

UNQF-J4HM-E003-3GUQ

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Resins (prepolymers)

### 1.3. Details of the supplier of the safety data sheet

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15 Place: D-74676 Niedernhall Telephone: +49 7940 5096161 E-mail: info@kisling.com Contact person: Isabel Winter

E-mail: info@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

Medicines & Poisons Info Office +356 2545 6508 number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



### **Hazard statements**

H319 Causes serious eye irritation.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

# Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:





according to Regulation (EC) No 1907/2006

### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 2 of 10

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
_	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
144-19-4	2,2,4-trimethylpentane-1,3-diol				
			01-2119941373-40		
	Eye Irrit. 2; H319				
115-84-4	2-butyl-2-ethylpropanediol			5 - < 15 %	
	204-111-7		01-2119450133-52		
	Eye Irrit. 2; H319				
77-99-6	Propylidynetrimethanol			1 - < 5 %	
	201-074-9		01-2119486799-10		
	Repr. 2; H361fd				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc	Limits, M-factors and ATE		
144-19-4		2,2,4-trimethylpentane-1,3-diol	5 - < 15 %	
	oral: LD50 = > 2000 mg/kg			
115-84-4	204-111-7	2-butyl-2-ethylpropanediol	5 - < 15 %	
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 2900 mg/kg		
77-99-6	201-074-9	Propylidynetrimethanol	1 - < 5 %	
	dermal: LD50	= > 10000 mg/kg; oral: LD50 = ca. 14700 mg/kg		

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

# After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.





according to Regulation (EC) No 1907/2006

#### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 3 of 10

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

# 7.3. Specific end use(s)

Resins (prepolymers)

# **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

# PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 4 of 10

# 8.1. Control parameters

# **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
144-19-4	2,2,4-trimethylpentane-1,3-diol			
Worker DNEL	long-term	inhalation	systemic	6,61 mg/m³
Worker DNEL	, long-term	dermal	systemic	7,03 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	2,6 mg/m³
Consumer DN	EL, long-term	dermal	systemic	6 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	6 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	18 mg/kg bw/day
115-84-4	2-butyl-2-ethylpropanediol			
Worker DNEL	long-term	inhalation	systemic	5,3 mg/m³
Worker DNEL	, long-term	dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,3 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,75 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,75 mg/kg bw/day
77-99-6	Propylidynetrimethanol			
Worker DNEL	long-term	inhalation	systemic	3,3 mg/m³
Worker DNEL, long-term		dermal	systemic	0,94 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,58 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,34 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,34 mg/kg bw/day

# PNEC values

CAS No	Name of agent				
Environmental	Environmental compartment Value				
144-19-4	2,2,4-trimethylpentane-1,3-diol				
Freshwater		0,109 mg/l			
Freshwater (in	termittent releases)	1,091 mg/l			
Marine water		0,011 mg/l			
Freshwater se	0,903 mg/kg				
Marine sediment		0,09 mg/kg			
Micro-organisms in sewage treatment plants (STP)  20 mg/l					
Soil 0,117 mg					
115-84-4	115-84-4 2-butyl-2-ethylpropanediol				
Freshwater		0,1 mg/l			
Freshwater (intermittent releases)		1 mg/l			
Marine water 0,01 m		0,01 mg/l			
Micro-organisms in sewage treatment plants (STP) 6,5 mg/l					



according to Regulation (EC) No 1907/2006

### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 5 of 10

### 8.2. Exposure controls





### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: colourless, transparent

Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits: not determined

Upper explosion limits:

Flash point:

Auto-ignition temperature:

Decomposition temperature:

not determined
not determined
not determined

pH-Value: not determined
Water solubility: The study does not need to be conducted
because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 22 °C):

Relative vapour density:

not determined

not determined

not determined

not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.



according to Regulation (EC) No 1907/2006

### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 6 of 10

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

Viscosity / dynamic: 850 - 950 mPa·s

(at 22 °C)

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
144-19-4	2,2,4-trimethylpentane-1,3-diol					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2012)	OECD Guideline 425
115-84-4	2-butyl-2-ethylpropanediol					
	oral	LD50 mg/kg	2900	Rat	Study report (1988)	EU Method B.1
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1990)	OECD Guideline 402
77-99-6	Propylidynetrimethanol					
	oral	LD50 mg/kg	ca. 14700	Rat	Study report (1956)	Method: groups of 5 male rats were given
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report (1956)	Groups of 4 albino rabbits were evaluate

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 7 of 10

# Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

# **Endocrine disrupting properties**

No information available.

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
144-19-4	2,2,4-trimethylpentane-1,3-diol							
	Acute fish toxicity	LC50 mg/l	> 700	96 h	Lepomis macrochirus	Study report (1986)	other: Methods for Acute Toxicity Tests	
	Acute algae toxicity	ErC50 mg/l	> 110,1	72 h	Raphidocelis subcapitata	Study report (2001)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 109,1	48 h	Daphnia magna	Study report (2002)	OECD Guideline 202	
115-84-4	2-butyl-2-ethylpropanediol							
	Acute algae toxicity	ErC50	94 mg/l	72 h	Raphidocelis subcapitata	Study report (1995)	EU Method C.3	
	Acute bacteria toxicity	(EC50 mg/l)	650	3 h	Activated sludge	Study report (1998)	OECD Guideline 209	
77-99-6	Propylidynetrimethanol							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Alburnus alburnus	Marine Pollution Bulletin, 14, 213-214 (	A static acute toxicity test was perform	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	Citation of an unavailable study report	other: OECD Guideline, not further speci	
	Crustacea toxicity	NOEC mg/l	> 1000	21 d	Daphnia magna	Citation of an unavailable study report	other: OECD guideline, not further speci	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	EU Method C.11	

# 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

# PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 8 of 10

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
144-19-4	2,2,4-trimethylpentane-1,3-diol				
	OECD 301A	99%	28	Pre-supplier/manufactur	
				er	
	Readily biodegradable (according to OECD criteria).				

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow	
144-19-4	2,2,4-trimethylpentane-1,3-diol	1,25	
115-84-4	2-butyl-2-ethylpropanediol		
77-99-6	Propylidynetrimethanol	-0,47	

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
77-99-6	Propylidynetrimethanol	< 1	Cyprinus carpio	Citation of an unava

# 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

### List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

 ${\tt COATINGS~(PAINTS,~VARNISHES~AND~VITREOUS~ENAMELS),~ADHESIVES,~SEALANTS~AND~PRINTING~INKS;~wastes~from~MFSU~of~adhesives~and~sealants~(including~waterproofing~products);}$ 

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.



according to Regulation (EC) No 1907/2006

#### PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 9 of 10

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

## PU Resin 8804/30T

Revision date: 15.06.2023 Product code: 50092 Page 10 of 10

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Eye Irrit: Eye irritation Repr: Reproductive toxicity

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

## Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)