

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

UFI: 9WR9-X6F3-K00P-3R8R

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Air care products

Biocide

1.3. Details of the supplier of the safety data sheet

Company name: Kisling (Deutschland) GmbH

Street: Salzstraße 15

Place: D-74676 Niedernhall

Telephone: +49 7940 50961 61

E-mail: technical.support@kisling.com

Contact person: Dr. Hans Götz Telephone: +49 7940 5096 143

E-mail: compliance@kisling.com

Internet: www.kisling.com

1.4. Emergency telephone number:

24 hr. emergency phone number +1 872 5888271 (KAR)
Medicines & Poisons Info Office +356 2545 6508

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Special labelling of certain mixtures

Read attached instructions before use.

2.3. Other hazards

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 2 of 15

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aerosol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
115-10-6	dimethyl ether			40 - 60 %
	204-065-8	603-019-00-8		
	Flam. Gas 1; H220			
64-17-5	ethanol			20 - 25 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			
532-32-1	Sodium Benzoate			0.1 - < 1 %
	208-534-8			
	Eye Irrit. 2; H319			
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenate and citronellyl 3-methylcrotonate			0.1 - < 1 %
	946-248-1		01-2120742577-46	
	Aquatic Acute 1, Aquatic Chronic 2; H400 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
115-10-6	204-065-8	dimethyl ether	40 - 60 %
		inhalation: LC50 = 164000 ppm (gases)	
64-17-5	200-578-6	ethanol	20 - 25 %
		inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg	
532-32-1	208-534-8	Sodium Benzoate	0.1 - < 1 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3450 mg/kg	
	946-248-1	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenate and citronellyl 3-methylcrotonate	0.1 - < 1 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >10000 mg/kg Aquatic Acute 1; H400: M=10	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % aromatic hydrocarbons, < 5 % anionic surfactants, perfumes.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). First aider: Pay attention to self-protection! Never give anything by mouth to an unconscious person or a person with cramps. Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. Medical treatment necessary. IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of inhaling spray mist, consult a physician. Put victim at rest, cover with a

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 3 of 15

blanket and keep warm. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap. Frequently or prolonged contact with skin may cause dermal irritation.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye. After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder. Carbon dioxide (CO₂), Dry extinguishing powder,, alcohol resistant foam, Water spray.

5.2. Special hazards arising from the substance or mixture

Vapours can form explosive mixtures with air. In case of fire may be liberated: Hazardous decomposition products.

Extremely flammable aerosol. Pressurized container: May burst if heated.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings. In case of fire and/or explosion do not breathe fumes. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Heating causes rise in pressure with risk of bursting. Beware of reignition.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Remove all sources of ignition.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 4 of 15

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not pierce or burn, even after use. Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. General health and safety measures
Do not breathe aerosol.

Avoid contact with skin, eyes and clothes. When using do not eat, drink or smoke. Wash hands before breaks and after work. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. To follow: TRGS 510

Caution! Container under pressure. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep away from heat.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
115-10-6	Dimethylether	1000	1920		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 5 of 15

DNEL/DMEL values

CAS No	Name of agent		
DNEL type	Exposure route	Effect	Value
115-10-6	dimethyl ether		
Worker DNEL, long-term	inhalation	systemic	1894 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	471 mg/m ³
64-17-5	ethanol		
Worker DNEL, long-term	inhalation	systemic	950 mg/m ³
Worker DNEL, long-term	dermal	systemic	343 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	114 mg/m ³
Consumer DNEL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	87 mg/kg bw/day
532-32-1	Sodium Benzoate		
Worker DNEL, long-term	inhalation	systemic	3 mg/m ³
Worker DNEL, long-term	inhalation	local	0,1 mg/m ³
Worker DNEL, long-term	dermal	systemic	62,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,5 mg/m ³
Consumer DNEL, long-term	inhalation	local	0,06 mg/m ³
Consumer DNEL, long-term	dermal	systemic	31,25 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	16,6 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 6 of 15

PNEC values

CAS No	Name of agent		Value
Environmental compartment			
115-10-6	dimethyl ether		
Freshwater			0,155 mg/l
Freshwater (intermittent releases)			1,549 mg/l
Marine water			0,016 mg/l
Freshwater sediment			0,681 mg/kg
Marine sediment			0,069 mg/kg
Micro-organisms in sewage treatment plants (STP)			160 mg/l
Soil			0,045 mg/kg
64-17-5	ethanol		
Freshwater			0,96 mg/l
Freshwater (intermittent releases)			2,75 mg/l
Marine water			0,79 mg/l
Freshwater sediment			3,6 mg/kg
Marine sediment			2,9 mg/kg
Secondary poisoning			380 mg/kg
Micro-organisms in sewage treatment plants (STP)			580 mg/l
Soil			0,63 mg/kg
532-32-1	Sodium Benzoate		
Freshwater			0,13 mg/l
Freshwater (intermittent releases)			0,305 mg/l
Marine water			0,013 mg/l
Freshwater sediment			1,76 mg/kg
Marine sediment			0,176 mg/kg
Secondary poisoning			300 mg/kg
Micro-organisms in sewage treatment plants (STP)			10 mg/l
Soil			0,06 mg/kg
Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenate and citronellyl 3-methylcrotonate			
Freshwater			0,0028 mg/l
Freshwater (intermittent releases)			0,00076 mg/l
Marine water			0,00028 mg/l
Freshwater sediment			5,6 mg/kg
Marine sediment			0,56 mg/kg
Micro-organisms in sewage treatment plants (STP)			3 mg/l
Soil			1,12 mg/kg

8.2. Exposure controls



Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 7 of 15

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable material:

Thickness of the glove material 0,4 mm

> 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

EN ISO 374

Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. In case of insufficient ventilation, wear suitable respiratory equipment. Particle filter device (EN 143)

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	colourless, clear
Odour:	Lemon

Test method

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	-24,82 °C
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	2,5 vol. %
Flash point:	26,2 vol. %
Auto-ignition temperature:	9,7 °C
Decomposition temperature:	226 °C
pH-Value (at 20 °C):	not determined
Water solubility:	~ 8
Solubility in other solvents	completely miscible
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	5132,91 hPa
(at 20 °C)	
Density (at 20 °C):	0,77 g/cm³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 8 of 15

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Heating may cause an explosion.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

DIN 51377

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated. No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Materials to avoid: Base.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 9 of 15

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
115-10-6	dimethyl ether				
	inhalation (4 h) gas	LC50 164000 ppm	Rat	Study report (1979)	Ten male rats were administered the test
64-17-5	ethanol				
	oral	LD50 10470 mg/kg	Rat	Study report (1976)	OECD Guideline 401
	inhalation (4 h) vapour	LC50 124,7 mg/l	Rat	Study report (1980)	OECD Guideline 403
532-32-1	Sodium Benzoate				
	oral	LD50 3450 mg/kg	Rat	Publication (1953)	Study predates approved guidelines. Unfa
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1974)	4 rabbits were dermally exposed
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenate and citronellyl 3-methylcrotonate				
	oral	LD50 >10000 mg/kg	Rat	Pre-supplier/manufacturer	
	dermal	LD50 >5000 mg/kg	Rabbit	Pre-supplier/manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

Irritating to respiratory system.

SECTION 12: Ecological information

12.1. Toxicity

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 10 of 15

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
115-10-6	dimethyl ether					
	Acute fish toxicity	LC50 > 4100 mg/l	96 h	Poecilia reticulata	Study report (1988)	other: NEN 6504 Water - Determination of
	Acute algae toxicity	ErC50 154,917 mg/l	96 h	green algae	Other company data (2009)	other: Data generated using ECOSAR v1.00
	Acute crustacea toxicity	EC50 > 4400 mg/l	48 h	Daphnia magna	Study report (1988)	other: NEN6501: Water -Determination of
64-17-5	ethanol					
	Acute fish toxicity	LC50 15400 mg/l	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-009, 1975
	Acute algae toxicity	ErC50 ca. 22000 mg/l	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201
	Acute crustacea toxicity	EC50 > 10000 mg/l	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11
	Fish toxicity	NOEC > 79 mg/l	100 d	Oryzias latipes	Environmental Toxicology and Chemistry,	Chronic effects of substance on reproduc
	Algae toxicity	NOEC 5400 mg/l	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989)	Study to determine the sensitivity of a
	Crustacea toxicity	NOEC 2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th
532-32-1	Sodium Benzoate					
	Acute fish toxicity	LC50 484 mg/l	96 h	Pimephales promelas	Vol. 2: 139-140. University of Wisconsin	EPA OPP 72-1
	Acute algae toxicity	ErC50 > 30,5 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenolate and citronellyl 3-methylcrotonate					
	Acute algae toxicity	ErC50 > 0,11 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,076 mg/l	48 h	Daphnia magna	REACH Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC 0,1 mg/l	7 d	Ceriodaphnia dubia	REACH Registration Dossier	other: EPA-821-R-02-013 : Short-Term Met

12.2. Persistence and degradability

AT2

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 11 of 15

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenate and citronellyl 3-methylcrotonate			
	OECD 301F	80 %	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
115-10-6	dimethyl ether	0,07
64-17-5	ethanol	-0,77
532-32-1	Sodium Benzoate	1,88
	Reaction mass of 3,7-dimethyloct-7-en-1-yl 3-methylbut-2-enoate and 3,7-dimethyloctyl 3-methyl-2-butenate and citronellyl 3-methylcrotonate	6

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not empty into drains; dispose of this material and its container in a safe way.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Disposal considerations
Dispose of waste according to applicable legislation. The waste key according to the European Waste Catalogue (EWC number) refers to the real wastes origin and therefore is not product- but use-oriented.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 12 of 15

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
Hazard label: 2.1



Classification code: 5F
Special Provisions: 190 327 344 625
Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
Hazard label: 2.1



Classification code: 5F
Special Provisions: 190 327 344 625
Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 381, 959
Limited quantity: 1000 mL
Excepted quantity: E0
EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 13 of 15

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es): 2.1

14.4. Packing group: -

Hazard label: 2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G

Passenger LQ: Y203

Excepted quantity: E0

IATA-packing instructions - Passenger: 203

IATA-max. quantity - Passenger: 75 kg

IATA-packing instructions - Cargo: 203

IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable gases. SECTION 6: Accidental release measures

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 72,109 % (555,237 g/l)

2004/42/EC (VOC): 72,905 % (561,369 g/l)

Information according to 2012/18/EU (SEVESO III): P3a FLAMMABLE AEROSOLS

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

Aerosol Directive (75/324/).

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

Biocide registry number: N-104050 (KERONA)

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 14 of 15

Abbreviations and acronyms

CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
Flam. Gas: Flammable gases
Aerosol: Aerosols
Flam. Liq: Flammable liquid
Eye Irrit: Eye irritation
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

5291 AC Cleaner aktiveSilver plus citrus AF 100 ml

Revision date: 06.02.2024

Product code: 70688

Page 15 of 15

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	AIR FRESHENERS AEROSOL (aqueous, non-aqueous, concentrated (mini-aerosol)) for consumer use	PW, C	0	3, 28	8a, 8b, 9	11a	0	37, 63	
2	Biocidal product	PW, C	-	8	11	-	-	20	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)