

according to Regulation (EC) No 1907/2006

5401 Brake Cleaner Spray 500 m
--------------------------------

Revision date: 24.04.2024

Product code: 94223

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

5401 Brake Cleaner Spray 500 ml

Product group:

UFI:

Lösemittel

GGXD-U8VY-100S-72R4

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Brake cleaners

## 1.3. Details of the supplier of the safety data sheet

Company name:	Kisling (Deutschland) GmbH		
Street:	Salzstraße 15		
Place:	D-74676 Niedernhall		
Telephone:	+49 7940 50961 61		
E-mail:	customerservice@kisling.com		
Contact person:	Dr. Hans Götz	Telephone: +49 7940 5096 143	
E-mail:	compliance@kisling.com		
Internet:	www.kisling.com		
1.4. Emergency telephone	24 hr. emergency phone number +	1 872 5888271 (KAR)	
<u>number:</u>	Medicines & Poisons Info Office +356 2545 6508		

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008 Aerosol 1; H222-H229 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling

Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexane

Signal word: Pictograms: Danger

# **Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.



# according to Regulation (EC) No 1907/2006

## 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 2 of 12

# **Precautionary statements**

P102	Keep out of reach of children.
P210	Keep away from heat. No Smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Labelling of package	ges where the contents do not exceed 125 ml
Signal word:	Danger
Pictograms:	
-	

# Hazard statements

H222-H229-H336

## **Precautionary statements**

P102-P210-P211-P251-P410+P412

# 2.3. Other hazards

Pressurised container: May burst if heated.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Chemical characterization**

Mixture of substances listed below with nonhazardous components.

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64742-49-0	Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexane			50 - < 100 %
	921-024-6	01-2119475514-35		
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411			
124-38-9	carbon dioxide			1 - < 5 %
	204-696-9			
	Refrigerated liquefied gas; H281			

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
64742-49-0	921-024-6	Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexane	50 - < 100 %	
inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg				

# Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures



# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 3 of 12

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. In case of skin irritation, consult a physician.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Get immediate medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Vapours may cause drowsiness and dizziness. Frequently or prolonged contact with skin may cause dermal irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder. Carbon dioxide (CO2), Dry extinguishing powder, Foam.

#### Unsuitable extinguishing media

Water. Full water jet.

## 5.2. Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurized container: May burst if heated. Vapours can form explosive mixtures with air. In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Remove all sources of ignition. Provide adequate ventilation.

#### For non-emergency personnel

Remove persons to safety.

# For emergency responders

Use appropriate respiratory protection.



# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 4 of 12

## 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

# For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Disposal: see section 13 See protective measures under point 7 and 8. Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not pierce or burn, even after use. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. Keep away from sources of ignition - No smoking. Flammable vapours can accumulate in head space of closed systems. Caution! Transport usually takes place at temperatures above the flash point.

### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. When using do not eat or drink.

#### Further information on handling

When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

## Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Material, oxygen-rich, Oxidising. Pyrophoric or self-heating substances.

# Further information on storage conditions

Keep away from heat.

# 7.3. Specific end use(s)

No further relevant information available.



# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 5 of 12

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Occupational exposure limit values**

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
124-38-9	Carbon dioxide	5000	9000		TWA (8 h)	

### **DNEL/DMEL** values

CAS No	Name of agent			
DNEL type Exposure route Effect Value				
64742-49-0 Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexane				
Worker DNEL, long-term inhalation systemic 2035 mg/m <sup>3</sup>				
Worker DNEL, long-term dermal systemic 773 mg/kg bw.			773 mg/kg bw/day	

# 8.2. Exposure controls









#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection. Suitable eye protection: goggles EN 166

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

Suitable material:

Thickness of the glove material > 0,45mm

> 240 min. EN ISO 374

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing. The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Work in well-ventilated zones or use proper respiratory protection. Filtering device with filter or ventilator filtering device of type: A (EN 14387)

#### **Thermal hazards**

Flame-retardant protective clothing. Wear anti-static footwear and clothing



according to Regulation (EC) No 1907/2006

# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 6 of 12

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	colourless
Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	not determined
boiling range:	
Flammability:	not applicable
	not applicable
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7,0 vol. %
Flash point:	<b>2° 0&gt;</b>
Auto-ignition temperature:	200 °C
Decomposition temperature:	not determined
pH-Value:	not applicable
Water solubility:	The substance is not soluble in water.
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	4000 hPa
(at 20 °C)	
Vapour pressure:	7000 hPa
(at 50 °C)	
Density (at 20 °C):	0,74 g/cm <sup>3</sup>
Relative vapour density:	not determined
9.2. Other information	
Information with regard to physical baza	rd classos

# Information with regard to physical hazard classes

Explosive properties

Heating may cause an explosion. Vapours can form explosive mixtures with air.

# Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate:	not determined
Solvent content:	95,70 %
Solid content:	not determined

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated. Oxidising agent, strong

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Oxidising agent, strong

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. This material is combustible and can be ignited by heat, sparks, flames, or other sources of



according to Regulation (EC) No 1907/2006

# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 7 of 12

ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

Carbon dioxide (CO2), Carbon monoxide

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

No data available

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-49-0	Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexane				
	oral	LD50 >5000 mg/kg	Rat		OECD 401
	dermal	LD50 >2000 mg/kg	Rat		OECD 402
	inhalation (4 h) vapour	LC50 >20 mg/	l Rat		OECD 403

### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexane)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

# Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

#### 11.2. Information on other hazards

# **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



according to Regulation (EC) No 1907/2006

# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 8 of 12

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

Product is easily volatile.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

# Further information

160504

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

### List of Wastes Code - used product

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

# List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# SECTION 14: Transport information

# Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS



according to Regulation (EC) No 1907/2006

5401 Brake Cleaner Spray 500 ml					
Revision date: 24.04.2024	Product code: 94223	Page 9 of 12			
14.3. Transport hazard class(es):	2				
14.4. Packing group:	-				
Hazard label:	2.1				
	2				
Classification code:	5F				
Special Provisions:	190 327 344 625				
Limited quantity:	1 L				
Excepted quantity:	E0				
Transport category:	2				
Tunnel restriction code:	D				
Inland waterways transport (ADN)					
<u>14.1. UN number or ID number:</u>	UN 1950				
14.2. UN proper shipping name:	AEROSOLS				
14.3. Transport hazard class(es):	2				
14.4. Packing group:	-				
Hazard label:	2.1				
Classification code:	5F				
Special Provisions:	190 327 344 625				
Limited quantity:	1 L				
Excepted quantity:	E0				
Marine transport (IMDG)					
<u>14.1. UN number or ID number:</u>	UN 1950				
14.2. UN proper shipping name:	AEROSOLS				
14.3. Transport hazard class(es):	2.1				
14.4. Packing group:	-				
Hazard label:	2.1				
Special Provisions:	63, 190, 277, 327, 344, 381, 959				
Limited quantity:	1000 mL				
Excepted quantity:	E0				
EmS:	F-D, S-U				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 1950				
14.2. UN proper shipping name:	AEROSOLS, FLAMMABLE				
<u>14.3. Transport hazard class(es):</u>	2.1				
14.4. Packing group:	-				
Hazard label:	2.1				
	2				
Special Provisions:	A145 A167 A802				
Limited quantity Passenger:	30 kg G				
Passenger LQ:	Y203				



	5401 Brake Cleaner Spray 500 ml	
Revision date: 24.04.2024	Product code: 94223	Page 10 of 12
Excepted quantity:	E0	
IATA-packing instructions - Passenger:	203	
IATA-max. quantity - Passenger:	75 kg	
IATA-packing instructions - Cargo:	203 150 km	
IATA-max. quantity - Cargo:	150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	Hydrocarbons C6-C7 n-alkanes - isoalkanes - cyclics - <5% n-hexa	ne
14.6. Special precautions for user		
Warning: Flammable gases.		
14.7. Maritime transport in bulk according to	IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulation	ations/legislation specific for the substance or mixture	
15.1. Safety, health and environmental regulatory information	ations/legislation specific for the substance or mixture	
	ations/legislation specific for the substance or mixture	
<b>EU regulatory information</b> Restrictions on use (REACH, annex XVII):	ations/legislation specific for the substance or mixture 100 % (740 g/l)	
<b>EU regulatory information</b> Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40		
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC):	100 % (740 g/l)	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU	100 % (740 g/l) 95,7 % (708,18 g/l)	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):	100 % (740 g/l) 95,7 % (708,18 g/l) E2 Hazardous to the Aquatic Environment	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information:	100 % (740 g/l) 95,7 % (708,18 g/l) E2 Hazardous to the Aquatic Environment P3b	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information: Additional information Regulation (EC) No. 648/2004 [Detergent	100 % (740 g/l) 95,7 % (708,18 g/l) E2 Hazardous to the Aquatic Environment P3b	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information: Additional information Regulation (EC) No. 648/2004 [Detergent Aerosol Directive (75/324/).	100 % (740 g/l) 95,7 % (708,18 g/l) E2 Hazardous to the Aquatic Environment P3b	venile
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29, Entry 40 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information: Additional information Regulation (EC) No. 648/2004 [Detergence Aerosol Directive (75/324/). National regulatory information	100 % (740 g/l) 95,7 % (708,18 g/l) E2 Hazardous to the Aquatic Environment P3b ents regulation]. Observe restrictions to employment for juveniles according to the 'ju	venile

# **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 11 of 12

Abbreviations and acronyms CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Aerosol: Aerosols Refrigerated liquefied gas: Refrigerated liquefied gas Flam. Liq: Flammable liquid Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Bridging principle "Aerosols"
STOT SE 3; H336 Bridging principle "Aerosols"	
Aquatic Chronic 2; H411	Calculation method



# 5401 Brake Cleaner Spray 500 ml

Revision date: 24.04.2024

Product code: 94223

Page 12 of 12

# Relevant H and EUH statements (number and full text)

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H281	Contains refrigerated gas; may cause cryogenic burns or injury.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Surface modifier	-	-	14	-	-	-	-	3
2	Washing and cleaning products	IS, PW, C	-	35	7, 11, 19, 28	4, 8d	-	105	
LCS: L	LCS: Life cycle stages SU: Sectors of use								
PC: Pr	PC: Product categories				PROC: Process categories				
ERC: Environmental release categories			A	AC: Article categories					
TF: Te	TF: Technical functions								

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)