

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****- 1.1 Product identifier****- Trade name: ergo 1039****- 1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**- Application of the substance / the mixture** Adhesives**- 1.3 Details of the supplier of the safety data sheet****- Manufacturer/Supplier:**

KISLING DEUTSCHLAND GmbH

Drillberg

D-97980 Bad Mergentheim

Telefon: +49-(0) 791-407 27-0

Telefax: +49-(0) 791-407 27-50

**- Further information obtainable from:** Safety Department**- Department issuing MSDS:** ergo@kisling.com**- 1.4 Emergency telephone number:** Swiss Toxicological Information Centre: +41-(0) 44-2 51 51 51**SECTION 2: Hazards identification****- 2.1 Classification of the substance or mixture****- Classification according to Regulation (EC) No 1272/2008**

Eye Dam. 1 H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**- Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**- Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**- Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**- 2.2 Label elements****- Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**- Hazard pictograms**

GHS05 GHS07

**- Signal word** Danger

(Contd. on page 2)

DEGEN

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

**Trade name: ergo 1039**

(Contd. of page 1)

**- Hazard-determining components of labelling:**

2-hydroxyethyl methacrylate  
acrylic acid  
tert-butyl perbenzoate

**- Hazard statements**

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

**- Precautionary statements**

P261 Avoid breathing vapours.  
P280 Wear protective gloves / eye protection.  
P273 Avoid release to the environment.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**- Labelling of packages where the contents do not exceed 125 ml****- Hazard pictograms**

GHS05 GHS07

**- Signal word Danger****- Hazard-determining components of labelling:**

2-hydroxyethyl methacrylate  
acrylic acid  
tert-butyl perbenzoate

**- Hazard statements**

H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

**- Precautionary statements**

P261 Avoid breathing vapours.  
P280 Wear protective gloves / eye protection.  
P273 Avoid release to the environment.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**- 2.3 Other hazards****- Results of PBT and vPvB assessment**

- **PBT:** Not applicable.  
- **vPvB:** Not applicable.

— DEGEN —

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Trade name: ergo 1039

(Contd. of page 2)

### SECTION 3: Composition/information on ingredients

#### - 3.2 Mixtures

- **Description:** Adhesive

#### - Dangerous components:

CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X	2-hydroxyethyl methacrylate Xi R36/38; Xi R43 ----- Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-<100%
CAS: 79-10-7 EINECS: 201-177-9 Index number: 607-061-00-8	acrylic acid C R35; Xn R20/21/22; N R50 R10 ----- Flam. Liq. 3, H226; Skin Corr. 1A, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	3-<5%
CAS: 614-45-9 EINECS: 210-382-2	tert-butyl perbenzoate Xn R20/22; Xi R38; Xi R43; E R2; O R7; N R50 ----- Org. Perox. CD, H242; Aquatic Acute 1, H400; Acute Tox. 4, H332; Skin Irrit. 2, H315; Skin Sens. 1, H317	1-<3%
CAS: 128-37-0 EINECS: 204-881-4	2,6-di-tert-butyl-p-cresol N R50/53 ----- Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0,3-<1%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

#### - 4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.

#### - After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### - After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

#### - After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### - After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

#### - 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### - 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### - 5.1 Extinguishing media

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

#### - 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Danger of forming toxic pyrolysis products.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

(Contd. on page 4)

- DEGEN -

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Trade name: ergo 1039

(Contd. of page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.
- **Additional information**  
Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Use respiratory protective device against the effects of fumes/dust/aerosol.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 10 for information on "stability and reactivity".  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- **Information about fire - and explosion protection:**  
No special precautions are necessary if used and stored according to specifications.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

#### - Ingredients with limit values that require monitoring at the workplace:

##### 868-77-9 2-hydroxyethyl methacrylate

MAK (Germany) | vgl. Abschn. IIb

##### 79-10-7 acrylic acid

AGW (Germany) | Long-term value: 30 mg/m<sup>3</sup>, 10 ppm  
1(I);DFG, Y

(Contd. on page 5)

- DEGEN -

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Trade name: ergo 1039

(Contd. of page 4)

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- **Protection of hands:**

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Find below a list of appropriate protective gloves for chemical surrounding:

.  
Permeation time / penetration time: = 480 minutes(DIN EN 374):

Viton, Nr. 0890

Butyl II, Nr. 0897

Butyl, Nr. 0898

.  
Permeation time / penetration time: = 240 minutes(DIN EN 374):

Naturlatex I , Nr. 0395 oder 0403

Chloropren Nitril II, Nr. 0717

Chloropren, Nr. 0720, 0722, 0723, 0725 oder 0726

Nitril I, Nr. 0728, 0730, 0732, 0733, 0736, 0737, 0738, 0739 oder 0836

.  
Permeation time / penetration time: = 120 minutes(DIN EN 374):

Naturlatex II , Nr. 0706 oder 0708

Nitril VI, Nr. 0754

.  
of KCL company (e-mail: vertrieb@kcl.de).

.  
The recommendation is based exclusively on the chemical compatibility and the test according to EN374 under laboratory conditions.

Requirements can vary according to the use. Therefore, please always take into account the glove supplier's recommendations.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

Permeation time / penetration time: see above (material of gloves)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Safety glasses

DEGEN

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Trade name: ergo 1039

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

#### - 9.1 Information on basic physical and chemical properties

##### - General Information

##### - Appearance:

Form: Fluid  
 Colour: Opaque

- Odour: Characteristic

- Odour threshold: Not determined.

- pH-value: Not determined.

##### - Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

- Flash point: > 100 °C

- Flammability (solid, gaseous): Not applicable.

##### - Ignition temperature:

Decomposition temperature: Not determined.

- Self-igniting: Product is not self-igniting.

- Danger of explosion: Product does not present an explosion hazard.

##### - Explosion limits:

Lower: Not determined.

Upper: Not determined.

- Vapour pressure: Not determined.

- Density at 20 °C: 1,08 g/cm<sup>3</sup>

- Relative density: Not determined.

- Vapour density: Not determined.

- Evaporation rate: Not determined.

##### - Solubility in / Miscibility with water:

Not miscible or difficult to mix.

- Partition coefficient (n-octanol/water): Not determined.

##### - Viscosity:

Dynamic at 25 °C: > 100 000 mPas

Kinematic: Not determined.

##### - 9.2 Other information

No further relevant information available.

### SECTION 10: Stability and reactivity

#### - 10.1 Reactivity

#### - 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: Protect from heat and direct sunlight.

- 10.3 Possibility of hazardous reactions Exothermic polymerisation.

- 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.

#### - 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

- DEGEN -

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Trade name: ergo 1039

(Contd. of page 6)

### SECTION 11: Toxicological information

#### - 11.1 Information on toxicological effects

##### - Acute toxicity:

##### - LD/LC50 values relevant for classification:

##### 868-77-9 2-hydroxyethyl methacrylate

Oral	LD50	5050 mg/kg (rat)
Dermal	LD50	3000 mg/kg (rab)

##### - Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Causes serious eye damage.

- **Sensitisation:** Sensitisation possible through skin contact.

##### - Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

No experimentally found toxicological data are available for this preparation.

### SECTION 12: Ecological information

#### - 12.1 Toxicity

##### - Aquatic toxicity:

##### 868-77-9 2-hydroxyethyl methacrylate

LC50/96 h	213 - 242 mg/l (Pimephales promelas)
-----------	--------------------------------------

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

##### - Ecotoxicological effects:

- **Remark:** Harmful to fish

##### - Additional ecological information:

##### - General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

Harmful to aquatic organisms

##### - 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### - 13.1 Waste treatment methods

- **Recommendation** Disposal must be made according to official regulations.

##### - European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances

(Contd. on page 8)

- DEGEN -

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

Trade name: ergo 1039

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

#### SECTION 14: Transport information

- 14.1 UN-Number - ADR, IMDG, IATA	Void
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void
- 14.3 Transport hazard class(es) - ADR, ADN, IMDG, IATA - Class	Void
- 14.4 Packing group - ADR, IMDG, IATA	Void
- 14.5 Environmental hazards:	Not applicable.
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
- UN "Model Regulation":	-

#### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- **National regulations:**
- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
- H226 Flammable liquid and vapour.
- H242 Heating may cause a fire.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R2 Risk of explosion by shock, friction, fire or other sources of ignition.
- R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- R20/22 Harmful by inhalation and if swallowed.
- R35 Causes severe burns.
- R36/38 Irritating to eyes and skin.

(Contd. on page 9)

DEGEN



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 10.03.2015

Version number 1

Revision: 10.03.2015

<b>Trade name: ergo 1039</b>
------------------------------

(Contd. of page 8)

- R38 Irritating to skin.  
 R43 May cause sensitisation by skin contact.  
 R50 Very toxic to aquatic organisms.  
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R7 May cause fire.

**- Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 Flam. Liq. 3: Flammable liquids, Hazard Category 3  
 Org. Perox. CD: Organic Peroxides, Types C, D  
 Acute Tox. 4: Acute toxicity, Hazard Category 4  
 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

DEGEN